

Cleancrop Broadshot

Page: 1

Revised edition no: 4 Date: 24/6/2009 Supersedes: 10/12/2008

CA701553





N: Dangerous for

the environment

1 IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

: 200 g/L 2,4-D ae as the ethyl hexyl ester, 85 g/L Dicamba, 65 g/L Triclopyr ae as Identification of the product

the butoxyethyl ester.

Trade name : Cleancrop Broadshot

: Industrial. Use Type of product : Herbicide. Company identification : AGRIPHAR S.A. Rue de Renory, 26/1

B-4102 Ougrée Belgique-Belgie

Tel.: +32 (0)4 385 97 11 Fax: +32 (0)4 385 97 49 e-mail: info@agriphar.com http://www.agriphar.com

Emergency phone nr : See Anti-poison center.

2 HAZARDS IDENTIFICATION

Risk Phrases : Harmful if swallowed. Irritating to eyes, respiratory system and skin. Harmful : may

cause lung damage if swallowed. Vapours may cause drowsiness and dizziness.

Dangerous product : Flammable. May form flammable vapour-air mixture.

Environmental hazard : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Primary route of exposure : Vapours inhalation. Skin contact.

Symptoms relating to use

- Inhalation : Xi : Irritant Cough. Shortness of breath. Breathing difficulties. Headache. Dizziness.

Drowsiness. Giddiness.

- Skin contact : Itch. Redness, pain. May cause immediate skin irritation and blistering.

- Eye contact : Eye irritant upon direct contact. : Abdominal pain, nausea. - Ingestion

3 COMPOSITION / INFORMATION ON INGREDIENTS

This product is considered to be hazardous and contains hazardous components

: 2.9

Substance name	Contents	CAS No / EC No / Index No	Symbol(s)	R-Phrase(s)
<u>2,4 D EHE</u> :	27 to 29.9 %	1928-43-4 / / 607-308-00-X	Xn N	22-43-50/53
Log P octanol / water at 20°C	: 5.78			
Rat oral LD50 [mg/kg]	: 720 to 982			
Percutaneous (rat) LD50 [mg/kg]	: > 2000			
Rat inhalation LC50 [mg/l/4h]	: > 5.39			
LC50-96 Hour - fish [mg/l]	: > 1.9			
48 H-CE50 - Daphnia magna [mg/l]	: > 1.91			
IC50 72h Algae [mg/l]	: 0.23			
Triclopyr BEE :	7.7 to 9.2 %	64700-56-7 / /	N Xn	22-43-50/53
Log P octanol / water at 20°C	: -0.45			
Rat oral LD50 [mg/kg]	: 803			
Percutaneous (rat) LD50 [mg/kg]	: > 2000			
Rat inhalation LC50 [mg/l/4h]	: > 4.8			
LC50-96 Hour - fish [mg/l]	: 0.31			

AGRIPHAR S.A.

Rue de Renory, 26/1 B-4102 Ougrée Belgique-Belgie

48 H-CE50 - Daphnia magna [mg/l]



Page: 2

Revised edition no : 4
Date : 24/6/2009
Supersedes : 10/12/2008

CA701553

A/UIJJ

Cleancrop Broadshot

3 COMPOSITION / INFORMATION ON INGREDIENTS (continued)

IC50 72h Algae [mg/l] : > 2.78

Substance name **Contents** CAS No / EC No / Index No Symbol(s) R-Phrase(s) Dicamba (ISO) 7.2 to 8.7 % 1918-00-9 / 217-635-6 / 607-043-00-X Xn 22-41-52/53 Log P octanol / water at 20°C : .55 Rat oral LD50 [mg/kg] : 1581 to 1879 : > 2000 Percutaneous (rat) LD50 [mg/kg] Rat inhalation LC50 [mg/l/4h] : > 9.6 LC50-96 Hour - fish [mg/l] : > 100 48 H-CE50 - Daphnia magna [mg/l] : > 100 IC50 72h Algae [mg/l] : > 100

<u>Solvent</u> : > 30 % ----- / ----- N Xn 10-37-51/53-65-

66-67

4 FIRST AID MEASURES

First aid measures

- Inhalation : Assure fresh air breathing. If breathing is difficult, give oxygen. If not breathing, give

artificial respiration. Seek medical advice.

- Skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse. Seek medical attention if ill effect or irritation

develops.

- Eye contact : Flush with lukewarm water for 15 minutes. Obtain emergency medical attention if

pain, blinking, tears or redness persist.

- Ingestion : DO NOT INDUCE VOMITING. If swallowed, rinse mouth with water (only if the

person is conscious). Obtain emergency medical attention.

5 FIRE-FIGHTING MEASURES

Flammable class : This product is flammable.

Prevention : Keep away from sources of ignition. No naked lights. No smoking.

Extinguishing media : Dry chemical. Water. Carbon dioxide. Foam.

Surrounding fires : Use water spray or fog for cooling exposed containers.

Specific hazards : May form flammable vapour-air mixture. Carbon monoxide. Halogens. Carbon

dioxide. Nitrogen oxides.

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory

protection.

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to

enter environment.

Personal precautions : The driver shall not attempt to deal with any fire of the load.

6 ACCIDENTAL RELEASE MEASURES

Personal precautions : No smoking. Keep public away from danger area. Spill should be handled by

trained cleaning personnel properly equipped with respiratory and eye protection.

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers

or public waters.

Clean up methods : Clean up any spills as soon as possible, using an absorbent material to collect it.

Use suitable disposal containers. Dilute residues and flush.

AGRIPHAR S.A.

Rue de Renory, 26/1 B-4102 Ougrée Belgique-Belgie



Cleancrop Broadshot

Page: 3

Revised edition no: 4 Date: 24/6/2009 Supersedes: 10/12/2008

CA701553

7 HANDLING AND STORAGE

: Keep away from sources of ignition - No Smoking. Do not breathe vapours.

: Both local exhaust and good general room ventilation must be provided not only to Precautions in handling and storage

control exposure but also to prevent formation of flammable mixtures.

Technical protective measures : Use grounded electrical/mechanical equipment.

Storage : Keep in fireproof place. Store in tightly closed, properly ventilated containers away

from heat, sparks, open flame.

Handling : Ensure prompt removal from eyes, skin and clothing. Wash hands and other

exposed areas with mild soap and water before eat, drink or smoke and when

leaving work.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protection











- Respiratory protection : Where exposure through inhalation may occur from use, approved respiratory

protection equipment is recommended.

- Hand protection : Wear suitable gloves resistant to chemical penetration.

- Skin protection : If skin contact or contamination of clothing is likely, protective clothing should be

- Eye protection : Chemical goggles or face shield with safety glasses.

: When using, do not eat, drink or smoke. - Ingestion

Industrial hygiene : Provide local exhaust or general room ventilation to minimize dust and/or vapour

concentrations. Emergency eye wash fountains and safety showers should be

available in the immediate vicinity of any potential exposure.

: Hydrocarbon-solvents (Aromatic) : TLV© -TWA [mg/m³] : 100 - 150 Occupational Exposure Limits

Hydrocarbon-solvents (Aromatic): TLV© -TWA [ppm]: 19 - 25

9 PHYSICAL AND CHEMICAL PROPERTIES

Physical state at 20 °C : Liquid. Colour : Brown. Odour : Aromatic.

pH value in distilled water : 2.67 (1%, 20°C).

Density : 1.033

Viscosity : 3.36 mm2/s, 40°C.

Surface tension [mN/m] : 32.6, 25°C.

Flash point [°C] : >41

10 STABILITY AND REACTIVITY

Hazardous reactions

Hazardous decomposition products : According to process conditions, hazardous decomposition products may be

generated. Thermal decomposition generates: Carbon monoxide. Halogens.

Carbon dioxide. Nitrogen oxides. : May release flammable gases.

Hazardous properties : In use, may form flammable/explosive vapour-air mixture.

Conditions to avoid : Open flame. Sparks. Overheating.

11 TOXICOLOGICAL INFORMATION

Acute toxicity : Irritating to eyes, respiratory system and skin.

Rat oral LD50 [mg/kg] : No data available.

On ingredients : See Heading: Information on ingredients.

AGRIPHAR S.A.

Rue de Renory, 26/1 B-4102 Ougrée Belgique-Belgie



Page: 4

Revised edition no: 4 Date: 24/6/2009 Supersedes: 10/12/2008

CA701553

www.lisam.com

Cleancrop Broadshot

12 ECOLOGICAL INFORMATION

Ecological effects information : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

LC50-96 Hour - fish [mg/l] : No data available.

On ingredients : See Heading: Information on ingredients.

13 DISPOSAL CONSIDERATIONS

General : Dispose of this material and its container at hazardous or special waste collection

point. Dispose in a safe manner in accordance with local/national regulations.

14 TRANSPORT INFORMATION

General information : Ensure vehicle driver is aware of the potential hazards of the load and knows what

to do in the event of an accident or an emergency.

Land transport

- Proper shipping name : UN3295 HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbon-solvents (Aromatic)),

3, III

- UN No. : 3295 - H.I. nr : 30 : Class : 3 - ADR Class

- ADR/RID Packing group : Group : III

- ADR/RID : C1E : Passage forbidden through tunnels of category C and D when carried in

tanks. Passage forbidden through tunnels of category E.

- Labelling ADR

Hazard Aquatic Environment





Sea transport

- Proper shipping name : UN3295 HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbon-solvents (Aromatic)),

3, III

- IMO-IMDG code : Class : 3 - IMO Packing group : Group : III - IMDG-Marine pollution : YES

- Hazard Label(s)





Air transport

: UN3295 HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbon-solvents (Aromatic)), - Proper shipping name

3, III : Class : 3 - IATA - Class or division - IATA Packing group : Group: III

- IATA Packing instruction : Packaging instructions passenger: 309 / 60 L

Packaging instructions cargo: 310 / 220 L

- Hazard Label(s)





AGRIPHAR S.A.

Rue de Renory, 26/1 B-4102 Ougrée Belgique-Belgie



Page: 5

Revised edition no: 4 Date: 24/6/2009 Supersedes: 10/12/2008

CA701553

Cleancrop Broadshot

15 REGULATORY INFORMATION

- Symbol(s) : Xn: Harmful.

N: Dangerous for the environment

- R Phrase(s) : R10 : Flammable.

R22: Harmful if swallowed.

R36/37/38: Irritating to eyes, respiratory system and skin.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

R65: Harmful: may cause lung damage if swallowed. R67: Vapours may cause drowsiness and dizziness.

- S Phrase(s) : S2 : Keep out of the reach of children.

S13: Keep away from food, drink and animal feedingstuffs.

S20/21: When using, do not eat, drink or smoke. S23: Do not breathe the gas, fumes, vapours, spray.

S29/35: Do not empty into drains; dispose of this material and its container in a

S36/37/39: Wear suitable protective clothing, gloves and eye/face protection. S46: If swallowed seek medical advice immediately and show this container or

label.

S51: Use only in well-ventilated areas.

S62: If swallowed, do not induce vomiting: seek medical advice immediately and

show this container or label.

16 OTHER INFORMATION

Further information : Revision - See : *

The contents and format of this SDS are in accordance with EEC Commission Directive 1907/2006.

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document

AGRIPHAR S.A.

Rue de Renory, 26/1 B-4102 Ougrée Belgique-Belgie