

Scotts. Material Safety Data Sheet

According to EC Directive 2001/58/EC

Print date: 22-Jan-2007 Revision Number: 0 Revision date:

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE **COMPANY/UNDERTAKING**

Identification of the substance or preparation

MSDS Ref. No.: 4105.01.08 XU/W50

Product name: Sierraform GT Anti Stress

15-00-26 + Fe

Use of the Substance/Preparation

Recommended use: Granulated fertilizer.

Company/Undertaking Scotts International BV

Identification Nijverheidsweg 1-5

6422 PD Heerlen (NL) Tel: ++31 (0) 45-5609100 Fax: ++31 (0) 45-5609190

Emergency telephone number: As long as no emergency telephone number is available in Europe, please contact

in case of an emergency:++31 (0) 45-5609100

2. COMPOSITION/INFORMATION ON INGREDIENTS

The product contains no substances known to be hazardous to health in concentrations which need to be taken into account

Components	CAS-No	Weight %	EC-No.	Classification
Talc	14807-96-6	1 - 5%	238-877-9	NE
Ironsulphate, FeSO4+1H2O	7720-78-7	1 - 5%	231-753-5	Xn;R22

For the full text of the R phrases mentioned in this Section, see Section 16

3. HAZARDS IDENTIFICATION

Classification

The product is non-dangerous in accordance with Directive 1999/45/EC

Most important hazards

None

Revision date: Page 1 of 6

4. FIRST AID MEASURES

General advice: If you feel unwell, seek medical advice (show the label where possible).

Ingestion: Do not induce vomiting without medical advice. If a person vomits when lying on his

back, place him in the recovery position. Never give anything by mouth to an unconscious person. In case of respiratory difficulties practice oxygenotherapy.

Possible symptoms are nausea and/or vommiting.

Inhalation: In case of shortness of breath, give oxygen. Possible symptoms are coughing and/or

dyspnoea. Move to fresh air. If symptoms persist, call a physician.

Skin contact: If a person feels unwell or symptoms of skin irritation appear, consult a physician.

Eye contact: Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists,

consult a specialist.

Protection of first-aiders: Low hazard for usual industrial or commercial handling.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

MSDS Ref. No.: 4105.01.08 XU/W50

Use dry chemical, CO2, water spray or "alcohol" foam.

Unsuitable extinguishing media:

No information available

Special exposure hazards arising from the substance or preparation itself, its combustion products, or released gases:

Product smoulders! In case of fire, cool with water or waterspray. Thermal decomposition can lead to release of irritating gases and vapours.

Special protective equipment for firefighters:

In the event of fire and/or explosion do not breathe fumes. Wear self contained breathing apparatus for fire fighting if necessary. Evacuate area and fight fire from a safe distance.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Avoid dust formation. Ensure adequate ventilation.

Environmental precautions:

Prevent product from entering drains. Do not contaminate surface water.

Methods for cleaning up:

Shovel or sweep up. Use up product completely. Packaging material is industrial waste.

7. HANDLING AND STORAGE

Handling:

Technical measures/precautions:No special technical protective measures required.

Safe handling advice: Keep away from open flames, hot surfaces and sources of

ignition.

Revision date: Page 2 of 6

Storage:

Technical measures/storage conditions: Keep away from heat and sources of ignition. Keep away

from food, drink and animal feeding stuffs. For quality reasons: Keep out of reach of direct sunlight, store under dry conditions, partly used bags should be closed well. Keep at

temperatures between 0 °C and 40 °C.

Incompatible products:

Not applicable

Specific use(s): Granulated fertilizer.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure: Ensure adequate ventilation.

Occupational exposure controls

MSDS Ref. No.: 4105.01.08 XU/W50

Personal protective equipment

Respiratory protection: Not applicable.

Hand protection: PVC or other plastic material gloves.

Eye/face protection: Safety glasses.

Skin and body protection:Usual safety precautions while handling the product will

provide adequate protection against this potential effect.

Hygiene measures Follow good housekeeping practices. When using, do not

eat, drink or smoke. Keep away from food, drink and animal

feeding stuffs.

Exposure limit values

Talc

 Austria - MAKs
 5 mg/m³ MAK

 Belgium - 8 Hr VLE
 2 mg/m³ VLE

 Czech Republic OEL
 Listed

 Czech Republic OEL
 Listed

 Finland - Occupational Exposure Limits - 8 hour
 0.5 fibers/cm3 TWA

5 mg/m³ TWA

Germany TRGS900: 2 A mg/m³

Netherlands - OEL - MACs: 1 mg/m³ MAC

Portugal - TWAs 2 mg/m³ TWA

Spain - Valores Limite Ambientales - VLE 2 mg/m³ VLA-ED

Sweden - OEL - 8 Hour 1 mg/m³ LLV

2 mg/m³ LLV

UK EH40 WEL: 1 mg/m³ TWA

Ironsulphate, FeSO4+1H2O

Belgium - 8 Hr VLE1 mg/m³Czech Republic OELListedFinland - Occupational Exposure Limits - 8 hour1 mg/m³Netherlands - OEL - MACs:1 mg/m³Norway - 8 h:0.01 mg/m³

Portugal - TWAs 1 mg/m³ TWA
Spain - Valores Limite Ambientales - VLE 1 mg/m³ VLA-ED

UK EH40 WEL:

LTEL (8 hr TWA) 1 mg/m³

STEL (15 min) 2mg/m³

Revision date: Page 3 of 6

9. PHYSICAL AND CHEMICAL PROPERTIES

General Information

Physical State: Solid Appearance: Granular

MSDS Ref. No.: 4105.01.08 XU/W50

Color: Dark grey, Brownish **Odor:** No information available

Important Health Safety and Environmental Information

Flammability (solid, gas): Non-flammable Solubility: Moderately soluble

Other information

Bulk density: 950 kg/m^3 **Decomposition temperature:** $> 150 ^{\circ}\text{C}$

10. STABILITY AND REACTIVITY

Stability: Stable under recommended storage conditions.

Conditions to avoid: Keep away from open flames, hot surfaces and sources of ignition.

Materials to avoid: Oxidising agents.

Hazardous decomposition

products:

No decomposition if stored normally

Thermal decomposition can lead to release of irritating gases and vapours

11. TOXICOLOGICAL INFORMATION

Component information

Ironsulphate, FeSO4+1H2O

LD50/oral/rat = 1389 mg/kg

Other information on acute

toxicity:

No information available

Product information

Local effects

Skin effects: May cause skin irritation in susceptible persons.

Eye effects: Contact with eyes may cause irritation.

Revision date: Page 4 of 6

MSDS Ref. No.: 4105.01.08 XU/W50 Sierraform GT Anti Stress 15-00-26 + Fe

Inhalation: May cause sensitization by inhalation.

Ingestion: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

12. ECOLOGICAL INFORMATION

Product information

Aquatic toxicity:

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants

Component information

Ironsulphate, FeSO4+1H2O

Ecotoxicity effects EC50/48h/daphnia = >100mg/l

LC50/96h/rainbow trout = >72.5mg/l (6d)

EC50/72h/algae = 22mg/l

No ecological information is known on the product nor on any of its ingredients

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods: Use up product completely. Packaging material is industrial waste

Contaminated packaging: Empty containers can be landfilled, when in compliance with the local regulations

14. TRANSPORT INFORMATION

Product information

Physical State: Solid

ADR/RID

UN-No: Not classified for transport

<u>IATA</u>

UN-No: Not classified for transport

IMO / IMDG

UN-No: Not classified for transport

15. REGULATORY INFORMATION

Revision date: Page 5 of 6

15. REGULATORY INFORMATION

Indication of danger:

MSDS Ref. No.: 4105.01.08 XU/W50

This product does not have to be classified according to the EU regulations.

16. OTHER INFORMATION

Text of R Phrases mentioned in Section 2

None

Reason for revision:

*** Indicates changes since the last revision. This version replaces all previous versions

Prepared by:

Regulatory Affairs Department.

This information contained herein is, to the best of Scott's knowledge and belief, accurate and reliable as of the date of preparation of this document. However, no warranty or guarantee, express or implied, is made as to the accuracy or reliability, and Scotts shall not be liable for any loss or damage arising out of the use thereof. No authorization is given or implied to use any patented invention without a license. In addition, Scotts shall not be liable for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the product

End of Safety Data Sheet

Revision date: Page 6 of 6