

## 1. CHEMICAL PRODUCT AND COMPANY DESCRIPTION

AQUATROLS CORPORATION OF AMERICA

1273 IMPERIAL WAY

PAULSBORO, NJ 08066 USA

### Emergency Phone Numbers:

For emergencies involving a spill, leak, fire, exposure or accident, contact CHEMTREC (800-424-9300 within the United States or 703-527-3887 for international collect calls).

**For Product Information:** 1-800-257-7797 or [www.aquatrols.com](http://www.aquatrols.com)

**Chemical Name or Synonym:** Non-ionic surfactant blend

**C.A.S. Number:** Proprietary

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS Reg Number	Weight%	**Exposure Limits**	
			OSHA/PEL	ACGIH/TLV
Non-ionic surfactant blend	proprietary*	17%	Not established	not established
Water	7732-18-5	83%	not established	not established

\*Trade secret as allowed by 29 CFR 1910.1200-48

## 3. HAZARDS IDENTIFICATION

### A. Emergency Overview:

**Physical Appearance and Odor:** Clear brown liquid with mild characteristic odor.

**Warning Statements:** Caution! Causes eye irritation.

### B. Potential Health Effects:

**Primary Route of Entry:** Skin

#### Effect of Overexposure:

**Acute Eye:** May cause eye irritation.

**Acute Skin:** May cause skin irritation.

**Acute Inhalation:** Inhalation not likely. Mists may cause upper respiratory tract irritation.

**Acute Ingestion:** Practically non-toxic.

**Chronic Effects:** This product does not contain any ingredient designated by IARC, NTP, ACGIH or OSHA as probable or suspected human carcinogens.

## 4. FIRST AID MEASURES

**EYE CONTACT:** DO NOT RUB EYES. Immediately flush eyes with large amounts of water for 15 minutes lifting the lower and upper lids. Seek medical attention if necessary.

**SKIN CONTACT:** Remove contaminated clothing and immediately wash affected area with large amounts of water for at least 5 minutes. If irritation or redness persists, seek medical attention as needed.

**IF SWALLOWED:** Call a physician or poison control center promptly. If victim is conscious and alert, give 1-2 glasses of water to drink. Induce vomiting only upon advice from a physician.

**INHALATION:** Inhalation is not an expected route of exposure. Move individual to fresh air and check to assure adequate respiration. Seek medical attention if necessary.

**Medical Conditions Possibly Aggravated by Exposure:** Skin contact may aggravate existing skin conditions.

**Notes to Physician:** All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred. Treat symptomatically. No specific antidote available.

## 5. FIRE FIGHTING MEASURES

### FIRE HAZARD DATA:

**Flash Point:** . >200°F

**Method Used:** Pensky-Martens Closed Cup

**Flammability Limits (vol/vol%):**

**Lower:** No data

**Upper:** No data

**Extinguishing Media:** Water spray, dry chemical, carbon dioxide, and/or foam are recommended.

**Special Fire Fighting Procedures:** Firefighters should wear NIOSH/MSHA approved self-containing breathing apparatus and full protective clothing. This product may foam when mixed with water.

**Unusual Fire and Explosion Hazards:** Product will burn under fire conditions.

**Hazardous Decomposition Materials (Under Fire Conditions):** Oxides of carbon.

## 6. ACCIDENTAL RELEASE MEASURES

**Evacuation Procedures and Safety:** See Personal Protection information in Section 8.

**Cleanup and Disposal of Spill:** Contain spilled material by diking. Absorb with an inert absorbent. Shovel into an appropriate closed container (See Section 7: Handling and Storage). A comprehensive spill response plan should be developed and implemented.

**Environmental and Regulatory Reporting:** Do not flush to drain. Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

## 7. HANDLING AND STORAGE

**Minimum/Maximum Storage Temperature:** not established

**Handling:** Avoid breathing vapors and mists. Avoid direct or prolonged contact with skin and eyes. Use non-sparking tools and grounded/bonded equipment and containers when transferring. In cold weather, this product may stratify and freeze. This does not damage the product. If freezing occurs, thaw and remix before using. Frozen material may be thawed in a warm room. Avoid localized overheating. Vent drums while heating. Mix thoroughly to assure homogeneity. Ethylene oxide may collect in container head space. Although concentrations are expected to remain below established exposure limits, provide adequate ventilation when accessing or working with open containers and tanks.

**Storage:** Store in tightly closed containers. Store in an area that is dry, well-ventilated, away from ignition sources, and away from incompatible materials (see Section 10: Stability and Reactivity).

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Introductory Remarks:** These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and piping systems for maintenance and repairs. Waste resulting from these procedures should be handled in accordance with Section 13: Disposal Considerations.

**Exposure Guidelines:** No exposure limits were found for this product or any of its ingredients.

**Engineering Controls:** Where engineering controls are indicated by use conditions or a potential for exposure exists, the following traditional exposure control techniques may be used to effectively minimize employee exposures: general area dilution/exhaust ventilation.

**Respiratory Protection:** When respirators are required, select NIOSH/MSHA approved equipment based on actual or potential airborne concentrations in accordance with the appropriate regulatory standards and/or industrial recommendations.

**Eye/Face Protection:** Requirements will vary dependent upon work environment conditions and material handling practices. Appropriate ANSI Z87.1 approved equipment should be selected for the particular use intended for this material. Wear appropriate protective safety goggles/glasses. An emergency eyewash station is recommended.

**Skin Protection:** Skin contact should be minimized through use of appropriate clothing and suitable long-sleeved clothing (i.e., shirts and pants). Consideration must be given both to durability as well as permeation resistance. USDA accepted Nitrile (CFR-20) or neoprene rubber (CFR-21) gloves are recommended.



**13. DISPOSAL CONSIDERATIONS**

**Waste Disposal Method:** Chemical additions, processing or otherwise altering this material may make the waste management information presented in this MSDS incomplete, inaccurate, or inappropriate. Please be advised that state and local requirements for waste disposal may be more restrictive or different from federal laws and regulations. Consult state and local regulations regarding the proper disposal of this material.

All recovered materials should be packaged, labeled, transported, and disposed or reclaimed in conformance with applicable laws and regulations and good industrial hygiene practices. Avoid landfilling liquids; recycle when possible.

**Container Handling and Disposal:** Any containers or equipment used should be decontaminated immediately after use.

**14. TRANSPORTATION INFORMATION**

**Transportation Status:** The listed Transportation Classification does not address regulatory variations due to changes in package size, mode of shipment or other regulatory descriptors.

**US Department of Transportation Shipping Name:** NOT REGULATED

**15. REGULATORY INFORMATION****Inventory Status:**

Inventory	Status
UNITED STATES (TSCA)	Y
CANADA (DSL)	N
EUROPE (EINECS/ELINCS)	P
AUSTRALIA (AICS)	Y
JAPAN (MITI)	N
SOUTH KOREA (KECL)	N

Y: All ingredients are on the inventory.

E: All ingredients are on the inventory or exempt from listing.

P: One or more ingredients fall under the polymer exemption or are on the no longer polymer list. All other ingredients are on the inventory or exempt from listing.

N: Not determined or one or more ingredients are not on the inventory and are not exempt from listing.

**FEDERAL REGULATIONS:**

**Inventory Issues:** All functional components of this product are listed on the TSCA Inventory.

**SARA Title III Hazard Classes:**

Fire Hazard	NO
Reactive Hazard	NO
Release of Pressure	NO
Acute Health Hazard	YES
Chronic Health Hazard	NO

**SARA Title III Section 313:** This product contains the following material regulated under SARA Title III Section 313: Glycol ethers (per the current EPA definition) at a level estimated to be 4%.

**OTHER FEDERAL REGULATIONS:**

**FDA Status:** N/A

**FIFRA Status:** N/A

**STATE REGULATIONS:** This product contains the following components that are regulated under California Proposition 65:

Ingredient	Cancer List	Reprod. List	No Sig. Risk Lvl. (ug/day)	RPI
Ethylene Oxide	Y	Y	2	ND
Dioxane	Y	N	30	ND



**16. OTHER INFORMATION**

**National Fire Protection Association Hazard Ratings – NFPA (R):**

- 1 Health Hazard Rating - Slight
- 1 Flammability Rating -- Slight
- 0 Reactivity Rating -- Minimal

**National Paint and Coating Hazardous Materials Identification System - HMIS(R):**

- 1 Health Hazard Rating - Slight
- 1 Flammability Rating -- Slight
- 0 Reactivity Rating -- Minimal

**Key Legend Information**

- ACGIH    American Conference of Governmental Industrial Hygienists
- OSHA    Occupational Safety and Health Administration
- TLV     Threshold Limit Value
- PEL     Permissible Exposure Limit
- TWA     Time Weighted Average
- STEL    Short-Term Exposure Limit
- NTP     National Toxicology Program
- IARC    International Agency for Research on Cancer
- ND      Not determined

**Reason for Revisions:** Company location change. This MSDS replaces the August 29, 2001, MSDS.

**Disclaimer:**

While the information and recommendations set forth herein are believed to be accurate, we make no warranty with respect hereto and disclaim all liability from reliance thereon.

**End of MSDS Document**