

SAFETY DATA SHEET

REVOLUTION SWDG

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY

PRODUCT NAME: REVOLUTION SWDG

SUPPLIER: Supaturf Products Ltd
Moonhall Business Park
Helions Bumpstead Road
Haverhill Suffolk CB9 7AA

TEL: 01440 715800
FAX: 01440 715808

2 COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME	EINECS No.	CAS No.	CONTENTS	SYMBOL	RISK (R No.)
DOLOMITIC LIMESTONE			90 %	NC	
PROPRIETARY NON-IONIC SURFACTANT			10 %	NC	

The full text for all R-phrases are shown in section 16.

COMPOSITION COMMENTS: The Dolomitic Limestone may also contain a small percentage of wood dust.

3 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

4 FIRST AID MEASURES

INHALATION: Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

INGESTION: Drink plenty of water. Get medical attention if any discomfort continues.

SKIN: Remove contaminated clothing. Rinse immediately with plenty of water. Get medical attention promptly if symptoms occur after washing.

EYES: Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

5 FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Use extinguishing media appropriate for surrounding fire.

6 ACCIDENTAL RELEASE MEASURES

SPILL CLEANUP METHODS: Spillage should be collected for recycling. Avoid generation and spreading of dust. Flush area with water.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS: Avoid handling which leads to dust formation.

REVOLUTION SWDG

STORAGE PRECAUTIONS: Keep in cool, dry, ventilated storage and closed containers.

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

INGREDIENT NAME	CAS No	STD	LT EXP (8 hrs)	ST EXP (15 min)
DOLOMITIC LIMESTONE		OES	10 mg/m3 total dust	

INGREDIENT COMMENTS: OES = Occupational Exposure Standard. The Dolomitic Limestone also has a Long Term Exposure Value for respirable dust (8 hour) of 5 mg/m3. Wood Dust has a Maximum Exposure Limit (MEL) of 5 mg/m3 (8 hour).

PROTECTIVE EQUIPMENT:



RESPIRATORS: If excessive contamination exists wear suitable Dust Mask

PROTECTIVE GLOVES: Use protective gloves made of: Nitrile. or Neoprene. Confirmation of materials/advice should be sought from glove suppliers.

HYGIENIC WORK ROUTINES: Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Granular.	COLOUR:	Tan.
ODOUR/TASTE:	Slight.		
SOLUBILITY DESCRIPTION:	Dispersible in water.	SPECIFIC GRAVITY (Water=1):	0.85

10 STABILITY AND REACTIVITY

STABILITY: Normally stable.

CONDITIONS TO AVOID: Avoid heat, flames and other sources of ignition.

HAZARDOUS POLYMERIZATION: Will not polymerise.

MATERIALS TO AVOID: Strong mineral acids. Oxidising agents.

HAZARDOUS DECOMPOSITION PRODUCTS:
Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).

11 TOXICOLOGICAL INFORMATION

INHALATION: Dust may irritate respiratory system or lungs.

INGESTION: May cause discomfort if swallowed. Diarrhoea.

SKIN: Prolonged contact may cause irritation.

EYES: Particles in the eyes may cause irritation and smarting.

12 ECOLOGICAL INFORMATION

ENVIRONMENTAL HAZARDS: Not classified as dangerous for the environment.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS: Dispose of in accordance with Local Authority requirements.

REVOLUTION SWDG

14 TRANSPORT INFORMATION

ROAD:

HAZARD CLASS (ADR): Not classified for transportation.

RAIL:

SEA:

AIR:

15 REGULATORY INFORMATION

RISK PHRASES: Not classified.

SAFETY PHRASES: Not classified.

STATUTORY INSTRUMENTS: Chemicals (Hazard Information and Packaging) Regulations.

APPROVED CODE OF PRACTICE: Safety Data Sheets for Substances and Preparations L62.
Classification and Labelling of Substances and Preparations Dangerous for Supply.

16 OTHER INFORMATION

REVISION DATE: 04-2003