

VITAX SAFETY INFORMATION SHEET

IDENTIFICATION OF PREPARATION **STADIA ALL COLOURS**

Packaging: 12.5 litres

AND COMPANY

Vitax Ltd, Owen Street, Coalville LE67 3DE Tel: 01530 510060

COMPOSITION

Line marking liquid. Water based paint.

INGREDIENT	% w/w	CLASSIFICATION	CAS NO	EC NO
Proprietary non-hazardous blend	-	-	-	-

HAZARDS IDENTIFICATION

Not regarded as a health hazard under current legislation.

FIRST AID MEASURES

Accidental over exposure may result in the following symptoms:-

Prolonged and repeated contact with solvents over a long period may lead to permanent health problems.

Skin Contact - may cause irritation

Eye Contact - may cause irritation

In case of accident or if you feel unwell seek medical advice immediately (show the label where possible).

Additional medical guidance is available to doctors from the National Poisons Information Service.

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

Inhalation - move the patient to fresh air at once. Rinse nose and mouth with water. Obtain medical attention if any discomfort continues.

Eye Contact - make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eyelids. Continue to rinse for at least 15 minutes. Obtain medical attention if any discomfort continues.

Skin Contact - remove contaminated clothing. Wash the skin immediately with soap and water if symptoms occur after washing.

Ingestion - DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Obtain medical attention. Provide rest, warmth and fresh air.

FIRE FIGHTING MEASURES

Extinguishing Media: use water spray, powder, Carbon dioxide (CO₂) or alcohol resistant foam.

Special Fire Fighting Procedures and Equipment: Avoid water in straight hose stream; will scatter and spread fire. Containers close to fire should be removed or cooled with water. Keep run-off water out of sewers and water sources. Dike for water control.

Hazardous Decomposition Products: Fire creates Carbon monoxide (CO), Carbon dioxide (CO₂)

Protective Measures in Fire: suitable self-contained breathing apparatus should be used in confined spaces.

ACCIDENTAL RELEASE MEASURES

Spillages: absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area.

HANDLING & STORAGE

Handling: avoid spilling, skin and eye contact.

Storage: store in original containers, tightly closed in a secure, well ventilated, cool but frost-free, dry area. Store between 4 and 40°C.

**EXPOSURE CONTROLS/
PERSONAL PROTECTION**

Well ventilated area. Normal good hygiene standards should be observed.
Wear approved safety goggles and protective gloves made of rubber. Provide eyewash station.
Promptly remove any clothing that becomes contaminated. Wash promptly if skin becomes wet. No eating or drinking while working with this material.

**PHYSICAL & CHEMICAL
PROPERTIES**

Appearance	black liquid
Odour	slight
Solubility	miscible with water
pH value, conc	- 8.0
Boiling point (°C)	- 100 @ (760mm Hg @ 20°C)
Specific Gravity (water=1)	1.115 @ 20°C
Other data	none

STABILITY & REACTIVITY

Stability: stable under normal conditions.

TOXICOLOGICAL INFORMATION

No specific health warnings noted.

ECOLOGICAL INFORMATION

Not regarded as dangerous for the environment.

DISPOSAL CONSIDERATIONS

Dispose of in accordance with Local Authority regulations or through a reputable waste disposal contractor.

TRANSPORT INFORMATION

Not classified for transportation.

REGULATORY INFORMATION

Risk Phrases: not classified
Safety Phrases: not classified

OTHER INFORMATION

The product label provides information on a specific pesticidal use of the product: do not use otherwise, unless you have assessed any potential hazard involved, the safety measures required and that the particular use has 'off-label' approval or is otherwise permitted under the Control of Pesticides Regulations.

The information contained in this sheet is based on the best available information, including data from test results.

February 2006