

## Wildflowers

Discover our range of native and non-native, annual and perennial wildflowers.

# Wildflowers - Loam / Variable Soils

## Perennial

- Contains 22 wildflower species
- Feature species: Tufted Vetch, Red Campion, Ragged Robin, Birdsfoot Trefoil
- Also includes: Meadow Buttercup, Common Knapweed, Oxeye Daisy, Salad Burnet, White Campion, Wild Carrot, Lady's Bedstraw, Selfheal, Field Scabious, Common Sorrell, Ribwort Plantain, Yarrow, Yellow Rattle, Greater Knapweed, Hedge Bedstraw, Cowslip, Ragged Robin, Rough Hawkbit, Meadowsweet



- Annual
- Perennial**
- Annual &
- Native**
- Non-Native

A mixture designed to be used on loam soils which are a mixture of soil types and tend to retain a degree of moisture. A reliable mixture that can be used on larger sites where the soil varies across the site.

- Contains 22 wildflower species
- Feature species: Tufted Vetch, Red Campion, Ragged Robin, Birdsfoot Trefoil

## Grass Accompaniment

When choosing 80:20 Grass:Wildflowers, the mixture contains a rich blend of grasses, formulated to compliment the wildflower species. The grass blend contains slow growing species which will not compete against the slower growing wildflowers. Some of the grasses included in the mixtures are quite rare, such as Meadow Foxtail and Sweet Vernal. Soil type specific mixtures also contain grass species that are indicative of that particular habitat, such as Wavy Hairgrass in the acid soils mixture and Wood Meadow Grass in the woodland edge mixture.

Slender Creeping Red Fescue	24%
Hard Fescue	24%
Crested Dogtail	12.8%
Smooth Stalked Meadow Grass	8%
Small Leaf Timothy	4%
Browntop Bent	4%
Sweet Vernal	1.6%
Meadow Foxtail	1.6%

## Wildflowers

Species	100%	80:20 Grass:Wildflowers
Meadow Buttercup	12%	2.4%
Common Knapweed	10%	2%
Oxeye Daisy	3%	0.6%
Salad Burnet	3%	0.6%
Red Campion	5%	1%
White Campion	7%	1.4%
Wild Carrot	4%	0.8%
Lady's Bedstraw	3%	0.6%
Selfheal	4%	0.8%
Field Scabious	2.5%	0.5%
Common Sorrell	1%	0.2%
Ribwort Plantain	0.5%	0.1%
Yarrow	0.5%	0.1%
Yellow Rattle	10%	2%
Tufted Vetch	8%	1.6%
Greater Knapweed	7%	1.4%
Hedge Bedstraw	3%	0.6%
Birdsfoot Trefoil	5%	1%
Cowslip	1%	0.2%
Ragged Robin	1.5%	0.3%
Rough Hawkbit	5%	1%
Meadowsweet	4%	0.8%

### Sowing time

Spring: March to May

Summer: June to July, avoiding excessively hot and dry conditions

Late summer/autumn: August to October

## Specifications

Sowing rate - 100%	2g/ m <sup>2</sup>
Sowing rate - 80:20	5g/ m <sup>2</sup>

## Wildflowers

Discover our range of native and non-native, annual and perennial wildflowers.

- Annual
- Perennial
- Annual &
- Native
- Non-Native