



DEDICATE

Version 7 / GB
102000008381

1/13

Revision Date: 18.01.2020
Print Date: 23.01.2020

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name DEDICATE
Product code (UVP) 06348084

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer Environmental Science
230 Cambridge Science Park
Milton Road
Cambridge
Cambridgeshire CB4 0WB
United Kingdom

Telephone 00800-1214 9451

Telefax +44(0)1223 426240

Responsible Department Email: ukcropssupport@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. 00800 1020 3333 (24 hr)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Reproductive toxicity: Category 2
H361d Suspected of damaging the unborn child.

Effects on or via lactation
H362 May cause harm to breast-fed children.

Acute aquatic toxicity: Category 1
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1
H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

**DEDICATE**Version 7 / GB
102000008381

2/13

Revision Date: 18.01.2020
Print Date: 23.01.2020

- Tebuconazole
- Trifloxystrobin

**Signal word:** Warning**Hazard statements**

- H361d Suspected of damaging the unborn child.
 H410 Very toxic to aquatic life with long lasting effects.
 EUH401 To avoid risks to human health and the environment, comply with the instructions for use.
 EUH208 Contains Trifloxystrobin, 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Precautionary statements

- P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
 P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Chemical nature**Suspension concentrate (=flowable concentrate)(SC)
Trifloxystrobin/Tebuconazole 100:200 g/l**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Tebuconazole	107534-96-3 403-640-2	Acute Tox. 4, H302 Repr. 2, H361d Aquatic Acute 1, H400 Aquatic Chronic 1, H410	18.2
Trifloxystrobin	141517-21-7	Skin Sens. 1, H317 Lact., H362 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	9.2
Fatty alcohol polyglycol ether	61791-13-7	Acute Tox. 4, H302 Eye Dam. 1, H318	> 1 – < 25
Urea	57-13-6	Not classified	> 1

**DEDICATE**Version 7 / GB
102000008381

3/13

Revision Date: 18.01.2020
Print Date: 23.01.2020

	200-315-5 01-2119463277-33-xxxx		
Ethoxylated polyarylphenol	99734-09-5	Aquatic Chronic 3, H412	< 2
1,2-Benzisothiazol-3(2H)-one	2634-33-5 220-120-9 01-2120761540-60-0003	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400	> 0.005 – < 0.05
Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one	55965-84-9	Skin Sens. 1A, H317 Acute Tox. 3, H301 Acute Tox. 2, H310 Skin Corr. 1C, H314 Aquatic Chronic 1, H410 Eye Dam. 1, H318 Aquatic Acute 1, H400 Acute Tox. 2, H330	>= 0.0002 – < 0.0015

Further information

Tebuconazole	107534-96-3	M-Factor: 1 (acute), 10 (chronic)
Trifloxystrobin	141517-21-7	M-Factor: 100 (acute), 10 (chronic)
Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one	55965-84-9	M-Factor: 100 (acute), 100 (chronic)

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures**

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	No symptoms known or expected.
-----------------	--------------------------------



DEDICATE

Version 7 / GB
102000008381

4/13

Revision Date: 18.01.2020
Print Date: 23.01.2020

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable High volume water jet

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO), Carbon dioxide (CO₂), Nitrogen oxides (NO_x)

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

**DEDICATE**Version 7 / GB
102000008381

5/13

Revision Date: 18.01.2020
Print Date: 23.01.2020**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling**

Advice on safe handling	No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.
Advice on protection against fire and explosion	No special precautions required.
Hygiene measures	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Protect from frost. Keep away from direct sunlight.
Advice on common storage	Keep away from food, drink and animal feedingstuffs.
Suitable materials	HDPE (high density polyethylene)
7.3 Specific end use(s)	Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Tebuconazole	107534-96-3	0.2 mg/m ³ (SK-ABS)		OES BCS*
Trifloxystrobin	141517-21-7	2.7 mg/m ³ (SK-SEN)		OES BCS*
Urea	57-13-6	10 mg/m ³ (TWA)		OES BCS*
1,2-Propanediol (Particulate.)	57-55-6	10 mg/m ³ (TWA)	12 2011	EH40 WEL
1,2-Propanediol (Total vapour and particulates.)	57-55-6	474 mg/m ³ /150 ppm (TWA)	12 2011	EH40 WEL

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

**DEDICATE**Version 7 / GB
102000008381

6/13

Revision Date: 18.01.2020
Print Date: 23.01.2020

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	Respiratory protection is not required under anticipated circumstances of exposure. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.
Hand protection	Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet. Material Nitrile rubber Rate of permeability > 480 min Glove thickness > 0.4 mm Protective index Class 6 Directive Protective gloves complying with EN 374.
Eye protection	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).
Skin and body protection	Wear standard coveralls and Category 3 Type 6 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Form	suspension
Colour	white
Odour	weak, characteristic
Odour Threshold	No data available
pH	6 - 8 (100 %) (23 °C)
Melting point/range	No data available
Boiling Point	No data available
Flash point	> 100 °C No flash point - Determination conducted up to the boiling point.
Flammability	No data available

**DEDICATE**Version 7 / GB
102000008381

7/13

Revision Date: 18.01.2020
Print Date: 23.01.2020

Auto-ignition temperature	No data available
Ignition temperature	415 °C
Self-accelarating decomposition temperature (SADT)	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapour pressure	No data available
Evaporation rate	No data available
Relative vapour density	No data available
Density	ca. 1.10 g/cm ³ (20 °C)
Water solubility	No data available
Partition coefficient: n-octanol/water	Tebuconazole: log Pow: 3.7 Trifloxystrobin: log Pow: 4.5 (25 °C)
Viscosity, dynamic	0.12 Pas (40 °C)
Viscosity, kinematic	< 0.001 mm ² /s (40 °C)
Surface tension	34.5 mN/m
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity****Thermal decomposition** Stable under normal conditions.**10.2 Chemical stability** Stable under recommended storage conditions.**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.**10.5 Incompatible materials** Store only in the original container.**10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

**DEDICATE**Version 7 / GB
102000008381

8/13

Revision Date: 18.01.2020
Print Date: 23.01.2020**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects**

Acute oral toxicity	LD50 (Rat) ca. 2,500 mg/kg
Acute inhalation toxicity	LC50 (Rat) > 2.43 mg/l Exposure time: 4 h Highest attainable concentration. Determined in the form of a respirable aerosol.
Acute dermal toxicity	LD50 (Rat) > 4,000 mg/kg
Skin corrosion/irritation	No skin irritation (Rabbit)
Serious eye damage/eye irritation	Slight irritant effect - does not require labelling. (Rabbit)
Respiratory or skin sensitisation	Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Magnusson & Kligman test

Assessment STOT Specific target organ toxicity – single exposure

Tebuconazole: Based on available data, the classification criteria are not met.
Trifloxystrobin: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Tebuconazole did not cause specific target organ toxicity in experimental animal studies.
Trifloxystrobin did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Tebuconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Trifloxystrobin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Tebuconazole caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man.
Trifloxystrobin was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Tebuconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Tebuconazole is related to parental toxicity.

Trifloxystrobin caused reduced body weight development in offspring during lactation only at doses also producing systemic toxicity in adult rats.

Assessment developmental toxicity

Tebuconazole caused developmental toxicity only at dose levels toxic to the dams. Tebuconazole caused an increased incidence of post implantation losses, an increased incidence of non-specific malformations.

Trifloxystrobin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Trifloxystrobin are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

**DEDICATE**Version 7 / GB
102000008381

9/13

Revision Date: 18.01.2020
Print Date: 23.01.2020**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity****Toxicity to fish**LC50 (Oncorhynchus mykiss (rainbow trout)) 0.286 mg/l
Exposure time: 96 h**Toxicity to aquatic invertebrates**EC50 (Daphnia magna (Water flea)) 0.224 mg/l
Exposure time: 48 hLC50 (Mysidopsis bahia (mysid shrimp)) 0.00862 mg/l
Exposure time: 96 h

The value mentioned relates to the active ingredient trifloxystrobin.

Chronic toxicity to aquatic invertebratesNOEC (Daphnia (water flea)): 0.010 mg/l
Exposure time: 21 d

The value mentioned relates to the active ingredient tebuconazole.

Toxicity to aquatic plantsEC50 (Raphidocelis subcapitata (freshwater green alga)) 0.99 mg/l
Growth rate; Exposure time: 72 h(Lemna gibba (gibbous duckweed)) 0.237 mg/l
Growth rate; Exposure time: 7 d

The value mentioned relates to the active ingredient tebuconazole.

EC10 (Desmodesmus subspicatus (green algae)) 0.0025 mg/l
Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient trifloxystrobin.

12.2 Persistence and degradability**Biodegradability**Tebuconazole:
Not rapidly biodegradable
Trifloxystrobin:
Not rapidly biodegradable**Koc**Tebuconazole: Koc: 769
Trifloxystrobin: Koc: 2377**12.3 Bioaccumulative potential****Bioaccumulation**Tebuconazole: Bioconcentration factor (BCF) 35 - 59
Does not bioaccumulate.
Trifloxystrobin: Bioconcentration factor (BCF) 431
Does not bioaccumulate.**12.4 Mobility in soil****Mobility in soil**Tebuconazole: Slightly mobile in soils
Trifloxystrobin: Slightly mobile in soils**12.5 Results of PBT and vPvB assessment****PBT and vPvB assessment**Tebuconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Trifloxystrobin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).**12.6 Other adverse effects****Additional ecological information**

No other effects to be mentioned.

**DEDICATE**Version 7 / GB
102000008381

10/13

Revision Date: 18.01.2020
Print Date: 23.01.2020**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

Product	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).
Contaminated packaging	Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times. Add washings to sprayer at time of filling. Dispose of empty and cleaned packaging safely. Follow advice on product label and/or leaflet.
Waste key for the unused product	02 01 08* agrochemical waste containing hazardous substances

SECTION 14: TRANSPORT INFORMATION**ADR/RID/ADN**

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TEBUCONAZOLE, TRIFLOXYSTROBIN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TEBUCONAZOLE, TRIFLOXYSTROBIN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TEBUCONAZOLE, TRIFLOXYSTROBIN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III

**DEDICATE**Version 7 / GB
102000008381

11/13

Revision Date: 18.01.2020
Print Date: 23.01.2020

14.5 Environm. Hazardous Mark YES

UK 'Carriage' Regulations

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TEBUCONAZOLE, TRIFLOXYSTROBIN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Emergency action code	3Z

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****UK and Northern Ireland Regulatory References**

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)

Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)

Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009

Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)

EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits

Control of Pesticide Regulations 1986

Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II

Environmental Protection (Duty of Care) Regulations 1991

The Waste Management Licensing Regulations 1994 (as amended)

Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Water Resources Act 1991

Anti-Pollution Works Regulations 1999

Further information

**DEDICATE**Version 7 / GB
102000008381

12/13

Revision Date: 18.01.2020
Print Date: 23.01.2020

WHO-classification: III (Slightly hazardous)

15.2 Chemical safety assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION**Text of the hazard statements mentioned in Section 3**

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H361d	Suspected of damaging the unborn child.
H362	May cause harm to breast-fed children.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average



DEDICATE

Version 7 / GB
102000008381

13/13
Revision Date: 18.01.2020
Print Date: 23.01.2020

UN United Nations
WHO World health organisation

Reason for Revision: The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 11: Toxicological information on STOT (Specific Target Organ Toxicity) and CMR (Carcinogenic, Mutagenic and toxic to Reproduction). Section 12. Ecological information.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.