

Date of Issue: August 2019 Date of Issue: August 2019

ESTIGE SUPER DEW CLEAR e or mixture and uses advised against: wetting agent. For professional use. uses not specified in this section or in section 7.3 sheet: a Ltd n Street, Coalville, Leics LE67 3DE 01530 510060 uil: info@ vitax.co.uk 01530 510060 (office hours) re: te toxicity, Category 4, Inhalation, H332 irritation, Category 2, H319 te toxicity, Category 4, Skin, H312 FC: mful by inhalation and in contact with skin. ating to eyes. ic for aquatic organisms, may cause long-term adverse effects i irronment. P: Causes serious eye irritation. 2: Harmful if inhaled. 2: Harmful if inhaled. 2: Harmful in contact with skin. 1: Toxic to aquatic life with long lasting effects. 1: Avoid breathing dust/fume/gas/mist/vapours/spray. 3: Avoid release to the environment. 0: Wear protective gloves and eye/face protection. 7 + P313: If eye irritation persists: Get medical advice/attention	
 wetting agent. For professional use. ases not specified in this section or in section 7.3 asheet: x Ltd n Street, Coalville, Leics LE67 3DE 01530 510060 dil: info@vitax.co.uk 01530 510060 (office hours) re: rte toxicity, Category 4, Inhalation, H332 irritation, Category 2, H319 te toxicity, Category 4, Skin, H312 EC: mful by inhalation and in contact with skin. ating to eyes. ic for aquatic organisms, may cause long-term adverse effects i fromment. 9: Causes serious eye irritation. 2: Harmful if inhaled. 2: Harmful if inhaled. 2: Harmful if ontact with skin. 1: Toxic to aquatic life with long lasting effects. 1: Avoid breathing dust/fume/gas/mist/vapours/spray. 3: Avoid release to the environment.	rse effects in the aqu
asses not specified in this section or in section 7.3 a sheet: x Ltd n Street, Coalville, Leics LE67 3DE 01530 510060 dil: info@vitax.co.uk 01530 510060 (office hours) re: te toxicity, Category 4, Inhalation, H332 irritation, Category 2, H319 te toxicity, Category 4, Skin, H312 EC: mful by inhalation and in contact with skin. ating to eyes. ic for aquatic organisms, may cause long-term adverse effects i fromment. 2: Causes serious eye irritation. 2: Harmful if inhaled. 2: Harmful if inhaled. 2: Harmful in contact with skin. 1: Toxic to aquatic life with long lasting effects. 1: Avoid breathing dust/fume/gas/mist/vapours/spray. 3: Avoid release to the environment.	rse effects in the aqu
 sheet: x Ltd n Street, Coalville, Leics LE67 3DE 01530 510060 iil: info@vitax.co.uk 01530 510060 (office hours) re: rete toxicity, Category 4, Inhalation, H332 irritation, Category 2, H319 te toxicity, Category 4, Skin, H312 FC: mful by inhalation and in contact with skin. ating to eyes. ic for aquatic organisms, may cause long-term adverse effects i fronment. viriannent. viriannent.<th>rse effects in the aqu</th>	rse effects in the aqu
 x Ltd n Street, Coalville, Leics LE67 3DE 01530 510060 iil: info@vitax.co.uk 01530 510060 (office hours) 	rse effects in the aqu
n Street, Coalville, Leics LE67 3DE 01530 510060 ill: info@vitax.co.uk 01530 510060 (office hours) re: te toxicity, Category 4, Inhalation, H332 irritation, Category 2, H319 te toxicity, Category 4, Skin, H312 EC: mful by inhalation and in contact with skin. ating to eyes. ic for aquatic organisms, may cause long-term adverse effects i ironment. ironment. 9: Causes serious eye irritation. 12: Harmful if inhaled. 12: Harmful if ontact with skin. 11: Toxic to aquatic life with long lasting effects. 11: Avoid breathing dust/fume/gas/mist/vapours/spray. 3: Avoid release to the environment. 0: Wear protective gloves and eye/face protection.	rse effects in the aqu
 01530 510060 iil: info@vitax.co.uk 01530 510060 (office hours) re: te toxicity, Category 4, Inhalation, H332 irritation, Category 2, H319 te toxicity, Category 4, Skin, H312 EC: mful by inhalation and in contact with skin. ating to eyes. ic for aquatic organisms, may cause long-term adverse effects i ironment. ironment. ironment. 2: Harmful if inhaled. 2: Harmful if inhaled. 2: Harmful in contact with skin. 1: Toxic to aquatic life with long lasting effects. 1: Avoid breathing dust/fume/gas/mist/vapours/spray. 3: Avoid release to the environment. 0a: Wear protective gloves and eye/face protection. 	rse effects in the aqu
 01530 510060 (office hours) re: te toxicity, Category 4, Inhalation, H332 irritation, Category 2, H319 te toxicity, Category 4, Skin, H312 FC: mful by inhalation and in contact with skin. ating to eyes. ic for aquatic organisms, may cause long-term adverse effects i fronment. irronment. Secure Secure Se	rse effects in the aqu
re: tte toxicity, Category 4, Inhalation, H332 irritation, Category 2, H319 tte toxicity, Category 4, Skin, H312 EC: mful by inhalation and in contact with skin. ating to eyes. ic for aquatic organisms, may cause long-term adverse effects i ironment. i ronment. i ronment. i Causes serious eye irritation. 2: Harmful if inhaled. 2: Harmful if inhaled. 2: Harmful in contact with skin. 1: Toxic to aquatic life with long lasting effects. 1: Avoid breathing dust/fume/gas/mist/vapours/spray. 3: Avoid release to the environment. 0a: Wear protective gloves and eye/face protection.	rse effects in the aqu
 te toxicity, Category 4, Inhalation, H332 irritation, Category 2, H319 te toxicity, Category 4, Skin, H312 FC: mful by inhalation and in contact with skin. ating to eyes. ic for aquatic organisms, may cause long-term adverse effects i fronment. (v) <li< th=""><th>rse effects in the aqu</th></li<>	rse effects in the aqu
 te toxicity, Category 4, Inhalation, H332 irritation, Category 2, H319 te toxicity, Category 4, Skin, H312 FC: mful by inhalation and in contact with skin. ating to eyes. ic for aquatic organisms, may cause long-term adverse effects i fronment. (v) <li< td=""><td>rse effects in the aqu</td></li<>	rse effects in the aqu
 irritation, Category 2, H319 te toxicity, Category 4, Skin, H312 EC: mful by inhalation and in contact with skin. ating to eyes. ic for aquatic organisms, may cause long-term adverse effects i ironment. ironment. 2: Harmful if inhaled. 2: Harmful if inhaled. 2: Harmful in contact with skin. 1: Toxic to aquatic life with long lasting effects. 1: Avoid breathing dust/fume/gas/mist/vapours/spray. 3: Avoid release to the environment. 	rse effects in the aqu
 irritation, Category 2, H319 te toxicity, Category 4, Skin, H312 EC: mful by inhalation and in contact with skin. ating to eyes. ic for aquatic organisms, may cause long-term adverse effects i ironment. ironment. 2: Harmful if inhaled. 2: Harmful if inhaled. 2: Harmful in contact with skin. 1: Toxic to aquatic life with long lasting effects. 1: Avoid breathing dust/fume/gas/mist/vapours/spray. 3: Avoid release to the environment. 	rse effects in the aqu
 te toxicity, Category 4, Skin, H312 EC: mful by inhalation and in contact with skin. ating to eyes. ic for aquatic organisms, may cause long-term adverse effects i fronment. ironment. ironment. 2: Causes serious eye irritation. 2: Harmful if inhaled. 2: Harmful if inhaled. 2: Harmful in contact with skin. 1: Toxic to aquatic life with long lasting effects. 1: Avoid breathing dust/fume/gas/mist/vapours/spray. 3: Avoid release to the environment. 	rse effects in the aqu
 FC: mful by inhalation and in contact with skin. ating to eyes. ic for aquatic organisms, may cause long-term adverse effects i ironment. ironment. ironment. 9: Causes serious eye irritation. 2: Harmful if inhaled. 2: Harmful if inhaled. 2: Harmful in contact with skin. 1: Toxic to aquatic life with long lasting effects. 1: Avoid breathing dust/fume/gas/mist/vapours/spray. 3: Avoid release to the environment. 0a: Wear protective gloves and eye/face protection. 	rse effects in the aqu
 mful by inhalation and in contact with skin. ating to eyes. ic for aquatic organisms, may cause long-term adverse effects i ironment. ironment. ironment. 9: Causes serious eye irritation. 2: Harmful if inhaled. 2: Harmful if inhaled. 1: Toxic to aquatic life with long lasting effects. 1: Avoid breathing dust/fume/gas/mist/vapours/spray. 3: Avoid release to the environment. 	rse effects in the aqu
 ic for aquatic organisms, may cause long-term adverse effects i fronment. ironment. ironment. irong 9: Causes serious eye irritation. 2: Harmful if inhaled. 2: Harmful if inhaled. 2: Harmful in contact with skin. 1: Toxic to aquatic life with long lasting effects. 1: Avoid breathing dust/fume/gas/mist/vapours/spray. 3: Avoid release to the environment. 0a: Wear protective gloves and eye/face protection. 	rse effects in the aqu
 ironment. ironment. ironment. ironment. ironment. 9: Causes serious eye irritation. 9: Causes serious eye irritation. 2: Harmful if inhaled. 2: Harmful if inhaled. 2: Harmful in contact with skin. 1: Toxic to aquatic life with long lasting effects. 1: Avoid breathing dust/fume/gas/mist/vapours/spray. 3: Avoid release to the environment. 0a: Wear protective gloves and eye/face protection. 	rse effects in the aqu
 Pring 9: Causes serious eye irritation. 2: Harmful if inhaled. 2: Harmful in contact with skin. 1: Toxic to aquatic life with long lasting effects. 1: Avoid breathing dust/fume/gas/mist/vapours/spray. 3: Avoid release to the environment. 0a: Wear protective gloves and eye/face protection. 	
 9: Causes serious eye irritation. 2: Harmful if inhaled. 2: Harmful in contact with skin. 1: Toxic to aquatic life with long lasting effects. 1: Avoid breathing dust/fume/gas/mist/vapours/spray. 3: Avoid release to the environment. 0a: Wear protective gloves and eye/face protection. 	
 9: Causes serious eye irritation. 2: Harmful if inhaled. 2: Harmful in contact with skin. 1: Toxic to aquatic life with long lasting effects. 1: Avoid breathing dust/fume/gas/mist/vapours/spray. 3: Avoid release to the environment. 0a: Wear protective gloves and eye/face protection. 	
 9: Causes serious eye irritation. 2: Harmful if inhaled. 2: Harmful in contact with skin. 1: Toxic to aquatic life with long lasting effects. 1: Avoid breathing dust/fume/gas/mist/vapours/spray. 3: Avoid release to the environment. 0a: Wear protective gloves and eye/face protection. 	
 32: Harmful if inhaled. 2: Harmful in contact with skin. 1: Toxic to aquatic life with long lasting effects. 1: Avoid breathing dust/fume/gas/mist/vapours/spray. 3: Avoid release to the environment. 0a: Wear protective gloves and eye/face protection. 	
 2: Harmful in contact with skin. 1: Toxic to aquatic life with long lasting effects. 1: Avoid breathing dust/fume/gas/mist/vapours/spray. 3: Avoid release to the environment. 0a: Wear protective gloves and eye/face protection. 	
 Toxic to aquatic life with long lasting effects. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid release to the environment. Wear protective gloves and eye/face protection. 	
 Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid release to the environment. 0a: Wear protective gloves and eye/face protection. 	
3: Avoid release to the environment.0a: Wear protective gloves and eye/face protection.	IV.
	5
7 + P313: If eye irritation persists: Get medical advice/attention	
5 + P351 + P338: IF IN EYES: Rinse cautiously with water for	
utes. Remove contact lenses, if present and easy to do. Continue	
2 + P352: IF ON SKIN: Wash with plenty of soap and water.	nd water.
1210: Safety data sheet available on request	
applicable	
5 + P351 + P338: IF I utes. Remove contact 2 + P352: IF ON SKII vether modified trisilo: I210: Safety data shee	tion persists: Get medical advi N EYES: Rinse cautiously with lenses, if present and easy to construct the second second N: Wash with plenty of soap a standard second sec



4: FIRST AID MEASURES	
4.1 Description of first aid measures:	Remove contaminated clothing.
By eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if prese and easy to do. Continue rinsing. If eye irritation persists: Get medical
	advice/attention.
By skin contact:	Wash thoroughly with soap and water.
By ingestion: By inhalation:	Rinse out the mouth with water. Seek immediate medical advice/attention. Keep patient calm, remove to fresh air. If symptoms persist: Get medical advice/attention.
4.2 Most important symptoms and eff	
	No significant reaction of the human body to the product known.
4.3 Indication of any immediate medi	ical attention and special treatment needed:
	Symptomatic treatment (decontamination, vital functions)
: FIREFIGHTING MEASURES	
5.1 Extinguishing media:	Suitable extinguishing media: water spray, dry powder, foam, carbon dioxide.
5.2 Special hazards arising from the s	
	Carbon monoxide, carbon dioxide, silicon dioxide can be released in a fire.
5.3 Advice for firefighters:	Special protective equipment: Wear self-contained breathing apparatus and chemical-protective clothing.
Additional provisions:	Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing
	water in accordance with official regulations.
: ACCIDENTAL RELEASE MEASURES	
6.1 Personal precautions, protective e	equipment and emergency procedures:
	Use personal protective clothing.
6.2 Environmental precautions:	Do not discharge into the soil/subsoil. Do not discharge into drains, surface or groundwater.
6.3 Methods and material for contain	
	Absorb the spillage using inert absorbent material eg sand, kieselguhr or univers binder. For large spillages dyke spillage and pump of product. Dispose of absorbed material in accordance with regulations.
: HANDLING AND STORAGE	
7.1 Precautions for safe handling:	
Advice on safe handling:	Formation of aerosols or vapours during processing and application should be prevented. Wear respiratory protection when spraying.
General protective measures:	Avoid contact with eyes and skin. Do not inhale aerosols
Hygiene measures:	Do not eat, drink or smoke when working. Remove soiled or soaked clothing
Typiene measures.	immediately. Wash hands before breaks and after work. Use barrier skin cream.
	immediately. Wash hands before breaks and after work. Use barrier skin cream. Keep away from foodstuffs and beverages.
7.2 Conditions for safe storage, includ	Keep away from foodstuffs and beverages.
7.2 Conditions for safe storage, includ	Keep away from foodstuffs and beverages.
7.2 Conditions for safe storage, includ 7.3 Specific end use(s):	Keep away from foodstuffs and beverages. ding any incompatibilities: Keep tightly closed. Protect from freezing. Turf wetter
7.2 Conditions for safe storage, includ 7.3 Specific end use(s): 3: EXPOSURE CONTROLS/PERSONAL F	Keep away from foodstuffs and beverages. ding any incompatibilities: Keep tightly closed. Protect from freezing. Turf wetter
7.2 Conditions for safe storage, includ 7.3 Specific end use(s): 3: EXPOSURE CONTROLS/PERSONAL F 8.1 Control parameters:	Keep away from foodstuffs and beverages. ding any incompatibilities: Keep tightly closed. Protect from freezing. Turf wetter PROTECTION
7.2 Conditions for safe storage, includ 7.3 Specific end use(s): 3: EXPOSURE CONTROLS/PERSONAL F 8.1 Control parameters: Substances whose occupational exposure	Keep away from foodstuffs and beverages. ding any incompatibilities: Keep tightly closed. Protect from freezing. Turf wetter PROTECTION re limits have to be monitored in the work environment
 7.2 Conditions for safe storage, include 7.3 Specific end use(s): 8: EXPOSURE CONTROLS/PERSONAL F 8.1 Control parameters: Substances whose occupational exposure There are no environmental limits for the 	Keep away from foodstuffs and beverages. ding any incompatibilities: Keep tightly closed. Protect from freezing. Turf wetter PROTECTION re limits have to be monitored in the work environment he substances contained in the product
 7.2 Conditions for safe storage, include 7.3 Specific end use(s): 8: EXPOSURE CONTROLS/PERSONAL F 8.1 Control parameters: Substances whose occupational exposure 	Keep away from foodstuffs and beverages. ding any incompatibilities: Keep tightly closed. Protect from freezing. Turf wetter PROTECTION re limits have to be monitored in the work environment



8.2 Exposure controls:

Personal protective equipment Respiratory protection Specific protection for the hands

Respiratory protection	In case of formation of vapours/aerosols: Short term: filter apparatus, Filter A-P2
Specific protection for the hands	Suitable chemical resistant gloves (EN 374) with prolonged, direct contact
	(Recommended: protective index 6, corresponding to >480 minutes of permeation
	time according to EN 374) eg nitrile rubber (0.4mm), butyl rubber (0.7mm).
Eye protection	Goggles, or face shield if necessary eg EN 166
Body protection	protective clothing; a protective ointment is recommended.
General safety and hygiene measures	Avoid contact with eyes and skin. Do not inhale aerosols.
	-

9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

9.1 Information on basic physical an	a chemical properties:	
	Form:	Liquid
	Colour:	light yellow
	Odour:	characteristic
	Melting temperature:	not measured
	Boiling temperature:	
	Flash point:	102 °C
	Method: DIN EN 2271	9 (DIN 51758)
	Ignition temperature:	not measured
	Lower explosion limit:	
	Upper explosion limit:	not measured
	Vapour pressure:	not measured
	Density:	approx. 1,01 g/cm3 at 25 °C
	Water solubility:	soluble
	pH:	6-8 at 40 g/l water at 25 °C
	Viscosity, dynamic:	40 - 90 mPa.s at 25 °C
	Method: DIN 53019	
9.2 Other information:	None	
10: STABILITY AND REACTIVITY		
10.1 Reactivity:	No hazardous reaction	s if stored and handled as prescribed/indicated.
10.2 Chemical stability:	Chemically stable if st	ored and handled as prescribed/indicated.
10.3 Possibility of hazardous reaction	ns. No hazardous reaction	ns if stored and handled as prescribed/indicated

10.3 Possibility of hazardous reaction	ons: No hazardous reactions if stored and handled as prescribed/indicated.
10.4 Conditions to avoid:	See section 7 Handling and Storage
10.5 Incompatible materials:	Substances to avoid: strong acids, alkalis and oxidising agents.
10.6 Hazardous decomposition prod	lucts:
	No hazardous decomposition products if stored and handled as prescribed/
	indicated.

11: TOXICOLOGICAL INFORMATION

11.1 Inform	mation on toxicological effe	ects:
	Acute oral toxicity:	LD50 Species: rat Dose: 3.200 mg/kg
	Acute inhalation toxicity:	LC50 aero. Species: rat Dose: 1,08 mg/l
		Exposure time: 4 h Method: OECD 403
		Source: Evonik Goldschmidt GmbH
		Acute toxicity estimate Dose: 14,67 mg/l
		Method: Calculation method
	Acute dermal toxicity:	LD50 Species: rabbit Dose: 1.550 mg/kg
		LD50 Species: rat Dose: > 2.000 mg/kg
	Skin irritation:	slight irritant effect - does not require labelling
	Eye irritation:	Species: rabbitstrong irritant
	Sensitization:	Species: Guinea pig Classification: Did not cause sensitization on laboratory animals: non-sensitizing.
	Remarks:	Harmful by inhalation and in contact with skin. Irritant to eyes.
		The toxicological data refer to the undiluted 100 % product. Risk of serious
		damage to eyes. Irritant to skin



12: ECOLOGICAL INFORMATION

The experimental information related to	the ecotoxicological properties of the mixture itself is not available
12.1 Toxicity:	The ecoloxicological properties of the mixture risen is not available
Toxicity to fish: LC50	Species: rainbow trout Dose: 2,1 mg/l
Toxicity to daphniae: EC50	Species: Daphnia magna Dose: 1,1 mg/l
Toxicity to algae: EC50	Species: Scenedesmus subspicatus Dose: 1,1 mg/1 Dose: 28,2 mg/l refer to biomass
EC50	Species: Scenedesmus subspicatus Dose: 25,2 mg/l growth rate
12.2 Persistence and degradability:	Not available
12.3 Bioaccumulative potential:	Significant accumulation in organisms is not to be expected
12.5 Dioaccumulative potential. 12.4 Mobility in soil:	Adsorption to solid phase is expected
	ment: The product does not contain a substance fulfilling PBT or vPvB criteria
12.6 Other adverse effects:	The product does not contain a substance listed in Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer
12.7 Additional information	The product is considered to be a water pollutant. Do not discharge product unmonitored into the environment. The ecotoxicological data refer to the undiluted 100 % product. The product does not cause essential disturbances of ecological processes and equilibriums, when used in the recommended concentrations and ways of applications.
13: DISPOSAL CONSIDERATIONS 13.1 Waste treatment methods:	Must be disposed of or incinerated in accordance with local regulations
	The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted.
	Contaminated packaging should be emptied as far as possible and disposed of in
	the same manner as the product.
4: TRANSPORT INFORMATION	<u> </u>
General	This product is packed in accordance with the Limited Quantity Provisions of
	CDGCPL2, ADR and IMDG. These provisions allow transport to be exempt from
	control providing that they are labelled in accordance with the requirements of
	these regulations to show that they are being transported as Limited Quantities.
	Product not so packed and labelled must show the following.
Land transport	
ADR:	Class: 9
	Packaging group: III
	Orange plate: Hazard no.: 90
	Substance number: 3082
	Description of the goods: 3082 ENVIRONMENTALLY HAZARDOUS
	SUBSTANCE, LIQUID, N.O.S.
	Hazard release: Polyethersiloxane
	Label: 9 miscellaneous substances and articles
	Laber. 9 miscenancous substances and articles
RID:	Class: 9
	Packaging group: III
	Orange plate: Hazard no.: 90
	Substance number: 3082
	Description of the goods: 3082 ENVIRONMENTALLY HAZARDOUS
	SUBSTANCE, LIQUID, N.O.S.
	Hazard release: Polyethersiloxane
	Label: 9 miscellaneous substances and articles
Inland navigation transport	
ADNR:	Class: 9
	Item: M6
	Description of the goods: 3082 ENVIRONMENTALLY HAZARDOUS
	SUBSTANCE, LIQUID, N.O.S.
	Hazard release: Polyethersiloxane
	Label: 9 miscellaneous dangerous goods



Sea transport	
IMDG:	Class: 9
	Packaging group: III UN-No: 3082
	EmS : F-A S-F
	Correct technical name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
	LIQUID, N.O.S.
	Hazard release: Polyethersiloxane
	Label: 9 miscellaneous dangerous goods
	Marine pollutant
Air transport	
ICAO/IATA:	Class: 9
	Packaging group: III UN-No: 3082
	Correct technical name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
	LIQUID, N.O.S.
	Hazard release: Polyethersiloxane
	Label: 9 Miscellaneous dangerous goods
REGULATORY INFORMATION	
15.1 Safety, health and environmen	tal regulations/legislation specific for the substance or mixture:
	The data should be considered when making any assessment under the Control of
	Substances Hazardous to Health Regulations (COSHH), and related guidance, for
	example COSHH Essentials.
15.2 Chemical safety assessment:	none
OTHER INFORMATION	
Modifications related to the previou	is sofaty data sheat.
would cations related to the previou	CLP datasheet –all sections updated.
R-phrases and H-phrases	H312: Harmful in contact with skin.
K-pin ases and 11-pin ases	H319: Causes serious eye irritation.
	H319: Causes serious eye inflation. H332: Harmful if inhaled.
	H411: Toxic to aquatic life with long lasting effects.
	The information contained in this safety data sheet is based on sources, technical
	knowledge and current legislation at European and state level, without being able
	to guarantee its accuracy.
	This information cannot be considered a guarantee of the properties of the
	product, it is simply a description of the safety requirements. The occupational
	methodology and conditions for users of this product are not within our awareness
	or control, and it is ultimately the responsibility of the user to take the necessary
	measures to obtain the legal requirements concerning the manipulation, storage,
	use and disposal of chemical products. The information on this safety data sheet
	only refers to this product, which should not be used for needs other than those
	specified.