Safety Data Sheet

Issue Date 24-Feb-2015 Revision Date 10-Oct-2019 Version: 7.01

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name Greenmaster Liquid 0-0-0-6.3Fe

Product Code: 31070120DA
Pure substance/mixture Mixture.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Fertilizer (PC12). Restricted to professional users.

Uses Advised Against: Consumer use [SU 21].

1.3. Details of the supplier of the safety data sheet

Everris International B.V.Nijverheidsweg 1-5; 6422 PD Heerlen (NL); Tel: +31 (0)45-5609100; Fax: +31 (0)45-5609190.

For further information, please contact: INFO-MSDS@EVERRIS.COM.

1.4. Emergency telephone number: IN CASE OF AN EMERGENCY CALL: +44 1235 239 670 (24h).

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Mixture

Regulation (EC) No 1272/2008 (CLP)

Regulation (EO) No 1272/2000 (OEI)	
Acute toxicity - Oral	Category 4 - (H302)
Skin Corrosion or Irritation	Category 2 - (H315)
Eye Irritation	Category 2 - (H319)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label elements



Signal Word: Warning

Hazard Statements:

H319 - Causes serious eye irritation

H412 - Harmful to aquatic life with long lasting effects

H302 - Harmful if swallowed

H315 - Causes skin irritation

Precautionary Statements:

P264 - Wash hands thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P337 + P313 - If eye irritation persists: Get medical advice/attention

P501 - Dispose of container in accordance with local regulation

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	EC-No.	CAS No	Weight %	Classification according Regulation (EC) 1272/2008 [CLP]	REACH registration number
Iron sulphate; FeSO ₄ +7H ₂ O	231-753-5	7782-63-0	25 - 40%	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)	01-2119513203-57
Citric acid; C ₆ H ₈ O ₇	201-069-1	77-92-9	1 - 5%	Eye Irrit. 2 (H319)	01-2119457026-42
Ethanolamine	205-483-8	141-43-5	0.1 - 1%	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Corr. 1B (H314)	01-2119486455-28
Zinc sulphate mono hydrate; ZnSO ₄ +1H ₂ O	231-793-3	7446-19-7	< 0.1%	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	01-2119474684-27
Manganese sulphate; MnSO ₄ +1H ₂ O	232-08-99	7785-87-7	< 0.1%	STOT RE 2 (H373) Eye Dam. 1 (H318) Aquatic Chronic 2 (H411)	01-2119456624-35
Copper sulfate pentahydrate; CuSO ₄ +5H ₂ O	231-847-6	7758-99-8	< 0.1%	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Acute Tox. 4 (H302) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	01-2119520566-40

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice: First aid measures should be executed by trained personnel only.

Inhalation If not breathing, give artificial respiration. If symptoms persist, call a physician. If fumes from

reactions are inhaled, move to fresh air immediately.

Skin Contact: If skin irritation persists, call a physician.

Eye Contact: Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists,

consult a specialist.

Ingestion: Call a physician or Poison Control Centre immediately.

4.2. Most important symptoms and effects, both acute and delayed

None under normal processing

4.3. Indication of any immediate medical attention and special treatment needed

None under normal processing.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

<u>Suitable Extinguishing Media:</u> Powder(s).

Unsuitable Extinguishing Media:

Water. High volume water jet.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

5.3. Advice for firefighters

Use extinguishing agent suitable for type of surrounding fire. In the event of fire and/or explosion do not breathe fumes. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions: Wear personal protective equipment. Ensure adequate ventilation. Evacuate personnel to

safe areas.

For Emergency Responders: Use personal protection recommended in Section 8.

6.2. Environmental precautions

Do not allow material to contaminate ground water system.

6.3. Methods and material for containment and cleaning up

Methods for Containment: Prevent further leakage or spillage if safe to do so.

Methods for Cleanup: Take up mechanically and collect in suitable container for disposal.

6.4. Reference to other sections

§ 8, 12, 13.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

General hygiene considerations:

Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. When using, do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/storage conditions: Keep containers tightly closed in a cool, well-ventilated place.

Keep at temperatures between 0 °C and 40 °C.

Packaging Materials: Store in original container.

LGK (Germany) 1

7.3. Specific end use(s)

Specific use(s) Fertilizer; www.everris.com; Read and follow label instructions

Exposure scenario Mixture. Not required.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Iron sulphate; FeSO4+7H2O	
Belgium - 8 Hr TWA	1 mg/m ³
Denmark	TWA: 1 mg/m ³
Finland	TWA: 1 mg/m ³
Ireland	TWA: 1 mg/m ³
	STEL: 2 mg/m ³
Norway	TWA: 1 mg/m ³
	STEL: 2 mg/m ³
Portugal	TWA: 1 mg/m ³
Spain - Valores Limite Ambientales - VLE	TWA: 1 mg/m ³
Switzerland	TWA: 1 mg/m ³
United Kingdom - Occupational Exposure	1 mg/m³ 8hr TWA. 2 mg/m³ 15 min TWA
Citric acid; C ₆ H ₈ O ₇	
greece OEL 15 minute	1
Ethanolamine	

- · · ·	
European Union	TWA: 1 ppm
	TWA: 2.5 mg/m ³
Acceptate	Skin
Austria	Skin STEL 3 ppm
	STEL 3 ppm STEL 7.6 mg/m ³
	TWA: 1 ppm
	TWA: 2.5 mg/m ³
Australia	3 ppm TWA
Additional	7.5 mg/m³ TWA
Belgium - 8 Hr TWA	1 ppm TWA
	2.5 mg/m³ TWA
Bulgaria - OEL- TWAs	1 ppm TWA; 2.5 mg/m³ TWA
Croatia - OEL - STELs (KGVIs)	3 ppm STEL [KGVI]; 7.6 mg/m³ STEL [KGVI]
Czech Republic OEL	2.5 mg/m³ TWA
Denmark	TWA: 1 ppm
	TWA: 2.5 mg/m ³
	Skin
Estonia - OEL - STELs	3 ppm STEL; 7.6 mg/m³ STEL
Finland	TWA: 1 ppm
	TWA: 2.5 mg/m ³
	STEL: 3 ppm
	STEL: 7.6 mg/m ³
	Skin
FR - OEL - 8h VMEs	TWA: 1 ppm
	TWA: 2.5 mg/m³
	STEL: 3 ppm STEL: 7.6 mg/m³
greece OEL 15 minute	3 ppm STEL
greece OEL 13 minute	7.6 mg/m³ STEL
Hungary - OEL - TWAs	2.5 mg/m³ TWA
Iceland - OEL - 8 Hour	1 ppm TWA
lociand - OLE - 0 flour	2.5 mg/m³ TWA
Indonesia - OEL - STELs (PSDs)	6 ppm STEL
Italy OEL Data - TWA:	TWA: 1 ppm
,	TWA: 2.5 mg/m ³
	STEL: 3 ppm
	STEL: 7.6 mg/m ³
	Skin
Ireland	TWA: 1 ppm
	TWA: 2.5 mg/m ³
	STEL: 3 ppm
	STEL: 7.6 mg/m ³
	Skin
Japan	3 ppm OEL
Korea - ISHA - OEL - TWAs	7.5 mg/m³ OEL 3 ppm TWA (Serial No. 394, listed under 2-Aminoethanol)
Latvia - OEL - TWAS	0.2 ppm TWA; 0.5 mg/m³ TWA
Malaysia	3 ppm TWA; 7.5 mg/m³ TWA
NL MAC - TWA:	Skin
INC MAC - TVVA.	STEL: 7.6 mg/m ³
	TWA: 2.5 mg/m ³
Norway	TWA: 1 ppm
	TWA: 2.5 mg/m ³
	Skin
	STEL: 2 ppm
	STEL: 5 mg/m ³
Poland	STEL: 7.5 mg/m ³
	TWA: 2.5 mg/m ³
Portugal	STEL: 3 ppm
	STEL: 7.6 mg/m ³
	TWA: 1 ppm
Domenia OFL TWA	TWA: 2.5 mg/m³
Romania - OEL - TWAs	1 ppm TWA; 2.5 mg/m³ TWA
Slovenia - OEL - TWAs	1 ppm TWA; 2.5 mg/m³ TWA
Spain - Valores Limite Ambientales - VLE	
	STEL: 3 ppm
	STEL: 7.5 mg/m³
	TWA: 1 ppm TWA: 2.5 mg/m³
	I WA. 2.5 Mg/M²

Singapore - OEL:PELs	3 ppm PEL
omgapore - OLL.i LLS	7.5 mg/m³ PEL
Switzerland	STEL: 4 ppm
OWILLEHANG	STEL: 10 mg/m ³
	TWA: 2 ppm
	TWA: 5 mg/m ³
UK EH40 WEL (8h)	3 ppm TWA
O	7.6 mg/m³ TWA
Manganese sulphate; MnSO4+1H2O	
Austria	STEL 2 mg/m ³
	TWA: 0.5 mg/m ³
Australia	0.2 mg/m ³
Belgium - 8 Hr TWA	0.2 mg/m ³
Denmark	TWA: 0.2 mg/m ³
Finland	TWA: 0.02 mg/m ³ TWA: 0.2 mg/m ³
Ireland	TWA: 0.2 mg/m ³
	STEL: 0.6 mg/m ³
Japan	0.2 mg/m³ OEL Mn
NL MAC - TWA:	STEL: 0.05 mg/m ³
	TWA: 0.2 mg/m ³
Norway	TWA: 0.1 mg/m ³
	STEL: 0.1 ppm
Poland	TWA: 0.05 mg/m ³
Portugal	TWA: 0.2 mg/m ³
Spain - Valores Limite Ambientales - VLE	TWA: 0.2 mg/m ³
	TWA: 0.05 mg/m ³
Switzerland	TWA: 0.5 mg/m ³
UK EH40 WEL (8h)	5 mg/m ³
Copper sulfate pentahydrate; CuSO ₄ +5H ₂ O	
Austria	STEL 0.4 mg/m ³
	TWA: 0.1 mg/m ³
Finland	TWA: 0.02 mg/m ³
Poland	TWA: 0.2 mg/m ³
Switzerland	STEL: 0.2 mg/m ³
	TWA: 0.1 mg/m ³

Derived No Effect Level (DNEL)

Component	Oral	Dermal	Inhalation
Zinc sulphate mono hydrate;		8.3 mg/kg bw/day	1 mg/m ³
ZnSO ₄ +1H ₂ O			
7446-19-7 (< 0.1%)			
Manganese sulphate; MnSO ₄ +1H ₂ O	37.6 mg/m³	0.004 mg/kg bw/day	0.2 mg/m ³
7785-87-7 (< 0.1%)	-		

Predicted No Effect Concentration (PNEC)

No data available

Component	Fresh Water	Freshwater sediment	Sea Water	Sea sediment	Soil	Impact on Sewage Treatment
Zinc sulphate mono hydrate; ZnSO ₄ +1H ₂ O 7446-19-7 (< 0.1%)	20.6 μg/l		6.1 μg/l	56.5 mg/kg	35.6 mg/kg	100 μg/l
Manganese sulphate; MnSO ₄ +1H ₂ O 7785-87-7 (< 0.1%)	0.013 mg/l	0.011 mg/kg	0 mg/l	0.001 mg/kg	25.1 mg/kg	25.1 mg/kg

8.2. Exposure controls

Personal protective equipment

Eye/Face Protection Not required

Hand protection Gloves. Nitrile rubber (0.26 mm). Break through time. > 8 h.

Respiratory Protection Not required; except in case of aerosol formation. In case of mist, spray or aerosol

exposure wear suitable personal respiratory protection and protective suit

Revision Date 10-Oct-2019

Skin and body protection: Lightweight protective clothing

Hygiene Measures: When using, do not eat, drink or smoke. Keep away from food, drink and animal feeding

stuffs.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State: Liquid

Appearance: aqueous solution

Odor: None pH: 3.2

Melting Point/Freezing Point: No data available **Boiling Point/Range:** no data available. . Flash Point: no data available. . no data available. . **Evaporation Rate:** Not flammable Flammability (solid, gas): no data available. . **Vapor Pressure:** no data available. . Vapour density Relative density No data available Water Solubility: No data available Solubility(ies) No data available **Partition Coefficient:** no data available. . **Autoignition Temperature:** No data available **Decomposition temperature:** No data available

Explosive Properties: Doesn't present explosion hazard.

9.2. Other information

VOC Content (%): Solid. Not applicable.

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Not reactive.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal processing. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

10.4. Conditions to avoid

For quality reasons: Keep out of reach of direct sunlight, store under dry conditions, partly used packaging should be closed well.

10.5. Incompatible materials

Keep away from catalysts like derivates of hexavalent chromium and metal halides. Keep away from flammable products (fuels) like charcoal, wood, flour, soot etc.

10.6. Hazardous decomposition products

None under normal processing. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS

Information on the Likely Routes of Exposure (inhalation, ingestion, skin and eye contact):

Inhalation Inhalation of dust in high concentration may cause irritation of respiratory system.

Eye contact May cause slight irritation.

Skin Contact May cause irritation.

Ingestion May cause gastrointestinal discomfort if consumed in large amounts.

Information on Toxicological Effects

None known

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral): 1,936.00 mg/kg

Unknown Acute Toxicity: 0% of the mixture consists of ingredient(s) of unknown toxicity.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Iron sulphate; FeSO ₄ +7H ₂ O	= 1520 mg/kg		
Citric acid; C ₆ H ₈ O ₇	= 3 g/kg (Rat) = 3000		
	mg/kg (Rat)		
Ethanolamine	= 1720 mg/kg (Rat)	= 1 mL/kg (Rabbit) =	
		1000 mg/kg (Rabbit)	
Manganese sulphate; MnSO ₄ +1H ₂ O	= 2125 mg/kg (Rat)		> 4.98 mg/L (Rat) 4h
Copper sulfate pentahydrate; CuSO ₄ +5H ₂ O	= 960 mg/kg (Rat)	> 2 g/kg (Rat) > 8 g/kg	
		(Rabbit)	

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure:

If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS

Serious eye damage/eye irritation Classification based on individual ingredients of the mixture.

Respiratory or skin sensitization Classification based on individual ingredients of the mixture.

Germ Cell Mutagenicity Classification based on individual ingredients of the mixture.

Carcinogenicity Classification based on individual ingredients of the mixture.

Reproductive Toxicity Classification based on individual ingredients of the mixture.

STOT - Single Exposure Classification based on individual ingredients of the mixture.

STOT - Repeated Exposure Classification based on individual ingredients of the mixture.

Aspiration Hazard Classification based on individual ingredients of the mixture.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity
Ecotoxicity
Unknown Aquatic Toxicity

Should not be released into the environment

0% of the mixture consists of components(s) of unknown hazards

to the aquatic environment.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Citric acid; C ₆ H ₈ O ₇	-	1516: 96 h Lepomis macrochirus mg/L LC50 static	- -	120: 72 h Daphnia magna mg/L EC50
Ethanolamine	15: 72 h Desmodesmus subspicatus mg/L EC50	227: 96 h Pimephales promelas mg/L LC50 flow-through 3684: 96 h Brachydanio rerio mg/L LC50 static 300 - 1000:	-	65: 48 h Daphnia magna mg/L EC50

	· · · · · · · · · · · · · · · · · · ·		
	96 h Lepomis		
	macrochirus mg/L LC50		
	static 200: 96 h		
	Oncorhynchus mykiss		
	mg/L LC50 flow-through		
	114 - 196: 96 h		
	Oncorhynchus mykiss		
	mg/L LC50 static		
Copper sulfate	- 0.66 - 1.15: 96 h Lepomis	-	0.147 - 0.227: 48 h
pentahydrate;	macrochirus mg/L LC50		Daphnia magna mg/L
CuSO ₄ +5H ₂ O	semi-static 0.96 - 1.8: 96		EC50 Static
	h Lepomis macrochirus		
	mg/L LC50 static 0.6752:		
	96 h Pimephales		
	promelas mg/L LC50		
	static 0.09 - 0.19: 96 h		
	Oncorhynchus mykiss		
	mg/L LC50 static 0.1478		
	- 0.165: 96 h		
	Oncorhynchus mykiss		
	mg/L LC50 flow-through		

12.2. Persistence and degradability

Persistence and Degradability: No persistent or cumulative effects were observed.

12.3. Bioaccumulative potential

Bioaccumulation: Does not bioaccumulate.

Chemical Name	LOGPOW
Citric acid; C ₆ H ₈ O ₇	-1.72
Ethanolamine	-1.91

12.4. Mobility in soilNo data available.12.5. PBT and vPvB assessmentNo data available.12.6. Other adverse effectsNo data available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal of Wastes: Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging: Do not reuse container.

Other Information Use up product completely. Packaging material is industrial waste.

Section 14: TRANSPORT INFORMATION

IMO / IMDG

14.1

UN-No: Not regulated

14.2 Prope

Proper shipping name: Not regulated

14.3

Hazard Class: Not regulated

<u>14.4</u>

Packing group: Not regulated

14.5

Marine Pollutant: No information available

14.6

None

Special Provisions

14.7

Bulk transport according Annex II of MARPOL and IBC Code No data available

ADR/RID

14.1 UN-No:

Not regulated

14.2

Proper shipping name:

Not regulated

<u>14.3</u>

Hazard Class:

Not regulated

<u>14.4</u>

Packing group:

Not regulated

14.5

Environmental Hazard

Not regulated

<u>14.6</u>

Special Provisions

None

IATA

14.1

UN-No:

Not regulated

14.2 Prope

Proper shipping name:

Not regulated

14.3

Hazard Class:

Not regulated

14.4

Packing group:

Not regulated

<u>14.5</u>

Environmental Hazard

Not regulated

14.6

Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Belgium

<u>Denmark</u>

Denmark

No data available

France

ICPE

Not regulated

Germany

LGK (Germany)

13

Water Endangering Class (WGK):

Class (WGK): 1 (Everris classification)

Gefahrstoffverordnung (Germany) TRGS 511

Not regulated

Component	German WGK Section
Iron sulphate; FeSO ₄ +7H ₂ O	class 3
7782-63-0 (25 - 40%)	
Citric acid; C ₆ H ₈ O ₇	class 1
77-92-9 (1 - 5%)	
Ethanolamine	class 1
141-43-5 (0.1 - 1%)	
Zinc sulphate mono hydrate; ZnSO ₄ +1H ₂ O	3
7446-19-7 (< 0.1%)	
Manganese sulphate; MnSO ₄ +1H ₂ O	2
7785-87-7 (< 0.1%)	
Copper sulfate pentahydrate; CuSO ₄ +5H ₂ O	class 3
7758-99-8 (< 0.1%)	

15.2 Chemical safety assessment

Substance(s) usage is covered according to Reach regulation 1907/2006

Take note of Dir. 98/24/EC on the protection of the health and safety of workers from risks related to chemical agents at work

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

- H302 Harmful if swallowed
- H312 Harmful in contact with skin
- H332 Harmful if inhaled
- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H319 Causes serious eye irritation
- H315 Causes skin irritation
- H373 May cause damage to organs through prolonged or repeated exposure in contact with skin
- H411 Toxic to aquatic life with long lasting effects
- H412 Harmful to aquatic life with long lasting effects

Key or legend to abbreviations and acronyms used in the safety data sheet

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

ICAO: International Civil Aviation Organization

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labeling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

PNEC: Predicted No Effect Concentration

DNEL: Derived No-Effect Level

REACh: Registration, Evaluation, Authorization of Chemicals CLP: EU-GHS; Classification, Labelling and Packaging

OEL: Occupational Exposure Limit TWA: Time Weighted Average ATE: Acute Toxicity Estimate

EUH phrase: CLP (EU) specific hazard statement

LD50: Lethal dose, 50%.

LC50: Lethal concentration, 50%. SVHC: Substance of Very High Concern.

Classification procedure

Calculation method

Expert judgment and weight of evidence determination

Key literature references and sources for data

According to EC Regulation 1907/2006 (Reach), Regulation EU No. 2015/830. Regulation (EC) No 1272/2008 (CLP).

Prepared by Regulatory Affairs Department (INFO-MSDS@EVERRIS.COM)

Issue Date 24-Feb-2015

Restrictions on use Restricted to professional users

Reason for revision *** Indicates changes since the last revision. This version replaces all previous versions

This information contained herein is, to the best of Everris' knowledge and belief, accurate and reliable as of the date of preparation of this document. However, no warranty or guarantee, express or implied, is made as to the accuracy or reliability, and Everris shall not be liable for any loss or damage arising out of the use thereof. No authorization is given or implied to use any patented invention without a license. In addition, Everris shall not be liable for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the product.