

SAFETY DATA SHEET Prestige Fineturf Traditional 12-0-9+2Fe+1Mg 25kg

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Prestige Fineturf Traditional 12-0-9+2Fe+1Mg 25kg

Product number 10077

EU REACH registration notes This Mixture is exempt from REACH registration according to Regulation (EC) No. 1907/2006

(REACH) All raw materials used in the mixture are REACH registered where necessary.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Fertiliser

1.3. Details of the supplier of the safety data sheet

Supplier PB Kent

Alexandra Road South, Immingham Dock Immingham DN40 2QW

+44 (0) 1469 563980 +44 (0) 1469 571444 sales@pbkent.co.uk

1.4. Emergency telephone number

Emergency telephone +44 (0) 1469 563980 Mon - Fri 8am - 5pm

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified

Health hazards Eye Irrit. 2 - H319

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Warning

Hazard statements EUH208 Contains nickel sulfate. May produce an allergic reaction.

H319 Causes serious eye irritation.

Prestige Fineturf Traditional 12-0-9+2Fe+1Mg 25kg

Precautionary statements P264 Wash contaminated skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention.

2.3. Other hazards

This substance is not classified as PBT or vPvB according to current UK criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

SSP Single Superphosphate

CAS number: 8011-76-5

Classification

Classification (67/548/EEC or 1999/45/EC)

Eye Irrit. 2 - H319

Xi; R41

iron (II) sulfate

Classification

Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

nickel sulfate <1%

CAS number: 7786-81-4 EC number: 232-104-9

M factor (Acute) = 1 M factor (Chronic) = 1

Classification

Acute Tox. 4 - H302 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Resp. Sens. 1 - H334 Skin Sens. 1 - H317 Muta. 2 - H341 Carc. 1A - H350i Repr. 1B - H360D STOT RE 1 - H372

Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Get medical attention if any discomfort continues.

InhalationGet medical attention if symptoms are severe or persist.IngestionGet medical attention if symptoms are severe or persist.

Skin contact Wash skin thoroughly with soap and water or use an approved skin cleanser. Get medical

attention if symptoms are severe or persist after washing.

Eye contact Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do.

Continue rinsing. Continue to rinse for at least 10 minutes. Get medical attention if symptoms

are severe or persist after washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation Dust in high concentrations may irritate the respiratory system.

Ingestion No harmful effects expected from quantities likely to be ingested by accident.

Skin contact May cause an allergic skin reaction.

Eye contact Prolonged or repeated exposure may cause severe irritation. May cause severe eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Prestige Fineturf Traditional 12-0-9+2Fe+1Mg 25kg

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Specific hazards None known.

5.3. Advice for firefighters

Protective actions during

firefighting

Evacuate area. Cool containers exposed to heat with water spray and remove them from the

fire area if it can be done without risk.

Special protective equipment

for firefighters

Use protective equipment appropriate for surrounding materials. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's

clothing will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid inhalation of dust and contact with skir

Avoid inhalation of dust and contact with skin and eyes. Use suitable respiratory protection if ventilation is inadequate. Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Take care as floors and other

surfaces may become slippery.

6.2. Environmental precautions

Environmental precautions The product is slowly degradable. The product is not expected to be hazardous to the

environment. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Take care as floors and other surfaces may become slippery. Avoid generation and spreading

of dust. Collect spillage with a shovel and broom, or similar and reuse, if possible. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Dispose of contents/container in accordance with national regulations. Do not empty into

drains. Collect and dispose of spillage as indicated in Section 13.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Read label before use. Wear appropriate clothing to prevent repeated or prolonged skin

contact. Avoid inhalation of dust and contact with skin and eyes.

Advice on general occupational hygiene

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Wash at the end of each work shift and before eating, smoking and using the toilet.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in a dry place. Keep container in a well-ventilated place. Keep out of the reach of

children. Store away from incompatible materials (see Section 10).

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Prestige Fineturf Traditional 12-0-9+2Fe+1Mg 25kg

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Ammonium Sulphate

Long-term exposure limit (8-hour TWA): LTEL 10Mg/m3

Dolomite

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust

iron (II) sulfate

Long-term exposure limit (8-hour TWA): WEL 1 mg/m³

WEL = Workplace Exposure Limit.

SSP Single Superphosphate (CAS: 8011-76-5)

DNEL Workers - Inhalation; Long term systemic effects: 3.1 mg/m³

Workers - Dermal; Long term systemic effects: 17.4 mg/kg/day

General population - Inhalation; Long term systemic effects: 0.9 mg/m³ General population - Oral; Long term systemic effects: 2.1 mg/kg/day General population - Dermal; Long term systemic effects: 10.4 mg/kg/day

PNEC - Fresh water; 1.7 mg/l

marine water; 0.17 mg/lIntermittent release; 17 mg/l

- STP; 10 mg/l

Potassium Chloride (CAS: 7447-40-7)

DNEL Workers - Dermal; Short term systemic effects: 580 mg/kg/day

Workers - Dermal; Long term systemic effects: 580 mg/kg/day Workers - Inhalation; Short term systemic effects: 292 mg/m³ Workers - Inhalation; Long term systemic effects: 292 mg/m³

PNEC Industry - Fresh water; 0,047 mg/l

- marine water; 0,047 mg/l

Urea (CAS: 57-13-6)

DNEL Consumer - Oral; Long term systemic effects: 42 mg/kg/day

Consumer - Oral; Short term systemic effects: 42 mg/kg/day Consumer - Dermal; Long term systemic effects: 580 mg/kg/day Consumer - Dermal; Short term systemic effects: 580 mg/kg/day

Industry/Professional - Dermal; Long term systemic effects: 580 mg/kg/day Industry/Professional - Dermal; Short term systemic effects: 580 mg/kg/day

Consumer - Inhalation; Long term systemic effects: 125 mg/m³
Consumer - Inhalation; Short term systemic effects: 125 mg/m³
Industry/Professional - Inhalation; Short term local effects: 292 mg/m³
Industry/Professional - Inhalation; Short term systemic effects: 292 mg/m³

PNEC - Fresh water; 0.47 mg/l

- marine water; 0.047 mg/l

8.2. Exposure controls

Prestige Fineturf Traditional 12-0-9+2Fe+1Mg 25kg

Protective equipment





Appropriate engineering

controls

All handling should only take place in well-ventilated areas.

Eye/face protection Wear eye protection.

Hand protection Wear protective gloves.

Other skin and body

protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

Respiratory protection No specific recommendations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Granules.

Colour Beige. to Dark brown. or Black.

Odour Mild.

Odour threshold Not determined.

pH Slightly Acidic

Melting point Not relevant.

Initial boiling point and range Not relevant.

Flash point Not relevant.

Evaporation rate Not relevant.

Flammability (solid, gas) The product is not flammable.

Vapour pressure Not relevant.

Vapour density Not relevant.

Relative density Not relevant.

Solubility(ies) Not known.

Partition coefficient Not known.

Auto-ignition temperature Not relevant.

Decomposition Temperature Not relevant.

Viscosity Not relevant.

Explosive properties Not relevant.

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information No information required.

SECTION 10: Stability and reactivity

Prestige Fineturf Traditional 12-0-9+2Fe+1Mg 25kg

10.1. Reactivity

Reactivity No test data specifically related to reactivity available for this product or its ingredients.

10.2. Chemical stability

Stability Stable when stored in a dry place.

10.3. Possibility of hazardous reactions

Possibility of hazardous

No potentially hazardous reactions known.

reactions

10.4. Conditions to avoid

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid Water, moisture.

10.6. Hazardous decomposition products

Hazardous decomposition

None known.

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 12,391.57

Acute toxicity - dermal

Notes (dermal LD₅₀) No specific test data are available.

Acute toxicity - inhalation

Notes (inhalation LC50) No specific test data are available.

Skin corrosion/irritation

Skin corrosion/irritation Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation In-vitro testing conducted on products with SSP Content <62%, 2015, Result: Reduced

classification to Eye Irritant. Test Guideline OECD 438. This result is less severe than the harmonized classification for Super Phosphates as Eye Damage 1 H318. Causes serious eye

irritation.

Respiratory sensitisation

Respiratory sensitisation No specific test data are available.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met. Contains a small amount of a

skin sensitising substance. May cause irritation.

Germ cell mutagenicity

Genotoxicity - in vitroThis substance has no evidence of mutagenic properties.

Carcinogenicity

Carcinogenicity No specific test data are available.

Reproductive toxicity

Reproductive toxicity - fertility Does not contain any substances known to be toxic to reproduction.

Prestige Fineturf Traditional 12-0-9+2Fe+1Mg 25kg

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Not anticipated to present an aspiration hazard, based on chemical structure.

Skin contact May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

SECTION 12: Ecological information

EcotoxicityThe product is not expected to be hazardous to the environment. The product is not expected

to be toxic to aquatic organisms.

12.1. Toxicity

12.2. Persistence and degradability

Persistence and degradability The product is slowly degradable.

12.3. Bioaccumulative potential

Partition coefficient Not known.

12.4. Mobility in soil

Mobility No data available.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not relevant.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

Disposal methods The generation of waste should be minimised or avoided wherever possible. Reuse or recycle

products wherever possible. Only store in correctly labelled containers. Dispose of contents/container in accordance with national regulations. No specific disposal method

required. Do not empty into drains.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms

ATE: Acute Toxicity Estimate.

used in the safety data sheet ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road.

ADN: European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways.

CAS: Chemical Abstracts Service.

DNEL: Derived No Effect Level.

GHS: Globally Harmonized System.

IATA: International Air Transport Association.

IMDG: International Maritime Dangerous Goods.

ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

LC50: Lethal Concentration to 50 % of a test population.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

PBT: Persistent, Bioaccumulative and Toxic substance.

PNEC: Predicted No Effect Concentration.

REACH: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577.

SVHC: Substances of Very High Concern. vPvB: Very Persistent and Very Bioaccumulative. cATpE: Converted acute toxicity point estimate.

LOAEC: Lowest Observed Adverse Effect Concentration.

LOAEL: Lowest Observed Adverse Effect Level. EC₅₀: 50% of maximal Effective Concentration. NOAEL: No Observed Adverse Effect Level. NOEC: No Observed Effect Concentration. LOEC: Lowest Observed Effect Concentration.

DMEL: Derived Minimal Effect Level.

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 10/02/2022

Revision 5

Supersedes date 18/07/2019

SDS number 5192

Hazard statements in full H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H341 Suspected of causing genetic defects.

H350i May cause cancer by inhalation.

H360D May damage the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH208 Contains nickel sulfate. May produce an allergic reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.