Safety Data Sheet

Issue Date 20-Nov-2013 Revision Date 10-Oct-2019 Version: 8

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name Greenmaster Pro-Lite Turf Tonic; 8-0-0+3MgO

Product Code: 52140125DA

Synonyms: Greenmaster ProLite Turf Tonic 8-0-0+1.8Mg

Pure substance/mixture Mixture.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Fertilizer (PC12). Restricted to professional users.

Uses Advised Against: Consumer use [SU 21].

1.3. Details of the supplier of the safety data sheet

Everris International B.V.Nijverheidsweg 1-5; 6422 PD Heerlen (NL); Tel: +31 (0)45-5609100; Fax: +31 (0)45-5609190.

For further information, please contact: INFO-MSDS@EVERRIS.COM.

1.4. Emergency telephone number: IN CASE OF AN EMERGENCY CALL: +44 1235 239 670 (24h).

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Mixture

Regulation (EC) No 1272/2008 (CLP)

Skin Corrosion or Irritation	Category 2 - (H315)
Eye Irritation	Category 1 - (H318)

2.2. Label elements



Signal Word: Danger

Hazard Statements:

H315 - Causes skin irritation

H318 - Causes serious eye damage

Contains Iron sulphate; FeSO₄₊₁H₂O, Single super phosphate; SSP

Precautionary Statements:

P280 - Wear eye protection/ face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

Other hazards (UN-GHS)

MAY BE HARMFUL IF SWALLOWED

Harmful to aquatic life

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	EC-No.	CAS No	Weight %	Classification according Regulation (EC) 1272/2008 [CLP]	REACH registration number
Sand	238-878-4	14808-60-7	25 - 40%	Not classified	Exempt
Iron sulphate; FeSO ₄ +1H ₂ O	231-753-5	7720-78-7	10 - 25%	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Acute Tox. 4 (H302)	01-2119513203-57
Single super phosphate; SSP	232-379-5	8011-76-5	10 - 25%	Eye Dam. 1 (H318)	01-2119488967-11
Urea	200-315-5	57-13-6	5 - 10%	Not classified	01-2119463277-33
Magnesium carbonate; MgCO ₃	208-915-9	546-93-0	1 - 5%	Not classified	01-2119523999-20

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice: First aid measures should be executed by trained personnel only.

Inhalation Move person to fresh air. If symptoms persist, call a physician.

Skin Contact: Wash off immediately with soap and plenty of water. Remove and wash contaminated

clothing before re-use. If symptoms persist, call a physician.

Eye Contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

symptoms persist, call a physician.

Ingestion: Rinse mouth. Do NOT induce vomiting. If symptoms persist, call a physician.

4.2. Most important symptoms and effects, both acute and delayed

None under normal processing

4.3. Indication of any immediate medical attention and special treatment needed

None under normal processing.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

<u>Suitable Extinguishing Media:</u> Coordinate fire extinguishing measures to fire in surrounding

area. Flooding quantities of water.

<u>Unsuitable Extinguishing Media:</u> High volume water jet.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

5.3. Advice for firefighters

Use extinguishing agent suitable for type of surrounding fire. In the event of fire and/or explosion do not breathe fumes. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions: Use personal protective equipment.

For Emergency Responders: Use personal protection recommended in Section 8.

6.2. Environmental precautions

Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and material for containment and cleaning up

Methods for Containment: Prevent further leakage or spillage if safe to do so.

Methods for Cleanup: Avoid dust formation. Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

§ 8, 12, 13.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

General hygiene considerations:

Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. When using, do not eat, drink or smoke.

Revision Date 10-Oct-2019

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/storage conditions:

Store in original container. Keep tightly closed in a dry and cool place. Keep away from food, drink and animal feeding stuffs.

Protect from extreme temperatures.

Packaging Materials:

Store in original container. Store in a closed container.

LGK (Germany)

7.3. Specific end use(s)

Specific use(s)
Exposure scenario

Fertilizer; www.everris.com; Read and follow label instructions

Mixture. Not required.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Sand	
European Union	TWA 0.1 mg/m³ respirable fraction
Austria	TWA: 0.15 mg/m ³
Australia	0.1 mg/m³ TWA respirable dust
Belgium - 8 Hr TWA	0.1 mg/m³ TWA
Bulgaria - OEL- TWAs	0.07 mg/m³ TWA (respirable fraction, listed under free Crystalline silicon
	dioxide)
Czech Republic OEL	0.1 mg/m³ TWA (dust)
Denmark	TWA: 0.3 mg/m ³
	TWA: 0.1 mg/m ³
Finland	TWA: 0.05 mg/m ³
FR - OEL - 8h VMEs	TWA: 0.1 mg/m ³
Hungary - OEL - TWAs	0.15 mg/m³ TWA
Iceland - OEL - 8 Hour	0.1 mg/m³ TWA
Ireland	TWA: 0.1 mg/m ³
Japan	0.03 mg/m³ OEL
Korea - ISHA - OEL - TWAs	0.05 mg/m³ TWA (respirable fraction, Serial No. 269)
Malaysia	0.1 mg/m³ TWA (respirable fraction)
NL MAC - TWA:	TWA: 0.075 mg/m ³
Norway	TWA: 0.1 mg/m ³
	STEL: 0.1 mg/m ³
Poland	TWA: 0.3 mg/m ³
Portugal	TWA: 0.025 mg/m ³
Romania - OEL - TWAs	0.1 mg/m³ TWA (dust, respirable fraction)
Russia TWA	1 mg/m³ TWA 1177
	1 mg/m³ TWA 1178
Slovak Republic - TLV - TWAs	0.1 mg/m³ TWA
Slovenia - OEL - TWAs	0.15 mg/m³ TWA (respirable fraction)
Spain - Valores Limite Ambientales - VLE	TWA: 0.05 mg/m ³
Singapore - OEL:PELs	0.1 mg/m ³ PEL
Switzerland	TWA: 0.15 mg/m ³
UK EH40 WEL (8h)	LTEL (8 Hr) 6 mg/m³ (total inhalable dust)

	STEL (15 min) 2.4 mg/m³ (total respirable dust)		
Iron sulphate; FeSO ₄ +1H ₂ O			
Belgium - 8 Hr TWA	1 mg/m ³		
Denmark	TWA: 1 mg/m ³		
Finland	TWA: 1 mg/m ³		
Ireland	TWA: 1 mg/m ³		
	STEL: 2 mg/m³		
Norway	TWA: 1 mg/m ³		
	STEL: 2 mg/m ³		
Portugal	TWA: 1 mg/m ³		
Spain - Valores Limite Ambientales - VLE	TWA: 1 mg/m ³		
Switzerland	TWA: 1 mg/m ³		
UK EH40 WEL (8h)	LTEL (8 hr TWA) 1 mg/m ³		
` '	STEL (15 min) 2mg/m ³		
Single super phosphate; SSP			
Bulgaria - OEL- TWAs	5.0 mg/m³ TWA (listed under Double superphosphate)		
Urea			
Bulgaria - OEL- TWAs	10.0 mg/m³ TWA		
Latvia - OEL - TWAs	10 mg/m³ TWA		
Magnesium carbonate; MgCO₃			
Australia	10 mg/m³ TWA inhalable dust		
FR - OEL - 8h VMEs	TWA: 10 mg/m ³		
Korea - ISHA - OEL - TWAs	10 mg/m³ TWA (Serial No. 493)		
Malaysia	10 mg/m³ TWA (particulate matter containing no Asbestos and <1%		
-	crystalline Silica)		
Switzerland	TWA: 3 mg/m ³		
UK EH40 WEL (8h)	LTEL (8hr TWA) 10mg/m ³		

Derived No Effect Level (DNEL)

Component	Oral	Dermal	Inhalation
Urea		580 mg/kg bw/day	292 mg/m ³
57-13-6 (5 - 10%)			_

Predicted No Effect Concentration (PNEC)

No data available

Component	Fresh Water	Freshwater sediment	Sea Water	Sea sediment	Soil	Impact on Sewage Treatment
Urea 57-13-6 (5 - 10%)	0.47 mg/l		0.047 mg/l			

8.2. Exposure controls

Personal protective equipment

Eye/Face Protection Tightly fitting safety goggles

Hand protection Nitrile rubber (0.26 mm). Break through time. > 8 h.

Respiratory Protection In case of insufficient ventilation wear suitable respiratory equipment In case of mist, spray

or aerosol exposure wear suitable personal respiratory protection and protective suit

Skin and body protection: Lightweight protective clothing Rubber or plastic boots

Hygiene Measures: When using, do not eat, drink or smoke. Wash hands before stopping and immediately after

handling. Remove and wash contaminated clothing before re-use.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State:SolidColor:grey.Odor:None

Bulk density: 800 - 1000 kg/m³ no data available

Melting Point/Freezing Point:No data availableBoiling Point/Range:Solid. Not applicable.

Flash Point: Solid. Not applicable. Solid. Not applicable. **Evaporation Rate:** Flammability (solid, gas): Not flammable **Vapor Pressure:** Solid. Not applicable. Vapour density Solid. Not applicable. Relative density No data available Water Solubility: No data available Solubility(ies) No data available **Partition Coefficient:** Solid. Not applicable. **Autoignition Temperature:** No data available **Decomposition temperature:** No data available

Explosive Properties:Doesn't present explosion hazard.

9.2. Other information

VOC Content (%): Solid. Not applicable.

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Not reactive.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal processing. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

10.4. Conditions to avoid

Nitrogen oxides (NOx).

10.5. Incompatible materials

Keep away from catalysts like derivates of hexavalent chromium and metal halides. Keep away from flammable products (fuels) like charcoal, wood, flour, soot etc.

10.6. Hazardous decomposition products

None under normal processing. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS

Information on the Likely Routes of Exposure (inhalation, ingestion, skin and eye contact):

Inhalation Inhalation of dust in high concentration may cause irritation of respiratory system.

Eye contact May cause slight irritation.

Skin Contact May cause irritation.

Ingestion May cause gastrointestinal discomfort if consumed in large amounts.

Information on Toxicological Effects

None known
Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral): 3,247.00 mg/kg

Unknown Acute Toxicity: 0% of the mixture consists of ingredient(s) of unknown toxicity.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Iron sulphate; FeSO ₄ +1H ₂ O	= 500 mg/kg (Rat)	= 155 mg/kg (Rat)	
Urea	= 8471 mg/kg (Rat)		

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure:

If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS

Serious eye damage/eye irritation Classification based on individual ingredients of the mixture. Respiratory or skin sensitization Classification based on individual ingredients of the mixture. **Germ Cell Mutagenicity** Classification based on individual ingredients of the mixture. Carcinogenicity Classification based on individual ingredients of the mixture. **Reproductive Toxicity** Classification based on individual ingredients of the mixture. Classification based on individual ingredients of the mixture. **STOT - Single Exposure** Classification based on individual ingredients of the mixture. **STOT - Repeated Exposure** Classification based on individual ingredients of the mixture. **Aspiration Hazard**

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity
Ecotoxicity
Unknown Aquatic Toxicity

Should not be released into the environment 0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Iron sulphate; FeSO ₄ +1H ₂ O	-	925: 96 h Poecilia reticulata mg/L LC50 static 0.56: 96 h Cyprinus carpio mg/L LC50 semi-static	-	152: 48 h Daphnia magna mg/L EC50 6.15 - 9.26: 48 h Daphnia magna mg/L EC50 Static
Urea	> 10000: 192 h Scenedesmus quadricauda mg/L EC50	16200 - 18300: 96 h Poecilia reticulata mg/L LC50	-	3910: 48 h Daphnia magna mg/L EC50 Static 10000: 24 h Daphnia magna Straus mg/L EC50

12.2. Persistence and degradability

Persistence and Degradability: No persistent or cumulative effects were observed.

12.3. Bioaccumulative potential

12.5. PBT and vPvB assessment

Bioaccumulation: Does not bioaccumulate.

Chemical Name	LOGPOW
Urea	-1.59

No data available.

12.4. Mobility in soil No data available.

12.6. Other adverse effectsNo data available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal of Wastes: Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging: Do not reuse container.

Other Information Use up product completely. Packaging material is industrial waste.

Section 14: TRANSPORT INFORMATION

IMO / IMDG

14.1 UN-No: Not regulated

14.2

Proper shipping name: Not regulated

14.3

Hazard Class: Not regulated

14.4

Packing group: Not regulated

14.5

Marine Pollutant: No information available

14.6

Special Provisions None

14.7

Bulk transport according Annex II of MARPOL and IBC Code No data available

ADR/RID

14.1 UN-No: Not regulated

14.2

Proper shipping name: Not regulated

14.3

Hazard Class: Not regulated

<u>14.4</u>

Packing group: Not regulated

14.5

Environmental Hazard Not regulated

14.6

Special Provisions None

IATA

14.1 UN-No: Not regulated

14.2

Proper shipping name: Not regulated

14.3

Hazard Class: Not regulated

14.4

Packing group: Not regulated

Environmental Hazard Not regulated

14.6

Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Belgium

Denmark

Denmark No data available

<u>France</u>

ICPE Not regulated

Germany

LGK (Germany) 1

Water Endangering Class (WGK): 1 (Everris classification)

Gefahrstoffverordnung (Germany) TRGS 511 Not regulated

Component	German WGK Section
Sand	NWG
14808-60-7 (25 - 40%)	
Iron sulphate; FeSO ₄ +1H ₂ O	1
7720-78-7 (10 - 25%)	
Single super phosphate; SSP	NWG
8011-76-5 (10 - 25%)	
Urea	1
57-13-6 (5 - 10%)	

15.2 Chemical safety assessment

Substance(s) usage is covered according to Reach regulation 1907/2006

Take note of Dir. 98/24/EC on the protection of the health and safety of workers from risks related to chemical agents at work

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H302 Harmful if swallowed
- H318 Causes serious eye damage

Key or legend to abbreviations and acronyms used in the safety data sheet

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

ICAO: International Civil Aviation Organization

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labeling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PNEC: Predicted No Effect Concentration

DNEL: Derived No-Effect Level

REACh: Registration, Evaluation, Authorization of Chemicals CLP: EU-GHS; Classification, Labelling and Packaging

OEL: Occupational Exposure Limit TWA: Time Weighted Average ATE: Acute Toxicity Estimate

EUH phrase: CLP (EU) specific hazard statement

LD50: Lethal dose, 50%.

LC50: Lethal concentration, 50%. SVHC: Substance of Very High Concern.

Classification procedure

- · Calculation method
- Expert judgment and weight of evidence determination

Key literature references and sources for data

According to EC Regulation 1907/2006 (Reach), Regulation EU No. 2015/830. Regulation (EC) No 1272/2008 (CLP).

Prepared by Regulatory Affairs Department (INFO-MSDS@EVERRIS.COM)

Issue Date 20-Nov-2013

Restrictions on use Restricted to professional users

Reason for revision*** Indicates changes since the last revision. This version replaces all previous versions

This information contained herein is, to the best of Everris' knowledge and belief, accurate and reliable as of the date of preparation of this document. However, no warranty or guarantee, express or implied, is made as to the accuracy or reliability, and Everris shall not be liable for any loss or damage arising out of the use thereof. No authorization is given or implied to use any patented invention without a license. In addition, Everris shall not be liable for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the product.