

SECTION 1: IDENTIFICATION OF	THE SUBSTANCE/MIXTURE AND	OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

PRESTIGE NK SPRING & SUMMER 15-0-12 + 2% FE 08295

Other means of identification:

Non-applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Fertilizer. For professional users/industrial user only.

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

Amega Sciences plc Unit 17 Lanchester Way NN11 8PH Daventry - Northamptonshire - United Kingdom Phone: 44 1327 704444 - Fax: +44 (0) 1327 311 226 admin@amega-sciences.com

1.4 Emergency telephone number: +44 (0) 7802844234 (for Emergency ONLY)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

GB CLP Regulation:

Classification of this product has been carried out in accordance with GB CLP Regulation. Eye Irrit. 2: Eye irritation, Category 2, H319

2.2 Label elements: GB CLP Regulation:

Warning



Hazard statements:

Eye Irrit. 2: H319 - Causes serious eye irritation.

Precautionary statements:

P264: Wash thoroughly after use. P280: Wear protective gloves/protective clothing/eye protection/protective footwear. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention.

2.3 Other hazards:

Product does not meet PBT/vPvB criteria

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Miscellaneous products

Components:

In accordance with Annex II of The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020, the product contains:

Identification	Chemical name/Classification	Concentration
	iron (II) sulfate · 7(H2O)	5 - <10 %
CAS: 7782-63-0	Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	5-<10%

- CONTINUED ON NEXT PAGE -



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

	Identification	Chemical name/Classification	Concentration
		Citric Acid	E (10.0)
CAS:	77-92-9	Eye Irrit. 2: H319; STOT SE 3: H335 - Warning	5 - <10 %
Toob	tain more informat	ion on the bazards of the substances consult sections 11, 12 and 16	

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification	Specific concentration limit
iron (II) sulfate · 7(H2O) CAS: 7782-63-0	% (w/w) >=25: Skin Irrit. 2 - H315

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

Identification	Acute toxicity		Genus
iron (II) sulfate · 7(H2O)	LD50 oral	500 mg/kg (ATEi)	
CAS: 7782-63-0	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

- CONTINUED ON NEXT PAGE -

Revised: 19/01/2023



SECTION 5: FIREFIGHTING MEASURES (continued)

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...).

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:2 °CMaximum Temp.:40 °CMaximum time:24 Months

- CONTINUED ON NEXT PAGE -

Date of compilation: 18/03/2009

Revised: 19/01/2023



SECTION 7: HANDLING AND STORAGE (continued)

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

There are no applicable occupational exposure limits for the substances contained in the product

DNEL (Workers):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
iron (II) sulfate · 7(H2O)	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 7782-63-0	Dermal	Non-applicable	Non-applicable	2.8 mg/kg	Non-applicable
EC: 231-753-5	Inhalation	Non-applicable	Non-applicable	Non-applicable	Non-applicable

DNEL (General population):

		Short e	xposure	Long ex	kposure
Identification		Systemic	Local	Systemic	Local
iron (II) sulfate · 7(H2O)	Oral	20 mg/kg	Non-applicable	0.28 mg/kg	Non-applicable
CAS: 7782-63-0	Dermal	Non-applicable	Non-applicable	1.4 mg/kg	Non-applicable
EC: 231-753-5	Inhalation	Non-applicable	Non-applicable	Non-applicable	Non-applicable

PNEC:

Identification				
Citric Acid	STP	1000 mg/L	Fresh water	0.44 mg/L
CAS: 77-92-9	Soil	33.1 mg/kg	Marine water	0.044 mg/L
EC: 201-069-1	Intermittent	Non-applicable	Sediment (Fresh water)	34.6 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	3.46 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<UKCA marking>>. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Remarks
Mandatory hand protection	Protective gloves against minor risks	Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN ISO 21420:2020 and EN ISO 374-1:2016+ A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

- CONTINUED ON NEXT PAGE -



D ' 1		205			Deres Le
Pictogram		PPE			Remarks
Mandatory face protection		nic glasses against splash/projections.	Clean daily ar		according to the manufacturer's instructio is a risk of splashing.
E Body protection	n				
Pictogram		PPE			Remarks
		Work clothing	to the pr	oduct for professional/in ith the regulations in E	erioration. For periods of prolonged exposu ndustrial users CE III is recommended, in N ISO 6529:2013, EN ISO 6530:2005, EN I D13, EN 464:1994.
		Anti-slip work shoes	to the pr	oduct for professional/in	erioration. For periods of prolonged exposu ndustrial users CE III is recommended, in in EN ISO 20345:2012 y EN 13832-1:2007
F Additional eme	ergency me	asures			
Emergency r	measure	Standards	E	mergency measure	Standards
Emergency	+ shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2		Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
spillage of both the The Volatile Org V.O.C. (Supply	e product a a nic Com ():	nd its container. For additional counds in Paints, Varnishes 0 % weight	information s	see subsection 7.1.	
spillage of both the The Volatile Org V.O.C. (Supply V.O.C. density	e product a panic Comp '): at 20 °C:	nunity legislation for the protect and its container. For additional counds in Paints, Varnishes 0 % weight 0 kg/m ³ (0 g/L)	information s	see subsection 7.1.	
spillage of both the The Volatile Org. V.O.C. (Supply V.O.C. density TION 9: PHYSICA	e product a panic Comp r): at 20 °C:	iunity legislation for the protect and its container. For additional counds in Paints, Varnishes 0 % weight 0 kg/m ³ (0 g/L)	information s and Vehicle	see subsection 7.1.	
spillage of both the The Volatile Org V.O.C. (Supply V.O.C. density TION 9: PHYSICA	e product a anic Comp (): at 20 °C: L AND CH basic phys	nunity legislation for the protect and its container. For additional pounds in Paints, Varnishes 0 % weight 0 kg/m ³ (0 g/L) HEMICAL PROPERTIES	information s and Vehicle	see subsection 7.1.	
spillage of both the The Volatile Org V.O.C. (Supply V.O.C. density TION 9: PHYSICA Information on I For complete infor	e product a anic Comp (): at 20 °C: L AND CH basic phys	iunity legislation for the protect and its container. For additional counds in Paints, Varnishes 0 % weight 0 kg/m ³ (0 g/L)	information s and Vehicle	see subsection 7.1.)
spillage of both the The Volatile Org. V.O.C. (Supply V.O.C. density TION 9: PHYSICA Information on I For complete infor Appearance:	e product a anic Comp (): at 20 °C: L AND CF basic physe mation see	nunity legislation for the protect and its container. For additional pounds in Paints, Varnishes 0 % weight 0 kg/m ³ (0 g/L) HEMICAL PROPERTIES sical and chemical properties the product datasheet.	information s and Vehicle	see subsection 7.1.	
spillage of both the The Volatile Org V.O.C. (Supply V.O.C. density TION 9: PHYSICA Information on I For complete infor Appearance: Physical state at 20	e product a anic Comp (): at 20 °C: L AND CF basic physe mation see	nunity legislation for the protect ind its container. For additional pounds in Paints, Varnishes 0 % weight 0 kg/m ³ (0 g/L) HEMICAL PROPERTIES sical and chemical properties the product datasheet.	information s and Vehicle	see subsection 7.1.	
spillage of both the The Volatile Org V.O.C. (Supply V.O.C. density TION 9: PHYSICA Information on I For complete inform Appearance: Physical state at 20 Appearance:	e product a anic Comp (): at 20 °C: L AND CF basic physe mation see	nunity legislation for the protect ind its container. For additional pounds in Paints, Varnishes 0 % weight 0 kg/m ³ (0 g/L) HEMICAL PROPERTIES sical and chemical properties the product datasheet.	information s and Vehicle es: uid uracteristic	see subsection 7.1.)
spillage of both the The Volatile Org . V.O.C. (Supply V.O.C. density TION 9: PHYSICA Information on I For complete inform Appearance: Physical state at 20 Appearance: Colour:	e product a anic Comp (): at 20 °C: L AND CF basic physe mation see	nunity legislation for the protect and its container. For additional pounds in Paints, Varnishes 0 % weight 0 kg/m ³ (0 g/L) IEMICAL PROPERTIES sical and chemical properties the product datasheet. Liqu Cha	and Vehicle and Vehicle es: uid aracteristic Brown	see subsection 7.1.)
spillage of both the The Volatile Org V.O.C. (Supply V.O.C. density TION 9: PHYSICA Information on I For complete inform Appearance: Physical state at 20 Appearance:	e product a anic Comp (): at 20 °C: L AND CF basic physe mation see	Annity legislation for the protect and its container. For additional pounds in Paints, Varnishes 0 % weight 0 kg/m ³ (0 g/L) HEMICAL PROPERTIES Sical and chemical properties the product datasheet. Lique Cha	information s and Vehicle es: uid uracteristic	ee subsection 7.1.[Refinishing Pro)
spillage of both the The Volatile Org V.O.C. (Supply V.O.C. density TION 9: PHYSICA Information on I For complete inform Appearance: Physical state at 20 Appearance: Colour: Odour:	e product a anic Comp (): at 20 °C: L AND CF basic physe mation see	Annity legislation for the protect and its container. For additional pounds in Paints, Varnishes 0 % weight 0 kg/m ³ (0 g/L) HEMICAL PROPERTIES Sical and chemical properties the product datasheet. Lique Cha	and Vehicle and Vehicle es: uid aracteristic Brown aracteristic	ee subsection 7.1.[Refinishing Pro)
spillage of both the The Volatile Org : V.O.C. (Supply V.O.C. density TION 9: PHYSICA Information on I For complete inform Appearance: Physical state at 20 Appearance: Colour: Odour: Odour threshold:	e product a anic Comp (): at 20 °C: L AND CH basic phys mation see 0 °C:	An its container. For additional pounds in Paints, Varnishes 0 % weight 0 kg/m ³ (0 g/L) HEMICAL PROPERTIES sical and chemical properties the product datasheet. Lique Cha Nor	and Vehicle and Vehicle es: uid aracteristic Brown aracteristic	ee subsection 7.1.[e Refinishing Pro)
spillage of both the The Volatile Org V.O.C. (Supply V.O.C. density TION 9: PHYSICA Information on I For complete inform Appearance: Physical state at 20 Appearance: Colour: Odour: Odour threshold: Volatility:	e product a anic Comp (): at 20 °C: L AND CF basic phys mation see 0 °C:	aunity legislation for the protect and its container. For additional pounds in Paints, Varnishes 0 % weight 0 kg/m ³ (0 g/L) HEMICAL PROPERTIES Sical and chemical propertie the product datasheet. Lique Cha Nor pressure: Nor	and Vehicle and	ee subsection 7.1.[e Refinishing Pro)
spillage of both the The Volatile Org V.O.C. (Supply V.O.C. density TION 9: PHYSICA Information on I For complete inform Appearance: Physical state at 20 Appearance: Colour: Odour: Odour threshold: Volatility: Boiling point at atr	e product a anic Comp (): at 20 °C: basic phys mation see 0 °C: mospheric p	nunity legislation for the protect and its container. For additional pounds in Paints, Varnishes 0 % weight 0 kg/m ³ (0 g/L) IEMICAL PROPERTIES sical and chemical properties the product datasheet. Lique Chain Chain Nor pressure: Nor Nor	and Vehicle and Vehicle and Vehicle es: uid aracteristic Brown aracteristic a-applicable *	ee subsection 7.1.[e Refinishing Pro)
spillage of both the The Volatile Org . V.O.C. (Supply V.O.C. density TION 9: PHYSICA Information on I For complete infort Appearance: Physical state at 20 Appearance: Colour: Odour: Odour threshold: Volatility: Boiling point at atr Vapour pressure at	e product a anic Comp (): at 20 °C: basic physe mation see 0 °C: mospheric p at 20 °C: t 20 °C:	An initial sector of the protect and its container. For additional pounds in Paints, Varnishes 0 % weight 0 kg/m ³ (0 g/L) IEMICAL PROPERTIES sical and chemical properties the product datasheet. Lique Chain of the prosure: Nor pressure: Nor Nor 123	information s and Vehicle and Vehicle ses: uid aracteristic Brown aracteristic aracteristic arapplicable * an-applicable *	2.38 kPa))
spillage of both the The Volatile Org : V.O.C. (Supply V.O.C. density TION 9: PHYSICA Information on I For complete infort Appearance: Physical state at 20 Appearance: Colour: Odour: Odour threshold: Volatility: Boiling point at atr Vapour pressure at Vapour pressure at	e product a anic Comp (): at 20 °C: basic phys mation see 0 °C: 0 °C: t 20 °C: t 50 °C: tt 50 °C: at 20 °C:	An initial sector of the protect and its container. For additional pounds in Paints, Varnishes 0 % weight 0 kg/m ³ (0 g/L) IEMICAL PROPERTIES sical and chemical properties the product datasheet. Lique Chain of the prosure: Nor pressure: Nor Nor 123	and Vehicle and Vehicle and Vehicle es: uid practeristic Brown practeristic n-applicable * n-applicable * n-applicable * n-applicable *	2.38 kPa))
spillage of both the The Volatile Org V.O.C. (Supply V.O.C. density TION 9: PHYSICA Information on I For complete infort Appearance: Physical state at 20 Appearance: Colour: Odour: Odour: Odour threshold: Volatility: Boiling point at atr Vapour pressure at Vapour pressure at Evaporation rate a	e product a anic Comp (): at 20 °C: basic phys mation see 0 °C: 0 °C: t 20 °C: t 50 °C: tt 50 °C: at 20 °C:	aunity legislation for the protect and its container. For additional pounds in Paints, Varnishes 0 % weight 0 kg/m ³ (0 g/L) IEMICAL PROPERTIES sical and chemical properties the product datasheet. Liqu Cha Dressure: Nor Nor Dressure: Nor Nor	and Vehicle and Vehicle and Vehicle es: uid aracteristic brown aracteristic aracteristic aracteristic broplicable * an-applicable * 81.01 Pa (12 an-applicable *	2.38 kPa))
spillage of both the The Volatile Org : V.O.C. (Supply V.O.C. density TION 9: PHYSICA Information on I For complete infor Appearance: Physical state at 20 Appearance: Colour: Odour threshold: Volatility: Boiling point at atr Vapour pressure at Vapour pressure at Evaporation rate a Product descript	e product a anic Comp (): at 20 °C: L AND CH basic phys mation see 0 °C: 0 °C: t 50 °C: at 20 °C: at 20 °C: tion:	An initial legislation for the protect and its container. For additional pounds in Paints, Varnishes 0 % weight 0 kg/m ³ (0 g/L) IEMICAL PROPERTIES Sical and chemical properties the product datasheet. Lique Cha Cha Nor pressure: Nor Nor 123 Nor	and Vehicle and Vehicle and Vehicle es: uid aracteristic brown aracteristic aracteristic aracteristic broplicable * an-applicable * 81.01 Pa (12 an-applicable *	2.38 kPa))

- CONTINUED ON NEXT PAGE -

Printing: 12/12/2023 (Replaced 4)

Date of compilation: 18/03/2009 Revised: 19/01/2023



SECTION 9	9: PHYSICAL AND CHEMICAL PROPERTIES	(continued)
Dynar	mic viscosity at 20 °C:	2.33 cP
Kinem	natic viscosity at 20 °C:	1.87 mm²/s
Kinem	natic viscosity at 40 °C:	Non-applicable *
Conce	entration:	Non-applicable *
pH:		2 - 3 (ASTM D3838-05)
Vapou	ur density at 20 ºC:	Non-applicable *
Partiti	ion coefficient n-octanol/water 20 °C:	Non-applicable *
Solub	ility in water at 20 ºC:	Non-applicable *
Solub	ility properties:	Miscible
Decor	mposition temperature:	Non-applicable *
Meltin	ng point/freezing point:	Non-applicable *
Flam	mability:	
Flash	Point:	Non Flammable (>60 °C)
Flamr	nability (solid, gas):	Non-applicable *
Autoi	gnition temperature:	Non-applicable *
Lower	r flammability limit:	Non-applicable *
Upper	r flammability limit:	Non-applicable *
Parti	cle characteristics:	
Media	an equivalent diameter:	Non-applicable
9.2 Othe	r information:	
Infor	mation with regard to physical hazard class	es:
Explo	sive properties:	Non-applicable *
Oxidis	sing properties:	Non-applicable *
Corro	sive to metals:	Non-applicable *
Heat	of combustion:	Non-applicable *
comp	ols-total percentage (by mass) of flammable onents:	Non-applicable *
	r safety characteristics:	
	ce tension at 20 °C:	Non-applicable *
	ction index:	Non-applicable *
*Not re	elevant due to the nature of the product, not providing inform	ation property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.


10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

10.5 Incompatible materials:

- CONTINUED ON NEXT PAGE -





	Acids	Water	Oxidising materials	Combustible materials	Others
	Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong base
).6	Hazardous decomposition	products:			
	See subsection 10.3, 10.4 an complex mixtures of chemica				
CT	ION 11: TOXICOLOGICAL	. INFORMATION			
.1	Information on toxicologi	cal effects:			
	The experimental information	n related to the toxicolo	ogical properties of the pr	oduct itself is not available	e
	Dangerous health implica				
	In case of exposure that is readverse effects on health ma A- Ingestion (acute effect):			han the recommended oc	cupational exposure limit
	 Acute toxicity: Based of dangerous for consumption Corrosivity/Irritability: classified as hazardous for B- Inhalation (acute effect): 	on. For more information Based on available dat	on see section 3. a, the classification criteri	a are not met. However,	
	 Acute toxicity : Based as hazardous for inhalatio Corrosivity/Irritability: classified as hazardous fo Contact with the skin and 	on. For more information Based on available dat r inhalation. For more	on see section 3. a, the classification criteri information see section 3	a are not met. However,	
	 Contact with the skin: classified as hazardous fo Contact with the eyes: D- CMR effects (carcinogenic 	r skin contact. For mor Produces eye damage	e information see section after contact.		it contains substances
	 Carcinogenicity: Based as hazardous for the effect IARC: Non-applicable Mutagenicity: Based of hazardous for this effect. Reproductive toxicity: classified as hazardous for E- Sensitizing effects: 	cts mentioned. For mor n available data, the cla For more information s Based on available data	re information see section assification criteria are no see section 3. a, the classification criteri	3. t met, as it does not conta a are not met, as it does r	ain substances classified a
	 Respiratory: Based on hazardous with sensitising Skin: Based on availab hazardous for this effect. F- Specific target organ toxic 	g effects. For more info le data, the classification For more information s	ormation see section 3. on criteria are not met, as see section 3.		
	Based on available data, t inhalation. For more infor	the classification criteri		it contains substances cla	ssified as hazardous for
	G- Specific target organ toxic	city (STOT)-repeated e	xposure:		
	 Specific target organ to it does not contain substation Skin: Based on availability hazardous for this effect. H- Aspiration hazard: 	ances classified as haza le data, the classification	ardous for this effect. For on criteria are not met, as	more information see sect	tion 3.
	Based on available data, t this effect. For more infor		a are not met, as it does	not contain substances cla	assified as hazardous for
		CON	ITINUED ON NEXT PAGE		



SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Other information:

Non-applicable

Specific toxicology information on the substances:

1	Identification	Acut	te toxicity	Genus
Citric Acid		LD50 oral	5400 mg/kg	Rat
CAS: 77-92-9		LD50 dermal	>5000 mg/kg	
		LC50 inhalation	>5 mg/L	
iron (II) sulfate · 7(H2O)		LD50 oral	500 mg/kg (ATEi)	
CAS: 7782-63-0		LD50 dermal	>5000 mg/kg	
		LC50 inhalation	>5 mg/L	

Acute Toxicity Estimate (ATE mix):

	ATE mix	Ingredient(s) of unknown toxicity
Oral	8333.33 mg/kg (Calculation method)	0 %
Dermal	>5000 mg/kg (Calculation method)	Non-applicable
Inhalation	>20 mg/L (4 h) (Calculation method)	Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
Citric Acid	LC50	1516 mg/L (96 h)	Lepomis macrochirus	Fish
CAS: 77-92-9	EC50	160 mg/L (48 h)	N/A	Crustacean
	EC50	Non-applicable		

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degra	adability	Biodegradab	ility
Citric Acid	BOD5	Non-applicable	Concentration	10 mg/L
CAS: 77-92-9	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	97 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification	Bioaccur	nulation potential
Citric Acid	BCF	3
CAS: 77-92-9	Pow Log	-1.55
	Potential	Low

12.4 Mobility in soil:

	Identification	Absorpti	on/desorption	Volati	lity
	Citric Acid	Кос	Non-applicable	Henry	Non-applicable
	CAS: 77-92-9	Conclusion	Non-applicable	Dry soil	Non-applicable
			2.045E-2 N/m (350.93 °C)	Moist soil	Non-applicable
12.5	Results of PBT and vPvB assessment:				
	Product does not meet PBT/vPvB criteria				

12.6 Other adverse effects:

- CONTINUED ON NEXT PAGE -



SECTION 12: ECOLOGICAL INFORMATION (continued)

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class
06 10 99	wastes not otherwise specified	Non dangerous

Type of waste:

Non-applicable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance The Waste Regulations 2011, 2011 No. 988. As under 15 01 of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of UK REACH the provisions related to waste management are stated:

UK legislation: The Waste Regulations 2011.

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2023 and RID 2023:

	ard to ADR 2023 and RID 2023:	
14.1	UN number:	Non-applicable
14.2	UN proper shipping name:	Non-applicable
14.3	Transport hazard class(es):	Non-applicable
	Labels:	Non-applicable
	Packing group:	Non-applicable
14.5	Environmental hazards:	No
14.6	Special precautions for user	
	Tunnel restriction code:	Non-applicable
	Physico-Chemical properties:	see section 9
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable
Transpor	rt of dangerous goods by sea:	
With rega	rd to IMDG 40-20:	
14.1	UN number:	Non-applicable
14.2	UN proper shipping name:	Non-applicable
_		
	Transport hazard class(es):	Non-applicable
	Transport hazard class(es): Labels:	Non-applicable Non-applicable
14.3		
14.3 14.4	Labels:	Non-applicable
14.3 14.4 14.5	Labels: Packing group:	Non-applicable Non-applicable
14.3 14.4 14.5	Labels: Packing group: Marine pollutant:	Non-applicable Non-applicable
14.3 14.4 14.5	Labels: Packing group: Marine pollutant: Special precautions for user	Non-applicable Non-applicable No
14.3 14.4 14.5	Labels: Packing group: Marine pollutant: Special precautions for user Special regulations:	Non-applicable Non-applicable No
14.3 14.4 14.5	Labels: Packing group: Marine pollutant: Special precautions for user Special regulations: EmS Codes:	Non-applicable Non-applicable No Non-applicable
14.3 14.4 14.5	Labels: Packing group: Marine pollutant: Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties:	Non-applicable Non-applicable No Non-applicable see section 9

- CONTINUED ON NEXT PAGE -

Revised: 19/01/2023



SECTION 14: TRANSPORT INFORMATION (continued)

Transport of dangerous goods by air:

With regard to IATA/ICAO 2023:

- 14.1 UN number:
- 14.2 UN proper shipping name: Non-applicable 14.3 Transport hazard class(es): Non-applicable
- Labels: Non-applicable Non-applicable
- 14.4 Packing group:
- 14.5 Environmental hazards:
- 14.6 Special precautions for user
 - Physico-Chemical properties: see section 9
- 14.7 Transport in bulk according Non-applicable to Annex II of Marpol and the IBC Code:

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Non-applicable

No

- Substances listed in UK candidate list of substances of very high concern (SVHCs): Non-applicable
- Substances listed in UK REACH Authorisation List (Annex 14): Non-applicable

The Control of Major Accident Hazards Regulations 2015:

Non-applicable

Restrictions to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII UK REACH, etc):

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors: Contains Potassium nitrate. Product under the provisions of Article 9. However, products that contain explosives precursors only to such a small extent and in such complex mixtures that the extraction of the explosives precursors is technically extremely difficult should be excluded from the scope of this Regulation.

Shall not be used in:

-ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtravs.

-tricks and jokes,

-qames for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020.

Control of Substances Hazardous to Health Regulations 2002 (as amended)

EH40/2005 Workplace exposure limits.

The Fertilisers and Ammonium Nitrate Material (Amendment) (EU Exit) Regulations 2019.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

Texts of the legislative phrases mentioned in section 2:


H319: Causes serious eye irritation.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

- CONTINUED ON NEXT PAGE -

Printing: 12/12/2023 Date of compilation: 18/03/2009 Revised: 19/01/2023 Version: 5 (Replaced 4)





SECTION 16: OTHER INFORMATION (continued)

GB CLP Regulation:

Acute Tox. 4: H302 - Harmful if swallowed. Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Irrit. 2: H315 - Causes skin irritation.

STOT SE 3: H335 - May cause respiratory irritation.

Classification procedure:

Eye Irrit. 2: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LOgPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at UK, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -