## Safety Data Sheet

Issue Date 30-Jun-2016 Revision Date 09-Oct-2019 Version: 2.03

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name Vitalnova Stressbuster

Product Code: 31390120DA
Pure substance/mixture Mixture.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Fertilizer (PC12). Restricted to professional users.

Uses Advised Against: Consumer use [SU 21].

1.3. Details of the supplier of the safety data sheet

Everris International B.V.Nijverheidsweg 1-5; 6422 PD Heerlen (NL); Tel: +31 (0)45-5609100; Fax: +31 (0)45-5609190.

For further information, please contact: INFO-MSDS@EVERRIS.COM.

1.4. Emergency telephone number: IN CASE OF AN EMERGENCY CALL: +44 1235 239 670 (24h).

## **Section 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

Mixture

Regulation (EC) No 1272/2008 (CLP)

Eye Irritation Category 1 - (H318)

#### 2.2. Label elements



Signal Word: Danger

## **Hazard Statements:**

H318 - Causes serious eye damage

H315 - Causes skin irritation

Contains D-glycopyranose, oligomers, decyl octyl glycosides

## **Precautionary Statements:**

P264 - Wash skin thoroughly after handling

P280 - Wear eye protection/ face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P332 + P313 - If skin irritation occurs: Get medical advice/attention

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Chemical Name	EC-No.	CAS No	Weight %	Classification according Regulation (EC) 1272/2008 [CLP]	REACH registration number
Urea	200-315-5	57-13-6	10 - 25%	Not classified	01-2119463277-33
Iron sulphate; FeSO <sub>4</sub> +7H <sub>2</sub> O	231-753-5	7782-63-0	10 - 25%	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)	01-2119513203-57
D-glycopyranose, oligomers, decyl octyl glycosides	500-220-1	68515-73-1	5 - 10%	Eye Dam. 1 (H318)	01-2119488530-36
Acetic acid	607-002-00- 6	64-19-7	0.1 - 1%	Skin Corr. 1A (H314) Flam. Liq. 3 (H226)	01-2119475328-30

Full text of H- and EUH-phrases: see section 16

## **Section 4: FIRST AID MEASURES**

4.1. Description of first aid measures

**General Advice:** First aid measures should be executed by trained personnel only.

**Inhalation** If not breathing, give artificial respiration. If symptoms persist, call a physician. If fumes from

reactions are inhaled, move to fresh air immediately.

**Skin Contact:** If skin irritation persists, call a physician.

Eye Contact: Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists,

consult a specialist.

**Ingestion:** Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do not induce vomiting without medical advice.

## 4.2. Most important symptoms and effects, both acute and delayed

None under normal processing

## 4.3. Indication of any immediate medical attention and special treatment needed

None under normal processing.

## **Section 5: FIRE FIGHTING MEASURES**

5.1. Extinguishing media

<u>Suitable Extinguishing Media:</u> Coordinate fire extinguishing measures to fire in surrounding

area.

Unsuitable Extinguishing Media: High volume water jet.

#### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

#### 5.3. Advice for firefighters

Use extinguishing agent suitable for type of surrounding fire. In the event of fire and/or explosion do not breathe fumes. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Wear personal protective equipment. Evacuate personnel to

safe areas.

For Emergency Responders: Use personal protection recommended in Section 8.

6.2. Environmental precautions

Vitalnova Stressbuster Revision Date 09-Oct-2019

Do not allow material to contaminate ground water system.

#### 6.3. Methods and material for containment and cleaning up

Methods for Containment: Prevent further leakage or spillage if safe to do so.

Methods for Cleanup: Take up mechanically and collect in suitable container for disposal.

#### 6.4. Reference to other sections

§ 8, 12, 13.

## **Section 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

General hygiene considerations:

Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. When using, do not eat, drink or smoke.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures/storage conditions:

Keep container tightly closed in a dry and well-ventilated place. For quality reasons: Keep out of reach of direct sunlight, store under dry conditions, partly used packaging should be closed well. Keep away from flammable material.

Packaging Materials:

Store in original container. Store in a closed container.

LGK (Germany)

7.3. Specific end use(s)

Specific use(s)
Exposure scenario

Fertilizer; www.everris.com; Read and follow label instructions

Mixture. Not required.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

Urea	
Bulgaria - OEL- TWAs	10.0 mg/m³ TWA
Latvia - OEL - TWAs	10 mg/m³ TWA
Iron sulphate; FeSO4+7H2O	
Belgium - 8 Hr TWA	1 mg/m <sup>3</sup>
Denmark	TWA: 1 mg/m <sup>3</sup>
Finland	TWA: 1 mg/m <sup>3</sup>
Ireland	TWA: 1 mg/m <sup>3</sup>
	STEL: 2 mg/m <sup>3</sup>
Norway	TWA: 1 mg/m <sup>3</sup>
	STEL: 2 mg/m <sup>3</sup>
Portugal	TWA: 1 mg/m <sup>3</sup>
Spain - Valores Limite Ambientales - VLE	TWA: 1 mg/m <sup>3</sup>
Switzerland	TWA: 1 mg/m <sup>3</sup>
United Kingdom - Occupational Exposure	1 mg/m³ 8hr TWA. 2 mg/m³ 15 min TWA
Acetic acid	
European Union	TWA 10 ppm deleted with effect from August 21, 2018
	TWA 25 mg/m <sup>3</sup> deleted with effect from August 21, 2018
Austria	STEL 20 ppm
	STEL 50 mg/m <sup>3</sup>
	TWA: 10 ppm
	TWA: 25 mg/m³
Australia	10 ppm TWA
D. I	25 mg/m³ TWA
Belgium - 8 Hr TWA	10 ppm TWA
Dulmaria OFI TWA	25 mg/m³ TWA
Bulgaria - OEL- TWAs	25.0 mg/m³ TWA
Czech Republic OEL	25 mg/m³ TWA
Denmark	TWA: 10 ppm TWA: 25 mg/m <sup>3</sup>
Estonia - OEL - STELs	
	10 ppm STEL; 25 mg/m <sup>3</sup> STEL TWA: 5 ppm
Finland	TWA: 5 ppm TWA: 13 mg/m <sup>3</sup>
	I WA. 13 HIGHT

#### Vitalnova Stressbuster

	STEL: 10 ppm
	STEL: 25 mg/m <sup>3</sup>
FR - OEL - 8h VMEs	STEL: 10 ppm
	STEL: 25 mg/m <sup>3</sup>
greece OEL 15 minute	15 ppm STEL
	37 mg/m³ STEL
Hungary - OEL - TWAs	25 mg/m³ TWA
Iceland - OEL - 8 Hour	10 ppm TWA
	25 mg/m³ TWA
Indonesia - OEL - STELs (PSDs)	15 ppm STEL; 37 mg/m <sup>3</sup> STEL
Ireland	TWA: 10 ppm
	TWA: 25 mg/m <sup>3</sup>
	STEL: 20 ppm
	STEL: 37 mg/m <sup>3</sup>
Japan	10 ppm OEL
•	25 mg/m³ OEL
Korea - ISHA - OEL - TWAs	10 ppm TWA (Serial No. 501)
Latvia - OEL - TWAs	10 ppm TWA; 25 mg/m³ TWA
Malaysia	10 ppm TWA; 25 mg/m³ TWA
NL MAC - TWA:	STEL: 50 mg/m <sup>3</sup>
	TWA: 25 mg/m <sup>3</sup>
Norway	TWA: 10 ppm
•	TWA: 25 mg/m <sup>3</sup>
	STEL: 15 ppm
	STEL: 37.5 mg/m <sup>3</sup>
Poland	STEL: 50 mg/m <sup>3</sup>
	TWA: 25 mg/m <sup>3</sup>
Portugal	STEL: 15 ppm
	TWA: 10 ppm
	TWA: 25 mg/m <sup>3</sup>
Romania - OEL - TWAs	10 ppm TWA; 25 mg/m³ TWA
Slovenia - OEL - TWAs	10 ppm TWA; 25 mg/m³ TWA
Spain - Valores Limite Ambientales - VLE	STEL: 20 ppm
	STEL: 50 mg/m <sup>3</sup>
	TWA: 10 ppm
	TWA: 25 mg/m <sup>3</sup>
Singapore - OEL:PELs	10 ppm PEL
	25 mg/m³ PEL
Switzerland	STEL: 20 ppm
	STEL: 50 mg/m <sup>3</sup>
	TWA: 10 ppm
	TWA: 25 mg/m <sup>3</sup>
United Kingdom - Occupational Exposure	25 mg/m³ (10ppm) 8hr TWA. 50 mg/m³ (20ppm) 15 min TWA.

## **Derived No Effect Level (DNEL)**

Component	Oral	Dermal	Inhalation
Urea		580 mg/kg bw/day	292 mg/m <sup>3</sup>
57-13-6 ( 10 - 25% )			-

## **Predicted No Effect Concentration (PNEC)**

No data available

Component	Fresh Water	Freshwater sediment	Sea Water	Sea sediment	Soil	Impact on Sewage Treatment
Urea 57-13-6 ( 10 - 25% )	0.47 mg/l		0.047 mg/l			

## 8.2. Exposure controls

Personal protective equipment

**Eye/Face Protection** Wear eye/face protection

**Hand protection** Gloves. Nitrile rubber (0.26 mm). Break through time. > 8 h.

Respiratory Protection Not required; except in case of aerosol formation. In case of mist, spray or aerosol

exposure wear suitable personal respiratory protection and protective suit

Skin and body protection: Lightweight protective clothing

Vitalnova Stressbuster Revision Date 09-Oct-2019

Hygiene Measures: When using, do not eat, drink or smoke. Keep away from food, drink and animal feeding

stuffs.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State: Liquid

Appearance: aqueous solution

Color:brown.Odor:characteristicpH:4 - 6

Density: 1225 - 1255 kg/m<sup>3</sup> **Melting Point/Freezing Point:** No data available no data available. **Boiling Point/Range:** > 60 ° C . Flash Point: no data available. **Evaporation Rate:** Not flammable Flammability (solid, gas): no data available. **Vapor Pressure:** no data available. Vapour density Relative density No data available Water Solubility: No data available Solubility(ies) No data available **Partition Coefficient:** no data available. **Autoignition Temperature:** No data available **Decomposition temperature:** No data available

**Explosive Properties:**Doesn't present explosion hazard.

9.2. Other information

VOC Content (%): Solid. Not applicable.

## Section 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

Not reactive.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

None under normal processing. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

#### 10.4. Conditions to avoid

For quality reasons: Keep out of reach of direct sunlight, store under dry conditions, partly used packaging should be closed well.

## 10.5. Incompatible materials

Keep away from catalysts like derivates of hexavalent chromium and metal halides. Keep away from flammable products (fuels) like charcoal, wood, flour, soot etc.

#### 10.6. Hazardous decomposition products

None under normal processing. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## Section 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

#### **Product Information**

If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS

#### Information on the Likely Routes of Exposure (inhalation, ingestion, skin and eye contact):

**Inhalation** Inhalation of dust in high concentration may cause irritation of respiratory system.

Vitalnova Stressbuster Revision Date 09-Oct-2019

**Eye contact** May cause slight irritation.

**Skin Contact** May cause irritation.

**Ingestion** May cause gastrointestinal discomfort if consumed in large amounts.

#### Information on Toxicological Effects

None known

**Acute Toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral): 3,714.00 mg/kg

Unknown Acute Toxicity: 3% of the mixture consists of ingredient(s) of unknown toxicity.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Urea	= 8471 mg/kg (Rat)		
Iron sulphate; FeSO <sub>4</sub> +7H <sub>2</sub> O	= 1520 mg/kg		
D-glycopyranose, oligomers, decyl octyl glycosides	= 5001 mg/kg		
Acetic acid	= 2500 mg/kg (Rat)	= 1060 mg/kg (Rabbit)	= 11.4 mg/L (Rat) 4 h

## Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure:

If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS

Serious eye damage/eye irritation Classification based on individual ingredients of the mixture.

Respiratory or skin sensitization Classification based on individual ingredients of the mixture.

Germ Cell Mutagenicity Classification based on individual ingredients of the mixture.

**Carcinogenicity** Classification based on individual ingredients of the mixture.

**Reproductive Toxicity**Classification based on individual ingredients of the mixture.

**STOT - Single Exposure** Classification based on individual ingredients of the mixture.

**STOT - Repeated Exposure** Classification based on individual ingredients of the mixture.

Aspiration Hazard Classification based on individual ingredients of the mixture.

## **Section 12: ECOLOGICAL INFORMATION**

12.1. Toxicity
Ecotoxicity
Unknown Aquatic Toxicity

Should not be released into the environment 0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			Microorganisms	
Urea	> 10000: 192 h Scenedesmus quadricauda mg/L EC50	16200 - 18300: 96 h Poecilia reticulata mg/L LC50	-	3910: 48 h Daphnia magna mg/L EC50 Static 10000: 24 h Daphnia magna Straus mg/L EC50
D-glycopyranose, oligomers, decyl octyl glycosides	27: 72 h Scenedesmus quadricauda mg/L EC50	126: 96 h Brachydanio rerio mg/L LC50	-	151: 48 h Acartia tonsa mg/L EC50
Acetic acid	NE	79: 96 h Pimephales promelas mg/L LC50 static 75: 96 h Lepomis	-	65: 48 h Daphnia magna mg/L EC50 Static 47: 24 h Daphnia magna mg/L

	macrochirus mg/L LC50	EC50
	static	

12.2. Persistence and degradability

Persistence and Degradability: No persistent or cumulative effects were observed.

12.3. Bioaccumulative potential

Bioaccumulation: Does not bioaccumulate.

Chemical Name	LOGPOW
Urea	-1.59
Acetic acid	-0.31

12.4. Mobility in soil No data available.

12.5. PBT and vPvB assessment No data available.

12.6. Other adverse effects No data available.

## **Section 13: DISPOSAL CONSIDERATIONS**

13.1. Waste treatment methods

**Disposal of Wastes:** Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated Packaging:** Do not reuse container.

Other Information Use up product completely. Packaging material is industrial waste.

## Section 14: TRANSPORT INFORMATION

Not regulated

IMO / IMDG

14.1

Not regulated UN-No:

14.2

Not regulated Proper shipping name:

14.3 **Hazard Class:** 

14.4

Packing group: Not regulated

14.5

**Marine Pollutant:** No information available

14.6

**Special Provisions** None

Bulk transport according Annex II of MARPOL and IBC Code No data available

ADR/RID

14.1

UN-No: Not regulated

14.2

Proper shipping name: Not regulated

14.3

**Hazard Class:** Not regulated

14.4

Packing group: Not regulated

14.5

**Environmental Hazard** Not regulated

14.6

**Special Provisions** None

IATA

14.1

UN-No: Not regulated

14.2

Proper shipping name: Not regulated

14.3

Hazard Class: Not regulated

14.4

Packing group: Not regulated

14.5

Environmental Hazard Not regulated

14.6

Special Provisions None

## **Section 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Belgium** 

**Denmark** 

Denmark No data available

**France** 

ICPE No data available

Germany

LGK (Germany) 13

Water Endangering Class (WGK): 1 (Everris classification)

Gefahrstoffverordnung (Germany) TRGS 511 Not regulated

Component	German WGK Section
Urea	1
57-13-6 ( 10 - 25% )	
Iron sulphate; FeSO <sub>4</sub> +7H <sub>2</sub> O	class 3
7782-63-0 ( 10 - 25% )	
D-glycopyranose, oligomers, decyl octyl glycosides	class 1
68515-73-1 ( 5 - 10% )	
Acetic acid	class 1
64-19-7 ( 0.1 - 1% )	

#### 15.2 Chemical safety assessment

Substance(s) usage is covered according to Reach regulation 1907/2006

Take note of Dir. 98/24/EC on the protection of the health and safety of workers from risks related to chemical agents at work

## **Section 16: OTHER INFORMATION**

## Full text of H-Statements referred to under sections 2 and 3

- H319 Causes serious eye irritation
- H302 Harmful if swallowed
- H314 Causes severe skin burns and eye damage
- H226 Flammable liquid and vapor
- H318 Causes serious eye damage
- H315 Causes skin irritation

#### Key or legend to abbreviations and acronyms used in the safety data sheet

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail ICAO: International Civil Aviation Organization

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labeling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

PNEC: Predicted No Effect Concentration

**DNEL: Derived No-Effect Level** 

REACh: Registration, Evaluation, Authorization of Chemicals CLP: EU-GHS; Classification, Labelling and Packaging

OEL: Occupational Exposure Limit TWA: Time Weighted Average ATE: Acute Toxicity Estimate

EUH phrase: CLP (EU) specific hazard statement

LD50: Lethal dose, 50%.

LC50: Lethal concentration, 50%. SVHC: Substance of Very High Concern.

Classification procedure

Calculation method

• Expert judgment and weight of evidence determination

Key literature references and sources for data

According to EC Regulation 1907/2006 (Reach), Regulation EU No. 2015/830. Regulation (EC) No 1272/2008 (CLP).

Prepared by

**Issue Date** 

Regulatory Affairs Department (INFO-MSDS@EVERRIS.COM)

30-Jun-2016

Restrictions on use

Restricted to professional users

Reason for revision

\*\*\* Indicates changes since the last revision. This version replaces all previous versions

This information contained herein is, to the best of Everris' knowledge and belief, accurate and reliable as of the date of preparation of this document. However, no warranty or guarantee, express or implied, is made as to the accuracy or reliability, and Everris shall not be liable for any loss or damage arising out of the use thereof. No authorization is given or implied to use any patented invention without a license. In addition, Everris shall not be liable for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the product.