

Wildflowers - Dry, Sandy Soils

Perennial

- Contains 21 wildflower species
- Feature species: Lady's Bedstraw, Viper's Bugloss, Field Scabious, Toadflax
 Also includes: Yarrow, Common Knapweed, Wild
- Also includes: Yarrow, Common Knapweed, Wild Carrot, Oxeye Daisy, Birdsfoot Trefoil, Musk Mallow, Ribwort Plantain, Cowslip, Selfheal, Meadow Buttercup, Greater Knapweed, Sheep's Sorrel, Rough Hawkbit, Autumn Hawkbit, Yellow Rattle, Hoary Plantain, White Campion

Formulated to be used on soils which are sand based, free draining and very dry during the summer months

- Contains 21 wildflower species
- Feature species: Lady's Bedstraw, Viper's Bugloss, Field Scabious, Toadflax

Grass Accompaniment

When choosing 80:20 Grass: Wildflowers, the mixture contains a rich blend of grasses, formulated to compliment the wildflower species. The grass blend contains slow growing species which will not compete against the slower growing wildflowers. Some of the grasses included in the mixtures are quite rare, such as Meadow Foxtail and Sweet Vernal. Soil type specific mixtures also contain grass species that are indicative of that particular habitat, such Wavy Hairgrass in the acid soils mixture and Wood Meadow Grass in the woodland edge mixture.

Slender Creeping Red Fescue	22.5%
Hard Fescue	22.5%
Crested Dogstail	12%
Smooth Stalked Meadow Grass	7.5%
Rough Stalked Meadow Grass	5%
Small Leaf Timothy	3.75%
Browntop Bent	3.75%
Sweet Vernal	1.5%
Meadow Foxtail	1.5%





Wildflowers

Discover our range of native and nonnative, annual and perennial wildflowers.

Species	100%	80:20 Grass:Wildflowers
Yarrow	3%	0.6%
Common Knapweed	12%	2.4%
Wild Carrot	3.5%	0.7%
Viper's Bugloss	8%	1.6%
Lady's Bedstraw	8%	1.6%
Oxeye Daisy	5%	1%
Common Toadflax	1.2%	0.24%
Birdsfoot Trefoil	2%	0.4%
Musk Mallow	2%	0.4%
Ribwort Plantain	1%	0.2%
Cowslip	0.8%	0.16%
Selfheal	10%	2%
Meadow Buttercup	12%	2.4%
Greater Knapweed	3%	0.6%
Field Scabious	3.5%	0.7%
Sheep's Sorrel	2.5%	0.5%
Rough Hawkbit	1.5%	0.3%
Autumn Hawkbit	2%	0.4%
Yellow Rattle	10%	2%
Hoary Plantain	2%	0.4%
White Campion	7%	1.4%

Sowing time Spring: March to May Summer: June to July, avoiding excessively hot and dry conditions Late summer/autumn: August to October

Specifications

Sowing rate - 100%	2g/ m²
Sowing rate - 80:20	5g/ m²

Wildflowers

Discover our range of native and non-native, annual and perennial wildflowers.

