



**Enforcer**<sup>®</sup>

Selective  
herbicide for  
the **control**  
of **broad-**  
**leaved weeds**



**ICL**



**Enforcer is a selective herbicide with foliar and some root activity** for use against a range of common broad-leaved weeds such as White Clover, Creeping Buttercup, Daisy and Dandelion.

### Key points

- **Potent combination of four active ingredients**
- **Ideal for all sports turf areas and lawns**
- **Various application methods including knapsack**



### Directions for use

1. Shake well before use.
2. Enforcer can be applied by tractor-mounted boom sprayer or by knapsack sprayer.
3. The activity of Enforcer is promoted by climatic conditions which favour photosynthesis such as warm temperatures and sunny conditions.
4. Avoid treatment during dry periods and when rain is expected within 24 hours after the treatment.
5. Do not spray to grass suffering from drought or during freezing conditions.
6. May take up to 3 weeks before weed destruction is seen. Do not re-apply if weed destruction is not seen directly after treatment.
7. For best results, apply the product at least 5 days after the last mowing and wait 7 days after application before mowing again.
8. Do not use on new grass for 6 months after establishment.
9. When renovating treated areas an interval of 6-8 weeks should elapse before re-seeding.

## Weeds controlled

Weed	Application rate	Comments
White clover ( <i>Trifolium repens</i> ), daisy ( <i>Bellis perennis</i> ), deadnettle ( <i>Lamium sp.</i> ), speedwell ( <i>Veronica sp.</i> ), Shepherd's Purse ( <i>Capsella bursa pastoris</i> ) and Field Forget-me-not ( <i>Myosotis arvensis</i> )	7.5 L/ha	Susceptible
Dandelion ( <i>Taraxacum officinale</i> ), broad-leaved dock ( <i>Rumex obtusifolius</i> ), Self heal ( <i>Prunella vulgaris</i> ), creeping buttercup ( <i>Ranunculus repens</i> ), yarrow ( <i>Achillea millefolium</i> ) and corn chamomile ( <i>Anthemis arvensis</i> ).	7.5 L/ha	Moderately susceptible

## Application rate

Maximum individual dose:	7.5 L/ha
Water volume:	1000 L/ha
Maximum total dose:	7.5 L/ha
Maximum number of treatments per year:	1 per year
Latest time of application:	End of September in the year of treatment

## Product characteristic

Type:	Liquid
Pack Size:	5 Litre
Pack Coverage:	4.17 Ha
Contains:	70 g/L 2,4-D, 20 g/L dicamba, 70 g/L MCPA and 42 g/L mecoprop-P
MAPP:	17274

## Recommended period of use



Not available in ROI



Epsilon House, West Road,  
Ipswich, Suffolk IP3 9FJ  
**T:** +44 (0)1473 237100  
**E:** [prof.sales@icl-group.com](mailto:prof.sales@icl-group.com)



[www.icl-group.com](http://www.icl-group.com)