

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Prestige Super PH Buffer with Anti Drift

Version: 2

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: Water Conditioner (Contains:Orthophosphoric Acid)

Other identifiers: None

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product uses: Turf Management Product

1.3 Details of the supplier of the safety data sheet

Company name: Collier Turf Care, Ltd

Company address: Drury Square, Beeston,
King's Lynn, Norfolk, PE32
2NA

Contact: David Richards

E-Mail address: david@collier-turf-care.co.uk

Company phone: 01328 700600

1.4 Emergency telephone number

Emergency phone: 07738 437769

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of danger: Acute Toxicity - Oral Category 4
Skin Corrosion / Irritation Category 1B
Eye Damage / Irritation Category 1
H302, Harmful if swallowed.
H314, Causes severe skin burns and eye damage.

2.2 Label elements

Classification under Regulation (EC) No 1272/2008

Signal word: Danger

Hazard statements: H302, Harmful if swallowed.
H314, Causes severe skin burns and eye damage.

Supplemental Information: None

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Prestige Super PH Buffer with Anti Drift

Version: 2

Precautionary statements:

P260, Do not breathe vapour or dust.
P264, Wash hands and other contacted skin thoroughly after handling.
P270, Do not eat, drink or smoke when using this product.
P280, Wear protective gloves/eye protection/face protection.
P301/312, IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P301/330/331, If swallowed: Rinse mouth. Do not induce vomiting.
P303/361/353, IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340, IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310, Immediately call a POISON CENTER or doctor/physician.
P330, Rinse mouth.
P363, Wash contaminated clothing before reuse.
P405, Store locked up.
P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Pictograms:



2.3 Other hazards

Other hazards: Hydrocarbon Concentration %: 0.0000%

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
Orthophosphoric Acid	7664-38-2	231-633.2		20-<50%	Met. Corr. 1-Acute Tox. 4-Skin Corr. 1B;H290-H302-H314,-	
β-Alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts	90170-43-7	290-476-8		1-<5%	Eye Irrit. 2;H319,-	

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Prestige Super PH Buffer with Anti Drift

Version: 2

Substances with Community workplace exposure limits:

Not Applicable

Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

- Inhalation:** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- Eye exposure:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Skin exposure:** IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
- Ingestion:** IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
If swallowed: Rinse mouth. Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Harmful if swallowed.

Causes severe skin burns and eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Prestige Super PH Buffer with Anti Drift

Version: 2

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Contain spillage with Bunding to avoid spread into water courses or areas of foliage/grass

6.3 Methods and material for containment and cleaning up:

In volumes up to 25L's contain spillage using sand or inert powder while wearing full PPE (including goggles and gloves)

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Do not eat, drink or smoke when using this product.

Avoid hot surfaces.

Do not mix with Acids or other chemicals

Avoid contact of neat product on skin or eyes.

Wear Protective Gloves and eye/face protection (see section 8)

7.2 Conditions for safe storage, including any incompatibilities:

Store in container as supplied, tightly closed. Keep cool and away from direct sunlight.

7.3 Specific end use(s):

Cleaning Product: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear close fitting chemical goggles meeting standard EN166 1 F N 3 or equivalent

Wear an Industrial rubber/neoprene glove meeting EN374 ISO 374-1:2016 / Type A

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Prestige Super PH Buffer with Anti Drift

Version: 2

exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State/Colour:	Not determined
Odour:	Not determined
Odour threshold:	Not determined
Melting point / freezing point:	Not determined
Boiling point or initial boiling point and boiling range:	Not determined
Flammability:	Not determined
Lower and upper explosion limit:	Not determined
Flash point:	> 100 °C
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not relevant
pH:	Not determined
Kinematic viscosity:	Not determined
Solubility:	Not determined
Partition coefficient: n-octanol/water (log value):	Not determined
Vapour pressure:	Not determined
Density and/or relative density:	Not determined
Relative vapour density:	Not determined
Particle characteristics:	Not determined

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Prestige Super PH Buffer with Anti Drift

Version: 2

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity:	Acute Toxicity - Oral Category 4
Acute Toxicity Oral	1497
Acute Toxicity Dermal	Not Applicable
Acute Toxicity Inhalation	Not Available
Skin corrosion/irritation:	Skin Corrosion / Irritation Category 1B
Serious eye damage/irritation:	Eye Damage / Irritation Category 1
Respiratory or skin sensitisation:	Based on available data the classification criteria are not met.
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive toxicity:	Based on available data the classification criteria are not met.
STOT-single exposure:	Based on available data the classification criteria are not met.
STOT-repeated exposure:	Based on available data the classification criteria are not met.
Aspiration hazard:	Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral (mg/kg)	LD50/ATE Dermal (mg/kg)	LC50/ATE Inhalation	LC50 Route
Orthophosphoric Acid	7664-38-2	231-633.2	500	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information.

11.2 Information on other hazards

Not Applicable

Section 12. Ecological information

12.1 Toxicity:	Not available
12.2 Persistence and degradability:	Not available
12.3 Bioaccumulative potential:	Not available
12.4 Mobility in soil:	Not available
12.5 Results of PBT and vPvB assessment:	

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Prestige Super PH Buffer with Anti Drift

Version: 2

12.6 Endocrine disrupting properties: Not Applicable

12.7 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	UN1760	CORROSIVE LIQUID, N.O.S. (Orthophosphoric Acid)	8	-	III
IMDG	UN1760	CORROSIVE LIQUID, N.O.S. (Orthophosphoric Acid)	8	-	III
ADR,RID,ADN	UN1760	CORROSIVE LIQUID, N.O.S. (Orthophosphoric Acid)	8	-	III
ICAO TI	UN1760	CORROSIVE LIQUID, N.O.S. (Orthophosphoric Acid)	8	-	III

14.5 Environmental hazards: Not environmentally hazardous for transport

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water Hazard Class (WGK): 1

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: SCI 1=14.97% SCI 1B=14.97% SCI 1C=14.97% SCI 2=2.99% EDI 1=8.98% EDI 2=2.98%

Total Fractional Values: SCI 1=6.68 SCI 1B=6.68 SCI 1C=6.68 SCI 2=33.40 EDI 1=11.13 EDI 2=33.57

Key to revisions:

14.4. Packing group

Key to abbreviations:

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Prestige Super PH Buffer with Anti Drift

Version: 2

Abbreviation	Meaning
Acute Tox. 4	Acute Toxicity - Oral Category 4
Eye Irrit. 2	Eye Damage / Irritation Category 2
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
Met. Corr. 1	Corrosive to Metals Category 1
P234	Keep only in original container.
P260	Do not breathe vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/eye protection/face protection.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P301/330/331	If swallowed: Rinse mouth. Do not induce vomiting.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P330	Rinse mouth.
P337/313	If eye irritation persists: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Skin Corr. 1B	Skin Corrosion / Irritation Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.