# Safety Data Sheet

Issue Date 26-Jan-2016

Revision Date 25-Nov-2019

Version: 1

## Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

1.1. Product identifier **Product Name** Product Code: Pure substance/mixture

Sierrablen 24-5-10+2Fe 42220125UC Mixture.

1.2. Relevant identified uses of the substance or mixture and uses advised against **Recommended Use** Fertilizer (PC12). Restricted to professional users. **Uses Advised Against:** Consumer use [SU 21].

1.3. Details of the supplier of the safety data sheet Everris International B.V.Nijverheidsweg 1-5; 6422 PD Heerlen (NL); Tel: +31 (0)45-5609100; Fax: +31 (0)45-5609190.

For further information, please contact: INFO-MSDS@EVERRIS.COM.

1.4. Emergency telephone number: IN CASE OF AN EMERGENCY CALL: +44 1235 239 670 (24h).

## Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture Mixture

Regulation (EC) No 1272/2008 (CLP)	
Skin Corrosion or Irritation	Category 2 - (H315)

#### 2.2. Label elements



**Hazard Statements:** 

H315 - Causes skin irritation

#### **Precautionary Statements:**

P264 - Wash hands thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P362 - Take off contaminated clothing and wash before reuse

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Chen	nical Name	EC-No.	CAS No	Weight %	Classification according Regulation (EC) 1272/2008	U U
					[ČLP]	

Urea	200-315-5	57-13-6	40 - 65%	Not classified	01-2119463277-33
Ammonium nitrate; NH4NO3	229-347-8	6484-52-2	5 - 10%	Eye Irrit. 2 (H319)	01-2119490981-27
				Ox. Sol. 3 (H272)	
Sulphur; S	231-722-6	7704-34-9	5 - 10%	Skin Irrit. 2 (H315)	01-2119487295-27
Iron sulphate; FeSO4+1H2O	231-753-5	7720-78-7	5 - 10%	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Acute Tox. 4 (H302)	01-2119513203-57

Full text of H- and EUH-phrases: see section 16

#### Section 4: FIRST AID MEASURES 4.1. Description of first aid measures **General Advice:** First aid measures should be executed by trained personnel only. If not breathing, give artificial respiration. If symptoms persist, call a physician. If fumes from Inhalation reactions are inhaled, move to fresh air immediately. Skin Contact: If skin irritation persists, call a physician. Eye Contact: Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist. Ingestion: Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting without medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

None under normal processing

4.3. Indication of any immediate medical attention and special treatment needed

None under normal processing.

## Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media Suitable Extinguishing Media:

Coordinate fire extinguishing measures to fire in surrounding area.

Unsuitable Extinguishing Media:

High volume water jet.

#### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

#### 5.3. Advice for firefighters

Use extinguishing agent suitable for type of surrounding fire. In the event of fire and/or explosion do not breathe fumes. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal Precautions:** Ensure adequate ventilation. Wear personal protective equipment. Evacuate personnel to safe areas. Use personal protection recommended in Section 8.

## For Emergency Responders:

#### 6.2. Environmental precautions

Do not allow material to contaminate ground water system.

#### 6.3. Methods and material for containment and cleaning up

Methods for Containment: Methods for Cleanup: Prevent further leakage or spillage if safe to do so. Take up mechanically and collect in suitable container for disposal.

## 6.4. Reference to other sections

§ 8, 12, 13.

## Section 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

General hygiene considerations:

Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. When using, do not eat, drink or smoke.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures/storage conditions:

Packaging Materials: 7.3. Specific end use(s) Specific use(s) Exposure scenario Keep container tightly closed in a dry and well-ventilated place. For quality reasons: Keep out of reach of direct sunlight, store under dry conditions, partly used packaging should be closed well. Keep away from flammable material. Store in original container. Store in a closed container.

Fertilizer; www.everris.com; Read and follow label instructions Mixture. Not required.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

Urea	
Bulgaria - OEL- TWAs	10.0 mg/m³ TWA
Latvia - OEL - TWAs	10 mg/m³ TWA
Ammonium nitrate; NH4NO3	
Australia	N.A.
Czech Republic OEL	10.0 mg/m³ TWA
Sulphur; S	
Latvia - OEL - TWAs	6 mg/m³ TWA
Russia TWA	6 mg/m³ TWA 1863
Iron sulphate; FeSO4+1H2O	
Belgium - 8 Hr TWA	1 mg/m <sup>3</sup>
Denmark	TWA: 1 mg/m <sup>3</sup>
Finland	TWA: 1 mg/m <sup>3</sup>
Ireland TWA: 1 mg/m <sup>3</sup>	
	STEL: 2 mg/m <sup>3</sup>
Norway	TWA: 1 mg/m <sup>3</sup>
	STEL: 2 mg/m <sup>3</sup>
Portugal	TWA: 1 mg/m <sup>3</sup>
Spain - Valores Limite Ambientales - VLE	TWA: 1 mg/m <sup>3</sup>
Switzerland	TWA: 1 mg/m <sup>3</sup>
UK EH40 WEL (8h)	LTEL (8 hr TWA) 1 mg/m <sup>3</sup>
	STEL (15 min) 2mg/m <sup>3</sup>

#### Derived No Effect Level (DNEL)

Component	Oral	Dermal	Inhalation
Urea		580 mg/kg bw/day	292 mg/m <sup>3</sup>
57-13-6 ( 40 - 65% )			
Ammonium nitrate; NH4NO3	36 mg/m³	5.12 mg/kg bw/day	8.9 mg/m <sup>3</sup>
6484-52-2 ( 5 - 10% )			

#### Predicted No Effect Concentration (PNEC)

No data available

Urea 57-13-6(40 - 65%)	0.47 mg/l	0.047 mg/l		
Ammonium nitrate; NH4NO3				18 mg/l
6484-52-2 ( 5 - 10% )				

8.2. Exposure controls

Personal protective equipment	
Eye/Face Protection	Wear eye/face protection
Hand protection	Gloves. Nitrile rubber (0.26 mm). Break through time. > 8 h.
Respiratory Protection	Not required; except in case of aerosol formation. In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit
Skin and body protection:	Lightweight protective clothing
Hygiene Measures:	When using, do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State:	Solid
Appearance:	Granules
Color:	orange, grey, white.
Odor:	None
Bulk density:	881 - 1031 kg/m³
Melting Point/Freezing Point:	No data available
Boiling Point/Range:	Solid. Not applicable.
Flash Point:	Solid. Not applicable.
Evaporation Rate:	Solid. Not applicable.
Flammability (solid, gas):	Not flammable
Vapor Pressure:	Solid. Not applicable.
Vapour density	Solid. Not applicable.
Relative density	No data available
Water Solubility:	No data available
Solubility(ies)	No data available
Partition Coefficient:	Solid. Not applicable.
Autoignition Temperature:	No data available
Decomposition temperature:	No data available
Explosive Properties:	Doesn't present explosion hazard.
9.2. Other information	
VOC Content (%):	Solid. Not applicable.

## Section 10: STABILITY AND REACTIVITY

10.1. Reactivity Not reactive.

# 10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal processing. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

#### 10.4. Conditions to avoid

For quality reasons: Keep out of reach of direct sunlight, store under dry conditions, partly used packaging should be closed well.

#### 10.5. Incompatible materials

Keep away from catalysts like derivates of hexavalent chromium and metal halides. Keep away from flammable products (fuels) like charcoal, wood, flour, soot etc.

#### 10.6. Hazardous decomposition products

None under normal processing. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## Section 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

#### **Product Information**

If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS

Unknown Acute Toxicity:	0% of the mixture consists of ingredient(s) of unknown toxicity.
-------------------------	--

#### Information on the Likely Routes of Exposure (inhalation, ingestion, skin and eye contact):

Inhalation	Inhalation of dust in high concentration may cause irritation of respiratory system.
Eye contact	May cause slight irritation.
Skin Contact	May cause irritation.
Ingestion	May cause gastrointestinal discomfort if consumed in large amounts.

## Information on Toxicological Effects

# None known

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document: *ATEmix (oral):* 8,292.00 mg/kg

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Urea	= 8471 mg/kg (Rat)		
Ammonium nitrate; NH4NO3	= 2217 mg/kg (Rat)	> 5000 mg/kg	> 88.8 mg/L (Rat)4 h
Sulphur; S	> 3000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 9.23 mg/L (Rat)4 h
Iron sulphate; FeSO4+1H2O	= 500 mg/kg (Rat)	= 155 mg/kg (Rat)	

#### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure:

If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS

Serious eye damage/eye irritation	Classification based on individual ingredients of the mixture.
Respiratory or skin sensitization	Classification based on individual ingredients of the mixture.
Germ Cell Mutagenicity	Classification based on individual ingredients of the mixture.
Carcinogenicity	Classification based on individual ingredients of the mixture.
Reproductive Toxicity	Classification based on individual ingredients of the mixture.
STOT - Single Exposure	Classification based on individual ingredients of the mixture.
STOT - Repeated Exposure	Classification based on individual ingredients of the mixture.
Aspiration Hazard	Classification based on individual ingredients of the mixture.

## Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity Unknown Aquatic Toxicity

Should not be released into the environment 0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Urea	> 10000: 192 h Scenedesmus quadricauda mg/L EC50	16200 - 18300: 96 h Poecilia reticulata mg/L LC50	-	3910: 48 h Daphnia magna mg/L EC50 Static 10000: 24 h Daphnia magna Straus mg/L EC50
Ammonium nitrate; NH4NO3	-	65 - 85: 48 h Cyprinus carpio mg/L LC50 semi-static	-	-
Sulphur; S	-	866: 96 h Brachydanio rerio mg/L LC50 static 14: 96 h Lepomis macrochirus mg/L LC50 static 180: 96 h Oncorhynchus mykiss mg/L LC50 static	-	-
Iron sulphate; FeSO₄+1H₂O	-	925: 96 h Poecilia reticulata mg/L LC50 static 0.56: 96 h Cyprinus carpio mg/L LC50 semi-static	-	152: 48 h Daphnia magna mg/L EC50 6.15 - 9.26: 48 h Daphnia magna mg/L EC50 Static

# 12.2. Persistence and degradability Persistence and Degradability:

No persistent or cumulative effects were observed.

#### 12.3. Bioaccumulative potential **Bioaccumulation:**

Chemical Name	LOGPOW
Urea	-1.59
Ammonium nitrate; NH4NO3	-3.1
12.4. Mobility in soil	No data available.

Does not bioaccumulate.

No data available. No data available.

#### 12.4. Mobility in soil

12.5. PBT and vPvB assessment

12.6. Other adverse effects

# Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods	
Disposal of Wastes:	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging: Other Information	Do not reuse container. Use up product completely. Packaging material is industrial waste.

# Section 14: TRANSPORT INFORMATION

IMO / IMDG	
14.1	
UN-No:	Not regulated
<u>14.2</u>	
Proper shipping name:	Not regulated
<u>14.3</u>	
Hazard Class:	Not regulated
<u>14.4</u>	
Packing group:	Not regulated
14.5	

Marine Pollutant:	No information available
14.6_ Special Provisions	None
<u>14.7</u> Bulk transport according Annex II of MARPOL and IBC Cod	e No data available

ADR/RID	
<u>14.1</u>	
UN-No:	Not regulated
<u>14.2</u>	
Proper shipping name:	Not regulated
<u>14.3</u>	
Hazard Class:	Not regulated
<u>14.4</u>	
Packing group:	Not regulated
<u>14.5</u>	
Environmental Hazard	Not regulated
<u>14.6</u>	Nana
Special Provisions	None
IATA	
14.1	Not regulated
<u>14.1</u> UN-No:	Not regulated
<u>14.1</u> UN-No: 14.2	-
<u>14.1</u> UN-No: <u>14.2</u> Proper shipping name:	Not regulated Not regulated
14.1 UN-No: 14.2 Proper shipping name: 14.3	Not regulated
14.1 UN-No: 14.2 Proper shipping name: 14.3 Hazard Class:	-
14.1 UN-No: 14.2 Proper shipping name: 14.3 Hazard Class: 14.4	Not regulated
14.1UN-No:14.2Proper shipping name:14.3Hazard Class:14.4Packing group:	Not regulated
14.1 UN-No: 14.2 Proper shipping name: 14.3 Hazard Class: 14.4	Not regulated Not regulated Not regulated
14.1UN-No:14.2Proper shipping name:14.3Hazard Class:14.4Packing group:14.5Environmental Hazard	Not regulated
14.1UN-No:14.2Proper shipping name:14.3Hazard Class:14.4Packing group:14.5	Not regulated Not regulated Not regulated

# Section 15: REGULATORY INFORMATION

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Belgium**

Component	Belgium - Major Accidents - Qualifying Quantities for Safety Reporting	Belgium - Major Accidents - Qualifying Quantities for Accident Prevention
Ammonium nitrate; NH₄NO₃ 6484-52-2 ( 5 - 10% )	2500 tonne (technical grade; (a) this applies to Ammonium nitrate in which the Nitrogen content as a result of Ammonium nitrate is (i) between 24.5% and 28% by weight and which contain <=0.4% total combustible or (ii) >28% by weight and which contain <=0.2% combustible substances (b) aqueous Ammonium nitrate solutions in which the concentration of Ammonium nitrate is >80% by weight)	
<u>Denmark</u> Denmark	No data available	
France CPE	Not regulated	
<mark>Germany</mark> ₋GK (Germany)	No data available	

LOR (Germany)	No data avaliable	
Component	German WGK Section	
Urea	1	

57-13-6 ( 40 - 65% )	
Ammonium nitrate; NH4NO3	1
6484-52-2 ( 5 - 10% )	
Sulphur; S	class 1
7704-34-9 ( 5 - 10% )	
Iron sulphate; FeSO <sub>4</sub> +1H <sub>2</sub> O	1
7720-78-7 ( 5 - 10% )	

Component		EU - REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances
Ammonium nitrate; NH4NO3	Present (in concentration of 16% by weight of	Use restricted. See item 58. (Conditions of
6484-52-2 ( 5 - 10% )	- <b>3</b>	restrictions 27 June 2010)
	higher)	

#### 15.2 Chemical safety assessment

Substance(s) usage is covered according to Reach regulation 1907/2006 Take note of Dir. 98/24/EC on the protection of the health and safety of workers from risks related to chemical agents at work

Chemical Name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
Ammonium nitrate; NH4NO3	Use restricted. See item 58.	

Chemical Name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
	350	2500
Ammonium nitrate; NH₄NO <sub>3</sub>		

## **Section 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

- H319 - Causes serious eye irritation

- H272 - May intensify fire; oxidizer

- H315 - Causes skin irritation

- H302 - Harmful if swallowed

#### Key or legend to abbreviations and acronyms used in the safety data sheet

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

ICAO: International Civil Aviation Organization

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PNEC: Predicted No Effect Concentration

DNEL: Derived No-Effect Level

REACh: Registration, Evaluation, Authorization of Chemicals

CLP: EU-GHS; Classification, Labelling and Packaging

OEL: Occupational Exposure Limit

TWA: Time Weighted Average

ATE: Acute Toxicity Estimate

EUH phrase: CLP (EU) specific hazard statement

LD50: Lethal dose, 50%.

LC50: Lethal concentration, 50%.

SVHC: Substance of Very High Concern.

#### **Classification procedure**

Calculation method

· Expert judgment and weight of evidence determination

Key literature references and sources for data

According to EC Regulation 1907/2006 (Reach), Regulation EU No. 2015/830. Regulation (EC) No 1272/2008 (CLP).

Prepared by

Regulatory Affairs Department (INFO-MSDS@EVERRIS.COM)

**Issue Date** 

**Restrictions on use** 

#### Reason for revision

26-Jan-2016

Restricted to professional users

\*\*\* Indicates changes since the last revision. This version replaces all previous versions

This information contained herein is, to the best of Everris' knowledge and belief, accurate and reliable as of the date of preparation of this document. However, no warranty or guarantee, express or implied, is made as to the accuracy or reliability, and Everris shall not be liable for any loss or damage arising out of the use thereof. No authorization is given or implied to use any patented invention without a license. In addition, Everris shall not be liable for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the product.