

SAFETY DATA SHEET Prestige Fineturf K Booster 5-0-28+2Fe+1Mg Micro 25kg

SECTION 1: Identification of the	SECTION 1: Identification of the substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	Prestige Fineturf K Booster 5-0-28+2Fe+1Mg Micro 25kg	
Product number	12942	
EU REACH registration notes	This Mixture is exempt from REACH registration according to Regulation (EC) No. 1907/2006 (REACH) All raw materials used in the mixture are REACH registered where necessary.	
1.2. Relevant identified uses o	f the substance or mixture and uses advised against	
Identified uses	Fertiliser	
1.3. Details of the supplier of the	he safety data sheet	
Supplier	PB Kent Alexandra Road South, Immingham Dock Immingham DN40 2QW +44 (0) 1469 563980 +44 (0) 1469 571444 sales@pbkent.co.uk	
1.4. Emergency telephone number		
Emergency telephone	+44 (0) 1469 563980 Mon - Fri 8am - 5pm	
SECTION 2: Hazards identification	ation	
2.1. Classification of the subst	ance or mixture	
Classification (SI 2019 No. 720	<u>)</u>	
Physical hazards	Not Classified	
Health hazards	Eye Irrit. 2 - H319	
Environmental hazards	Not Classified	
2.2. Label elements		
Hazard pictograms		
Signal word	Warning	
Hazard statements	EUH208 Contains nickel sulfate. May produce an allergic reaction. H319 Causes serious eye irritation.	

Precautionary statements	P264 Wash contaminated skin thoroughly after handling.
	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P337+P313 If eye irritation persists: Get medical advice/ attention.

2.3. Other hazards

This substance is not classified as PBT or vPvB according to current UK criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures		
SSP Single Superphosphate		10-30%
CAS number: 8011-76-5	EC number: 232-379-5	
Classification	Classification (67/548/EEC or 1999/45/EC)	
Eye Irrit. 2 - H319	Xi; R41	
iron (II) sulfate		5-10%
CAS number: 7720-78-7	EC number: 231-753-5	
Classification		
Acute Tox. 4 - H302		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
nickel sulfate		<1%
CAS number: 7786-81-4	EC number: 232-104-9	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification		
Acute Tox. 4 - H302		
Acute Tox. 4 - H332		
Skin Irrit. 2 - H315		
Resp. Sens. 1 - H334		
Skin Sens. 1 - H317		
Muta. 2 - H341		
Carc. 1A - H350i		
Repr. 1B - H360D		
STOT RE 1 - H372		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

 SECTION 4: First aid measures

 4.1. Description of first aid measures

 General information
 Get medical attention if any discomfort continues.

 Inhalation
 Get medical attention if symptoms are severe or persist.

 Ingestion
 Get medical attention if symptoms are severe or persist.

Skin contact Wash skin thoroughly with soap and water or use an approved skin cleanser. Get medical attention if symptoms are severe or persist after washing. Eye contact Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Continue to rinse for at least 10 minutes. Get medical attention if symptoms are severe or persist after washing. 4.2. Most important symptoms and effects, both acute and delayed Inhalation Dust in high concentrations may irritate the respiratory system. Ingestion No harmful effects expected from quantities likely to be ingested by accident. Skin contact The product contains a small amount of sensitising substance. May cause an allergic skin reaction. Prolonged contact may cause redness, irritation and dry skin. Eye contact Prolonged or repeated exposure may cause severe irritation. May cause severe eye irritation. 4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

Notes for the doctor

3/11

SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Not applicable.
5.2. Special hazards arising fro	om the substance or mixture
Specific hazards	None known.
5.3. Advice for firefighters	
Protective actions during firefighting	Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.
Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials. Wear positive-pressure self- contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing will provide a basic level of protection for chemical incidents.
SECTION 6: Accidental releas	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Avoid inhalation of dust and contact with skin and eyes. Use suitable respiratory protection if ventilation is inadequate. Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Take care as floors and other surfaces may become slippery.
6.2. Environmental precaution	<u>S</u>
Environmental precautions	The product is slowly degradable. The product is not expected to be hazardous to the environment. Avoid the spillage or runoff entering drains, sewers or watercourses.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Take care as floors and other surfaces may become slippery. Avoid generation and spreading of dust. Collect spillage with a shovel and broom, or similar and reuse, if possible. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Dispose of contents/container in accordance with national regulations. Do not empty into drains. Collect and dispose of spillage as indicated in Section 13.
6.4. Reference to other section	
Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	Read label before use. Wear appropriate clothing to prevent repeated or prolonged skin contact. Avoid inhalation of dust and contact with skin and eyes.
Advice on general occupational hygiene	Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Wash at the end of each work shift and before eating, smoking and using the toilet.
7.2. Conditions for safe storag	e, including any incompatibilities
Storage precautions	Store in a dry place. Keep container in a well-ventilated place. Keep out of the reach of children. Store away from incompatible materials (see Section 10).
7.3. Specific end use(s) Specific end use(s)	The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Ammonium Sulphate

Long-term exposure limit (8-hour TWA): LTEL 10Mg/m3

Dolomite

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust

iron (II) sulfate

Long-term exposure limit (8-hour TWA): WEL 1 mg/m³ WEL = Workplace Exposure Limit.

Potassium Chloride (CAS: 7447-40-7)

DNEL	Workers - Dermal; Short term systemic effects: 580 mg/kg/day Workers - Dermal; Long term systemic effects: 580 mg/kg/day Workers - Inhalation; Short term systemic effects: 292 mg/m ³ Workers - Inhalation; Long term systemic effects: 292 mg/m ³
PNEC	Industry - Fresh water; 0,047 mg/l - marine water; 0,047 mg/l
	SSP Single Superphosphate (CAS: 8011-76-5)
DNEL	Workers - Inhalation; Long term systemic effects: 3.1 mg/m ³ Workers - Dermal; Long term systemic effects: 17.4 mg/kg/day General population - Inhalation; Long term systemic effects: 0.9 mg/m ³ General population - Oral; Long term systemic effects: 2.1 mg/kg/day General population - Dermal; Long term systemic effects: 10.4 mg/kg/day
PNEC	- Fresh water; 1.7 mg/l - marine water; 0.17 mg/l - Intermittent release; 17 mg/l - STP; 10 mg/l
	<u>Urea (CAS: 57-13-6)</u>
DNEL	Consumer - Oral; Long term systemic effects: 42 mg/kg/day Consumer - Oral; Short term systemic effects: 42 mg/kg/day Consumer - Dermal; Long term systemic effects: 580 mg/kg/day Consumer - Dermal; Short term systemic effects: 580 mg/kg/day Industry/Professional - Dermal; Long term systemic effects: 580 mg/kg/day Industry/Professional - Dermal; Short term systemic effects: 580 mg/kg/day Consumer - Inhalation; Long term systemic effects: 125 mg/m ³ Consumer - Inhalation; Short term systemic effects: 125 mg/m ³ Industry/Professional - Inhalation; Short term local effects: 292 mg/m ³
PNEC	- Fresh water; 0.47 mg/l - marine water; 0.047 mg/l

8.2. Exposure controls

Protective equipment

ι Πη

Appropriate engineering controls	All handling should only take place in well-ventilated areas.
Eye/face protection	Wear eye protection.
Hand protection	Wear protective gloves.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact.
Hygiene measures	Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.
Respiratory protection	No specific recommendations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Granules.
Colour	Beige. to Dark brown. or Black.
Odour	Mild.
Odour threshold	Not determined.
рН	Slightly Acidic
Melting point	Not relevant.
Initial boiling point and range	Not relevant.
Flash point	Not relevant.
Evaporation rate	Not relevant.
Flammability (solid, gas)	The product is not flammable.
Vapour pressure	Not relevant.
Vapour density	Not relevant.
Relative density	Not relevant.
Solubility(ies)	Not known.
Partition coefficient	Not known.
Auto-ignition temperature	Not relevant.
Decomposition Temperature	Not relevant.
Viscosity	Not relevant.
Explosive properties	Not relevant.
Oxidising properties	Does not meet the criteria for classification as oxidising.
9.2. Other information	
Other information	No information required.
SECTION 10: Stability and roc	antin dha

SECTION 10: Stability and reactivity

10.1. Reactivity	
Reactivity	No test data specifically related to reactivity available for this product or its ingredients.
10.2. Chemical stability	
Stability	Stable when stored in a dry place.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	No potentially hazardous reactions known.
10.4. Conditions to avoid	
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
10.5. Incompatible materials	
Materials to avoid	Water, moisture.
10.6. Hazardous decompositio	n products
Hazardous decomposition products	None known.
SECTION 11: Toxicological int	formation
11.1. Information on toxicologi	cal effects
Acute toxicity - oral	
ATE oral (mg/kg)	10,000.0
Acute toxicity - dermal	
Notes (dermal LD₅₀)	No specific test data are available.
Acute toxicity - inhalation	
Notes (inhalation LC₅₀)	No specific test data are available.
Skin corrosion/irritation	
Skin corrosion/irritation	Based on available data the classification criteria are not met.
Serious eye damage/irritation	
Serious eye damage/irritation	Causes serious eye irritation. In-vitro testing conducted on products with SSP Content <62%, 2015, Result: Reduced classification to Eye Irritant. Test Guideline OECD 438. This result is less severe than the harmonized classification for Super Phosphates as Eye Damage 1 H318.
Respiratory sensitisation	
Respiratory sensitisation	No specific test data are available.
Skin sensitisation	
Skin sensitisation	Based on available data the classification criteria are not met. Contains a small amount of a skin sensitising substance. May cause irritation.
Germ cell mutagenicity	
Genotoxicity - in vitro	This substance has no evidence of mutagenic properties.
Carcinogenicity	
Carcinogenicity	No specific test data are available.
Reproductive toxicity	
Reproductive toxicity - fertility	Does not contain any substances known to be toxic to reproduction.
Specific target organ toxicity -	single exposure

STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxicity -	repeated exposure	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard Aspiration hazard	Not anticipated to present an aspiration hazard, based on chemical structure.	
Skin contact	The product contains a small amount of sensitising substance. May cause an allergic skin reaction. Prolonged contact may cause redness, irritation and dry skin.	
Eye contact	Causes serious eye irritation.	
SECTION 12: Ecological infor	mation	
Ecotoxicity	The product is not expected to be hazardous to the environment. The product is not expected to be toxic to aquatic organisms.	
12.1. Toxicity		
12.2. Persistence and degrada	ability	
Persistence and degradability	The product is slowly degradable.	
12.3. Bioaccumulative potentia	al	
Partition coefficient	Not known.	
12.4. Mobility in soil		
Mobility	No data available.	
12.5. Results of PBT and vPv	B assessment	
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
12.6. Other adverse effects		
Other adverse effects	Not relevant.	
SECTION 13: Disposal consid	lerations	
13.1. Waste treatment method	ls	
General information	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.	
Disposal methods	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. Only store in correctly labelled containers. Dispose of contents/container in accordance with national regulations. No specific disposal method required. Do not empty into drains.	
SECTION 14: Transport information		
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).	
14.1. UN number		
Not applicable.		

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	ATE: Acute Toxicity Estimate. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. CAS: Chemical Abstracts Service. DNEL: Derived No Effect Level. GHS: Globally Harmonized System. IATA: International Air Transport Association. IMDG: International Maritime Dangerous Goods. ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air. LC50: Lethal Concentration to 50 % of a test population. LD50: Lethal Dose to 50% of a test population. DNEC: Predicted No Effect Concentration. REACH: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577. SVHC: Substances of Very High Concern. vPvB: Very Persistent and Very Bioaccumulative. cATpE: Converted acute toxicity point estimate. LOAEC: Lowest Observed Adverse Effect Concentration. LOAEL: Lowest Observed Adverse Effect Level. EC ₄₆₅ : 50% of maximal Effective Concentration. NOAEL: No Observed Effect Concentration. NOAEL: No Observed Effect Concentration. LOE: No Observed Effect Concentration. DOS: Lowest Observed Effect Level. NOEC: No Observed Effect Concentration. NOAEL: No Observed Effect Concentration. DOS: Lowest Observed Effect Concentration. DOS: Lowest Observed Effect Concentration. NOAEL: No Observed Effect Concentration. DOS: Lowest Observed Effect Concentration. DOS: Devised Minimal Effect Level.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	10/02/2022
Revision	5
Supersedes date	18/07/2019
SDS number	5196
Risk phrases in full	 R20/22 Harmful by inhalation and if swallowed. R22 Harmful if swallowed. R36/38 Irritating to eyes and skin. R38 Irritating to skin. R41 Risk of serious damage to eyes. R42/43 May cause sensitisation by inhalation and skin contact. R48/23 Toxic: danger of serious damage to health by prolonged exposure through inhalation. R49 May cause cancer by inhalation. R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R61 May cause harm to the unborn child. R68 Possible risk of irreversible effects.

Hazard statements in full	H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction.
	H319 Causes serious eve irritation.
	H332 Harmful if inhaled.
	H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
	H341 Suspected of causing genetic defects.
	H350i May cause cancer by inhalation.
	H360D May damage the unborn child.
	H372 Causes damage to organs through prolonged or repeated exposure.
	H400 Very toxic to aquatic life.
	H410 Very toxic to aquatic life with long lasting effects.
	EUH208 Contains nickel sulfate. May produce an allergic reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.