Speedway® Total

ADJ Nº 0820 PCS Nº 92459

Soluble concentrate formulation containing 37.0 % w/w alkoxylated alcohols and 41.0 % w/w alkoxylated alcohols for use as an extending, spreading and wetting adjuvant.

Specifically formulated for use with total and / or non-selective herbicides.

NET: 5L

Distributed By:

Everris Limited, Epsilon House, West Road, Ipswich IP3 9FJ, United Kingdom General: Tel: +44 (0)844 8094470





HARMFUL IF SWALLOWED, CAUSES SKIN RRITATION. CAUSES SERIOUS EYE DAMAGE. VERY TOXIC TO AQUATIC LIFE. MAY CAUSE DROWSINESS OR DIZZINESS. IF SWALLOWED. Immediately call a POISON CENTRE or doctor. IF ON SKIN: Gently wash with plenty of soap and water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTRE or doctor if you feel unwell.



Field of use:

FOR USE ONLY AS AN EXTENDING. SPREADING AND WETTING AGENT

Maximum Application Rate: 2.0 % V/v

READ THE LABEL BEFORE USE.
USING THIS PRODUCT IN A MANNER THAT IS
INCONSISTENT WITH THE LABEL MAY BE AN
OFFENCE.

FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS

ADJ Nº 0820 PCS Nº 92459

DANGER



Speedway Total is a soluble concentrate formulation containing 37.0 % w/w alkoxylated alcohols and 41.0 % w/w alkoxylated alcohols for use as an extending, spreading and wetting adjuvant. Specifically formulated for use with total and/or non-selective herbicides.

HEALTH & SAFETY INFORMATION

HARMFUL IF SWALLOWED. CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE DAMAGE, VERY TOXIC TO AQUATIC LIFE. MAY CAUSE DROWSINESS OR DIZZINESS.

TO AVOID RISKS TO HUMAN HEALTH AND THE ENVIRONMENT, COMPLY WITH THE INSTRUCTIONS FOR USE.

The (CoSHH) Control of Substances Hazardous to Health Regulations apply to the use of this product at work (UK Only)

Operator precaution

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment

Wear protective gloves/protective clothing/eye protection/face protection.

However, engineering controls may replace personal protective equipment if a CoSHH assessment shows they provide an equal or higher standard of protection.

Do not breathe vapours. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product.

IF SWALLOWED: Immediately call a POISON CENTRE or doctor.

IF ON SKIN: Gently wash with plenty of soap and water.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTRE or doctor if you feel unwell.

Avoid release to the environment. Refer to manufacturer/supplier for information on recovery/ recycling

Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste Contains: Alcohol Ethoxylate 3 EO, Alcohol Ethoxylate 7 EO, Isobutanol.

ADJ Nº 0820 PCS Nº 92459



The following at a maximum concentration of 2.0 % ^v / _v	
All non edible crops	All authorised plant protection products

The following at a maximum concentration of 0.2 % $^{v}/_{v}$	
Non-crop production	All authorised plant protection products

For maximum number of treatments and latest time of application: ALWAYS FOLLOW THE STATUTORY CONDITIONS OF USE OF THE PLANT PROTECTION PRODUCT.

Rates of Use

Per 100 L spray solution, use up to 2 L Speedway Total For total spray volume, refer to the accompanying plant protection product instructions.

Always ensure thorough wetting of the target.

Uses advised against:

Do not use with fertilisers or trace elements.

Mixing and Spraying

Before use ensure that all spraying equipment is clean. Add half the required volume of water and start agitation, add the required quantity of Speedway Total. Add the plant protection product and fill the tank to the required volume whilst maintaining agitation. Continuous agitation must be maintained until spraying is complete. All application equipment must be thoroughly cleaned with water prior to storage or use on another crop.

Directions for Use

Dilute as appropriate based on the crop situation. Do not exceed maximum concentration rate. Always check a small patch before using, may cause phytotoxic effects on certain crops and/or situations.

For more detailed information about usage contact your ICL Area Sales Manager or visit www.icl-sf.co.uk or www.icl-sf.ie

Non-Edible Crops Situations includes:

- Green cover not being used for crop production
- Forestry
- Forest nursery
 - Forest which includes commercial forests and any and all woodlands
 - Farm forestry
- Industrial Crops

Non-Crop Production Situations includes:

- · Industrial and Amenity Areas
 - Amenity grassland
 - Amenity vegetation
 - Managed amenity turf
- Plant Free Areas
 - Natural surfaces not intended to bear vegetation
 - Permeable surfaces overlying soil such as gravel
 - · Hard surfaces such as concrete

Environmental protection

Extremely dangerous to fish and aquatic organisms. Do not contaminate surface waters or ditches with chemical or used container.

Storage and Disposal

Keep away from food, drink and animal feedstuffs. Keep out of reach of children. Keep in original container, tightly closed in a safe place. Wash out container thoroughly and dispose of safely. Do not re-use containers for any purpose.

Distributed By:

Everris Limited; Epsilon House, West Road, IpswichIP3 9FJ, United Kingdom General: Tel: +44 (0)844 8094470