

BRITELINER ARTICLE Patent Pending



BRITELINER ARROWA



materials, actually costs less than its predecessors.

Transfer wheel technology for the modern age



Improved straight line and circle marking. Longer wheel base (590 mm) provides better weight distribution to ensure the front wheel is solidly held on the surface for greater stability and accuracy when marking straight lines. In-built eyelet hook enables twine from a centre post to be attached to the machine in exactly the right position.

Central transfer wheel is spring-loaded and positively fixed to the machine to ensure the quality and consistency of the line on any grass surface. It can be adjusted to achieve desired line definition and, once set, will produce the same quality line every time it is used. Transfer wheels are interchangeable to provide different line widths.

Streamlined tank produced from super-tough moulded plastic. Holds enough line marking liquid for three standard football pitches.

Unique 'tip tank' facility allows any unused line marking liquid to be retained for future use. There is no sump plug to remove and no need for the user to lift the machine to empty it. Line marking residues will not stick to the moulded plastic tank, eliminating residue build-up. Where required the tank can be easily unclipped from the frame and washed.

Height adjustable handlebar with a detachable 'cow horn' bar to provide greater control. Handle can be folded down for easier transportation and storage.

The reduced weight of the Briteliner Arrow (15kg compared to the 23.5kg of the earlier, all steel versions) means that it can be handled easily and safely by just one person, reducing manpower requirements and costs.

Quality build - designed by Supaturf technicians and built in our own manufacturing facility in the UK, ensuring the highest quality standards and shortest delivery times. A patent for the unique design is pending.

Frame

Constructed from triple coated steel tubes with no welding and no weak points that can corrode. Bumper bar at front end of the machine protects the marking wheel. Tank is fully detachable.



Spot brush

For finishing lines and creating centre and penalty spots. Fits neatly in a drip filter over the tank.



Supaturf marking liquids

Briteline and Briteline Plus, free flowing marking liquids specially developed by Supaturf for use with transfer wheel markers, are the ideal complement for the Arrow. Other Supaturf line marking liquids, including premium product SupaStadia AF, can also be used with the machine. Depending on application requirements.











Head Office & Technical Enquiries Owen Street, Coalville, Leicestershire LE67 3DE

Tel: 01530 510060 Fax: 01530 510299

Email info@supaturf.co.uk

Replacement parts

All parts of the new Briteliner Arrow are replaceable and Supaturf will carry a full inventory of spares to ensure that your machine can be maintained in perfect condition throughout its long working life.

